



Table of contents

MINIMAX	01 PAINTED INTERIOR DOORS		05 FOLDING AND SLIDING DOORS	
LONDON, VIENNA. 12 12 14 14 15 16 16 16 16 16 16 16	MINIMAX	10	Folding doors ALFA, BETA	112
Porta SKANDIA Premium	LONDON, VIENNA	12		
Portar VECTOR Premium 18 Portar PCLUS Premium 19 Portar PCLUS P	Porta ROYAL Premium	14	Sliding system COMPACT, METAL	116
Porta VECTOR Premium	Porta SKANDIA Premium	16	Sliding system BLACK, SLIDE – NEW	118
Porta DCUS Premium	Porta VECTOR Premium	18	- 1	
Ports GRANDE - NEW MODEL	Porta FOCUS Premium	20	g -y	
Porta GARANDE - NEW MODEL		TOP	06 TECHNICAL DOORS	
Porta DUO- NEW Porta HIDE 28 29 20 20 20 20 20 20 20 20 20				dala 124
20			•	
SERAME AND PANEL INTERIOR DOORS SYNTHETIC VENEER Porta Verte HOME B 30 Porta Verte HOME C 32 Porta Verte HOME C 32 Porta Verte HOME C 33 Porta Verte HOME C 34 PORTA Verte HOME C 34 PORTA Verte HOME C 35 Porta Verte HOME C 36 Porta Verte HOME C 37 Porta Verte HOME C 38 Porta Verte HOME L N 44 Porta Verte HOME L N 44 Porta Verte HOME L N 44 Porta Verte PREMIUM A D 46 Porta Verte PREMIUM A D 46 Porta Verte PREMIUM B C Verte PREMIUM B				
22 FRAME AND PANEL INTERIOR DOORS SYNTHETIC VENEER Porta Verte HOME C	TOTATIOE	ZO IOP		
SYNTHETIC VENEER	22 EDAME AND DANE! INTERIOR DOORS		•	
Porta Verte HOME C				
Porta Verte HOME C				
Porta Verte HOME D			PURE 57 dB – NEW	
Porta Verte HOME			Fire-rated El 30, El 60	138 TOP
Porta Verte HOME H - NEW		34	ENDURO	140
Porta Verte HOME J - NEW	Porta Verte HOME E	36	AQUA	142
Porta Verte HOME J - NEW	Porta Verte HOME G			
Porta Verte HOME L, N	Porta Verte HOME H – NEW	40 TOP	07 APARTMENT ENTRANCE DOORS	
Porta Verte PREMIUM A, D	Porta Verte HOME J – NEW	42	AGATE, OPAL – class RC 2	144
Porta Verte PREMIUM B, C	Porta Verte HOME L, N	44	EXTREME - class RC 2 – NEW	146
Porta Verte PREMIUM B, C	Porta Verte PREMIUM A, D	46		
Porta Verte PREMIUM E – NEW	Porta Verte PREMIUM B, C	48		
Porta CONCEPT, group A and B	Porta Verte PREMIUM E – NEW			
Porta CONCEPT, group C	Porta CONCEPT, group A and B	52	3 ,	
Porta CONCEPT, group H and K	- ·		GIANTE - Anti-burgiary class C	
Porta BALANCE	- ·		08 EVERNOR ENTRANCE DOORS	
Porta INSPIRE, group A and B				156
Porta INSPIRE, group A and B				KOLEKCJE MWESTYCI
Porta INSPIRE, group C			Wooden Eco POLAR, Eco POLAR PASSIVE	
Document			00	
Stush Interior Doors Steel BASIC, Steel exterior BASIC PLUS 162	FOR TAINSFINE, GROUP C	04	STEEL TECHNICAL DOORS	1
SYNTHETIC VENEER	22		Doors for utility rooms, storage rooms	160
Porta DECOR			Steel BASIC, Steel exterior BASIC PLUS	162
Porta STYL			Steel SOLID	164
Porta FIT, group C, I			Steel EI 30, EI 60	166
Porta FIT, group F-H 72 72 74 75 74 75 74 75 75 74 76 76 76 76 76 76 76				
Porta NOVA group 2–5			10 DOOR FRAMES	
Porta NOVA group 6 and 7	Porta FIT, group F–H	72	MINIMAX	170
Porta LEVEL 78 Porta LINE 80 Porta CPL 82 Porta RESIST 84 Porta FOCUS 88 Porta LOFT - NEW 88 Nature CLASSIC 90 Nature UNE NATURE UNITE ON THEW 96 Nature UNITE GRANDE 98 Nature CONCEPT 102 MADRID, SEVILLA - NEW 104 CORDOBA, TOLEDO 104 Villadora MODERN 110 National Sevience of the decision of the discontinuation of the	Porta NOVA group 2–5	74	Porta SYSTEM, Porta SYSTEM GK	172
Porta LEVEL 78 Porta LEVEL 80 Porta CPL 82 Porta RESIST 84 Porta FOCUS 86 Porta LOFT - NEW 88 Nature CLASSIC 90 Nature UCTOR - NEW 94 Nature UFT - NEW 96 Nature GRANDE 99 Nature GRANDE 100 Nature CONCEPT 102 MADRID, SEVILLA - NEW 104 Villadora RETRO 108 Villadora RETRO 109 Villadora MODERN 110 Villadora SYSTEM ELEGANCE 90 Villadora MODERN 1180 Villadora RETRO, Villadora MODERN 1180 Villadora RETRO NEW 184 Non-rebated, Adjustable steel frame - NEW 184 Non-rebated, Adjustable PS with, sharp edges' 186 Corner profile, non-rebated - LARGE - NEW 184 Non-rebated, Adjustable PS with, sharp edges' 186 Corner profile, non-rebated - LARGE - NEW 184 Non-rebated, Adjustable PS with, sharp edges' 186 Corner profile, non-rebated - LARGE - NEW 184 Non-rebated, Adjustable PS with, sharp edges' 186 Corner profile, non-rebated - LARGE - NEW 184 Non-rebated, Adjustable PS with, sharp edges' 186 Corner profile, non-rebated - LARGE - NEW 184 Non-rebated, Adjustable PS with, sharp edges' 186 Corner profile, non-rebated - LARGE - NEW 184 Non-rebated, Adjustable PS with, sharp edges' 186 Corner profile, non-rebated - LARGE - NEW 184 Non-rebated, Adjustable PS with, sharp edges' 1	Porta NOVA group 6 and 7	76	Porta SYSTEM ELEGANCE	174
Porta LINE	Porta LEVEL	78		
Porta CPL	Porta LINE	80	3	
Porta RESIST	Porta CPL	82 тор		
Porta FOCUS Porta LOFT - NEW Nature CLASSIC Nature LINE Nature VECTOR - NEW Nature GRANDE Nature IMPRESS, Nature SPACE Nature IMPRESS, Nature SPACE Nature CONCEPT MADRID, SEVILLA - NEW Villadora MODERN Villadora MODERN 182 Villadora RETRO, Villadora MODERN 184 Non-rebated, Adjustable steel frame - NEW Adjustable, Adjustable PS with, sharp edges' 186 Corner profile, non-rebated - LARGE - NEW Corner profile frame SMALL PLUS, LARGE 188 PROJECT BIS, PROJECT Premium 190 Villadora RETRO 104 Villadora MODERN 110 Villadora MODERN 110 Villadora MODERN 110 Villadora MODERN 110 Villadora RETRO, Villadora MODERN 182 PORTASTEEL PRODUCT Steel Porta SYSTEM ELEGANCE - NEW Steel Porta SYSTEM - NEW Adjustable, Adjustable PS with, sharp edges' 186 Corner profile, non-rebated - LARGE - NEW Corner profile frame SMALL PLUS, LARGE 188 PROJECT BIS, PROJECT Premium 190 12 ACCESSORIES, DIMENSIONS, ADDITIONAL INFORMATION Handles - NEW 194 Hinges, locks, other accessories - NEW 203 Skirting-boards and ventilation 204 Technical drawings, Door dimensions 205 Durability levels of Porta finishes, finishes charts 216	Porta RESIST			
Porta LOFT - NEW	Porta FOCUS	86		
Nature CLASSIC 90 Nature VECTOR – NEW 94 Nature GRANDE 98 Nature IMPRESS, Nature SPACE 100 Nature CONCEPT 102 MADRID, SEVILLA – NEW 104 Villadora RETRO 108 Villadora MODERN 110 11 STEEL DOOR FRAMES Steel Porta SYSTEM ELEGANCE – NEW Steel Porta SYSTEM – NEW 184 Non-rebated, Adjustable steel frame – NEW Adjustable, Adjustable PS with, sharp edges' 186 Corner profile, non-rebated – LARGE – NEW Corner profile frame SMALL PLUS, LARGE 188 PROJECT BIS, PROJECT Premium 190 12 ACCESSORIES, DIMENSIONS, ADDITIONAL INFORMATION Handles – NEW 194 Hinges, locks, other accessories – NEW 203 Skirting-boards and ventilation 204 Technical drawings, Door dimensions 205 Durability levels of Porta finishes, finishes charts 216	Porta LOFT – NEW	88 TOP	VIIIadora NETNO, VIIIadora WODENN	102
Nature CLASSIC			11 STEEL DOOR FRAMES	
Nature CLASSIC 90 Nature LINE 92 Nature VECTOR – NEW 94 Nature LOFT – NEW 96 Nature GRANDE 98 Nature IMPRESS, Nature SPACE 100 Nature CONCEPT 102 MADRID, SEVILLA – NEW 104 CORDOBA, TOLEDO 104 Villadora RETRO 108 Villadora MODERN 110 Nature CLASSIC 90 Steel Porta SYSTEM – NEW 184 Non-rebated, Adjustable steel frame – NEW Adjustable, Adjustable PS with, sharp edges' 186 Corner profile, non-rebated – LARGE – NEW Corner profile frame SMALL PLUS, LARGE 188 PROJECT BIS, PROJECT Premium 190 12 ACCESSORIES, DIMENSIONS, ADDITIONAL INFORMATION Handles – NEW 194 Hinges, locks, other accessories – NEW 203 Skirting-boards and ventilation 204 Technical drawings, Door dimensions 205 Durability levels of Porta finishes, finishes charts 216	14 INTERIOR DOORS, NATURAL VENEER			PRODUCT
Nature LINE 92 Nature VECTOR – NEW. 94 Nature LOFT – NEW 96 Nature GRANDE 98 Nature IMPRESS, Nature SPACE 100 Nature CONCEPT 102 MADRID, SEVILLA – NEW 104 Villadora RETRO 108 Villadora MODERN 110 Non-rebated, Adjustable steel frame – NEW Adjustable, Adjustable PS with, sharp edges' 186 Corner profile, non-rebated – LARGE – NEW Corner profile frame SMALL PLUS, LARGE 188 PROJECT BIS, PROJECT Premium 190 12 ACCESSORIES, DIMENSIONS, ADDITIONAL INFORMATION Handles – NEW 194 Hinges, locks, other accessories – NEW 203 Skirting-boards and ventilation 204 Technical drawings, Door dimensions 205 Durability levels of Porta finishes, finishes charts 216		on I ——		404
Nature VECTOR – NEW		TOP		184
Nature LOFT – NEW 96 Nature GRANDE 98 Nature IMPRESS, Nature SPACE 100 Nature CONCEPT 102 MADRID, SEVILLA – NEW 104 CORDOBA, TOLEDO 104 Villadora RETRO 108 Villadora MODERN 110 Nature CONCERN 108 Nature GRANDE 98 Corner profile frame SMALL PLUS, LARGE 188 PROJECT BIS, PROJECT Premium 190 12 ACCESSORIES, DIMENSIONS, ADDITIONAL INFORMATION Handles – NEW 194 Hinges, locks, other accessories – NEW 203 Skirting-boards and ventilation 204 Technical drawings, Door dimensions 205 Durability levels of Porta finishes, finishes charts 216		l l		1
Nature GRANDE 98 Corner profile frame SMALL PLUS, LARGE 188 Nature IMPRESS, Nature SPACE 100 PROJECT BIS, PROJECT Premium 190 Nature CONCEPT 102 MADRID, SEVILLA – NEW 104 104 104 104 104 104 194 194 194 194 194 194 194 194 196 194 196				
Nature IMPRESS, Nature SPACE 100 PROJECT BIS, PROJECT Premium 190 Nature CONCEPT 102 MADRID, SEVILLA – NEW 104 104 CORDOBA, TOLEDO 104 Handles – NEW 194 Villadora RETRO 108 Hinges, locks, other accessories – NEW 203 Villadora MODERN 110 Skirting-boards and ventilation 204 Technical drawings, Door dimensions 205 Durability levels of Porta finishes, finishes charts 216			·	
Nature CONCEPT 102 MADRID, SEVILLA - NEW 104 CORDOBA, TOLEDO 104 Villadora RETRO 108 Villadora MODERN 110 Skirting-boards and ventilation 203 Skirting-boards and ventilation 204 Technical drawings, Door dimensions 205 Durability levels of Porta finishes, finishes charts 216				
MADRID, SEVILLA – NEW 104 CORDOBA, TOLEDO 104 Villadora RETRO 108 Villadora MODERN 110 Handles – NEW 194 Hinges, locks, other accessories – NEW 203 Skirting-boards and ventilation 204 Technical drawings, Door dimensions 205 Durability levels of Porta finishes, finishes charts 216			PROJECT BIS, PROJECT Premium	190
CORDOBA, TOLEDO 104 Handles – NEW 194 Villadora RETRO 108 Hinges, locks, other accessories – NEW 203 Villadora MODERN 110 Skirting-boards and ventilation 204 Technical drawings, Door dimensions 205 Durability levels of Porta finishes, finishes charts 216				
CORDOBA, TOLEDO			12 ACCESSORIES, DIMENSIONS, ADDITIONAL INF	ORMATION
Villadora RETRO 108 Hinges, locks, other accessories – NEW 203 Villadora MODERN 110 Skirting-boards and ventilation 204 Technical drawings, Door dimensions 205 Durability levels of Porta finishes, finishes charts 216	CORDOBA, TOLEDO	104		
Villadora MODERN	Villadora RETRO	108	Hinges, locks, other accessories – NEW	203
Technical drawings, Door dimensions	Villadora MODERN	110	3	
Durability levels of Porta finishes, finishes charts 216			_	
•			3 .	
			Glass panels	

Characteristics of our products

MEANING OF THE SYMBOLS THAT DESCRIBES OUR PRODUCTS' FEATURES



The most popular PORTA collections



Products recommended for investment projects.

DESIGN, GLAZING, MIRROR

You can choose a glass panel with different designs and level of transparency



Design your door



Optional mirror



Natural veneer



Premium paint



UV paint

CONSTRUCTION

While choosing the type of construction you determine, inter alia, endurance, stability, sound proofness, and thermal insulation of your door.



Frame and panel construction



Burglar resistance

RC 2 class, RC 3 class, C class. Resistance to unpermitted opening



Fire resistance

El 30, El 60 Ability to stop the fire for 30 or 60 minutes



Smoke control

class Sa, S It defines door's tightness to smoke leakage



Acoustic insulation

Rw 27 dB D 25, Rw 32 dB D 30, Rw 37 dB D 35, Rw 42 dB D 40 It defines acoustic rating of a door



Resistance to weather



Strength performance class

class 1, class 2, class 3, class 4 The performance levels in resisting various loads, impacts and torsions indicating normal usage for a range of categories of duty



Porta CONTRACT

Bespoke design, made to measure



lower edge protection against humidity in TechnoPorta technology



DOOR FRAME

A door frame is as important part of a doorset as a door leaf. There are a lot of door frame types and choosing one, please consider that they may come in two options: rebated or non-rebated.



non-rebated



rebated



Reversed rebate



Project BIS, Project Premium



Door frame adjustment available



Architraves available in two sizes: 60 mm and



Retro module

DOOR LEAF

Door design may have different functional solutions depending on interior needs and functions.



Available sizes for a single door: min. '60', max. '110'



Available sizes for a double door: min. '90', max. '220'



Standard height door leaf 2030



Increased height door leaf 2200



Door leaf thickness depends on chosen construction



Sliding door leaf



Reversible door right-left

Please note ...

OUR DOORS ARE ANTI-BULGLARY

(RC 2) class - resistance class to provide basic protection against break-in attempts with use of simple tools e.g. a screwdriver, a wedge, pincers, a hammer.











(RC 3) class - resistance class to provide protection against break-in attempts with use of tools e.g. a crowbar, a cotter pin driver, a mechanical drill.

















RC-resistance class it's the ability of certain product to withstand violent intrusion in protected rooms or areas.

Before purchasing a door you need to decide on the opening direction



SINGLE DOOR LEFT DOOR LEAF



SINGLE DOOR RIGHT DOOR LEAF



DOUBLE LEAF DOOR

■ CALCULATE THE DOOR PRICE



■ PRODUCTION TIME*

Check on www.portadoors.com


^{*}prodution time may differ as it depends on the quantity and type of ordered products.



SEVILLA see page 104



Nature LOFT see page 96




Porta SYSTEM door frame with reversed rebate see page 118



Porta EFEKT see page 120

NEW SOLUTION

New door leaf height 220 cm is available in chosen collections: **Porta VECTOR** Porta DESIRE **Nature CLASSIC Nature LINE Nature VECTOR** Villadora MODERN




Porta SYSTEM



Porta SYSTEM ELEGANCE



EXTREME RC2 see page 146



INNOVO 42 dB see page 132



Porta SYSYTEM ELEGANCE 90 degrees



with reversed rebate



PURE 57 dB see page 211



INNOVO 37 dB see page 128



Steel Porta SYSTEM



Steel Porta SYSYTEM ELEGANCE

01INTERIOR DOORS

We would like to invite you to be inspired by our diverse range of doors to suit your interior design requirements.

We supply various styles from wooden doors, to give that warm and cosy feel ,or the more sleek, modern and designer styles which are more on trend.

As we offer a wide and versatile range of products we feel confident that you will be able to find your perfect choice.





MINIMAX



MINIMAX P, White



MINIMAX P, White













Standard paint ★★★☆☆☆

White



glazing bead with a glass panel



'Chinchilla' glass

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core reinforced with rails and stiles. The construction is skinned with HDF.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Two or three standard barrel hinges or PRIME hinges (optionally, at extra charge)
- Lock: key lock, WC lock, or cylinder lock
- 'Chinchilla' glass or frosted tempered glass (optionally, extra charge)
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM in Portadecor veneer see p. 172
- MINIMAX in Portadecor veneer see p. 170
- STEEL see p. 184-189

- · Technical Assessment AT-15-6515/2016, ITB Warsaw.
- Door leaves available in, paint yourself' option are in the same price as MINIMAX white.
- · Hollow chipboard core and chipboard core have preparation for shortening as a standard
- Size'110' is available only with hollow chipboard. Glazing size is the same as for size'100'
 Double doors are available in any door leaf size combinations.
- Passive door leaves (side panels) in sizes '30', '40', '50' available only in solid option (without glazing or decorative mouldings).
- · Magnetic lock is not available for a double door.

- Size '80' and '90' in investment norm (clear opening width 800, 900 mm) available as a standard- without extra charge
- Sizes,100' and,110' require third hinge
- · Reinforcement for door closer requires third hinge.
- Due to various materials use, there might be a slight colour difference between door leaf and a glazing bead
- · PRIME hinges packed with a door frame.

EXTRA CHARGES

- size '100', '110'
- hollow chipboard core
- · ventilation grille, ventilation sleeves or ventilation undercut
- · PRIME hinges (apply to dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- magnetic lock
- preparation for shortening (maximum 60 mm)
- · reinforcement for door closer (third hinge is required)
- stainless steel porthole
- hook lock with side pull handles (sliding doors)oblong pull handle for sliding doors
- caps for standard hinges
- frosted tempered glass model M
- frosted tempered glass model D
- · frosted tempered glass model L
- · handle with an escutcheon

LONDON, VIENNA



VIENNA B, White



VIENNA P, White















Standard paint ★★★☆☆☆

White



LONDON, VIENNA wood grains

■ TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Stabilising infill skinned with embossed HDF.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Two or three standard barrel hinges or PRIME hinges (optionally, at extra charge)
- Lock: key lock, WC lock, or cylinder lock
- 'Chinchilla' glass
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM in Portadecor veneer see p. 172
- MINIMAX in Portadecor veneer see p. 170
- STEEL see p. 184-189

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- Double doors are available in any door leaf size combinations.
- We recommend handle and escutcheon, Royal' see p.195
- Magnetic lock is not available for a double door.
- Reinforcement for door closer requires third hinge
- Due to various materials use, there might be a slight colour difference between doornleaf and a glazing bead/muntin.
- PRIME hinges packed with a door frame

EXTRA CHARGES

- ventilation sleeves or ventilation undercut
- preparation for shortening (maximum 60 mm)
- magnetic lock
- PRIME hinges (applies to dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- preparation for shortening (maximum 60 mm)
- reinforcement for door closer (third hinge is required)
 hook lock with side pull handles (sliding doors)
- oblong pull handle for sliding doors
- caps for standard hinges
- handle with an escutcheon

Porta ROYAL Premium



Porta ROYAL Premium A, White



Porta ROYAL Premium A, White

















Premium paint ★★★★☆☆

White



perfectly smooth surface

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Stabilising infill or chipboard core (extra charge) skinned with embossed HDF.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: two or three standard barrel hinges or PRIME hinges (optionally at extra charge); non-rebated: two 3D hinges
 Lock: key lock, WC lock, or cylinder lock
- · Crosted glass
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM in Premium veneer see p. 172
- MINIMAX in Premium veneer see p. 170
- STEEL see p. 184-189

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE finished with Premium veneer see p. 174
 Porta SYSTEM ELEGANCE 90 degrees finished with Premium veneer see p. 174
- LEVEL finished with Premium veneer see p. 178 $\,$

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- Double doors are available in any door leaf size combinations.
- We recommend handle and escutcheon, Royal' see p.195
- Magnetic lock is not available for a double door
- Reinforcement for door closer requires third hinge
- PRIME hinges or 3D hinges packed witha a door frame

EXTRA CHARGES

- · ventilation sleeves or ventilation undercut
- · chipboard core
- preparation for shortening (maximum 60 mm)
- magnetic lock
- · OFFER PRIME set
- gold 3D hinges (extra charge added to door frame price)
- third 3D hinge silver (extra charge added to door frame price)
- third 3D hinge gold (extra charge added to door frame price) reinforcement for door closer (third hinge is required)
- hook lock with side pull handles (sliding doors)oblong pull handle for sliding doors
- caps for standard hinges
- handle with an escutcheon

Porta SCANDIA Premium



- WE RECOMMEND

Simplicity of the Scandinavian style

Porta SCANDIA Premium A.0, White



Porta SCANDIA Premium A.0, White





Premium paint ★★★★☆☆

White







perfectly smooth surface model A.0, B.0

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Stabilising infill or hollow chipboard core (extra charge) skinned with embossed HDF.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: two or three standard barrel hinges or PRIME hinges (optionally, at extra charge); non-rebated: two 3D hinges

 • Lock: key lock, WC lock, or cylinder lock
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM in Premium veneer see p. 172
- MINIMAX in Premium veneer see p. 170
- STEEL see p. 184-189

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE finished with Premium veneer see p. 174
 Porta SYSTEM ELEGANCE 90 degrees, finished with Premium veneer see p. 174
- · LEVEL finished with Premium veneer see p. 178

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- Double doors are available in any door leaf size combinations.
- Magnetic lock is not available for a double door
- Reinforcement for door closer requires third hinge
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- · ventilation sleeves or ventilation undercut
- hollow chipboard core (model R.0) or chipboard core (model A.0, B.0)
- preparation for shortening (maximum 60 mm)
- OFFER PRIME set
- gold 3D hinges (extra charge added to door frame price)
- third 3D hinge silver (extra charge added to door frame price)
- third 3D hinge gold (extra charge added to door frame price) · reinforcement for door closer (third hinge is required)
- magnetic lock
- hook lock with side pull handles (sliding doors)
 oblong pull handle for sliding doors
 caps for standard hinges

- handle with an escutcheon

Porta VECTOR, FORM Premium



Porta VECTOR Premium E, White



Porta VECTOR Premium V, White



















18



















Premium paint ★★★★☆☆

White

UV acrylic paint ★★★★☆

White



Give free rein to your imagination! Do you have your own door concept? You can order any milling with Porta CONTRACT, details regarding bespoke orders, see page 226.

NOTE

UV acrylic paint is highly resistant to:

- dirt (coffee, alcohol, grease)
- abrasion
- scratches
- impacts.

Guarantee of colour permanence for years. For the door leaf we recommend door frame in UV acrylic paint.





See Porta VECTOR collection: www.porta.com.pl/dm/portavector.wmv



decorative milling close up

NOTE

If you're looking for a glazed door that matches this collection, check Porta FOCUS Premium see p. 20

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core reinforced with rails and stiles (at an extra charge) The construction is skinned with HDF.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: two or three standard barrel hinges, or PRIME hinges; non-rebated: two 3D hinges
- Lock: key lock, WC lock, or cylinder lock
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta System finished with Premium veneer or UV acrylic paint, see p. 172
- MINIMAX finished with Premium veneer or UV acrylic paint, see p. 170

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE finished with Premium veneer or UV acrylic paint see p. 174
- Porta SYSTEM ELEGANCE 90 degrees finished with Premium veneer or UV acrylic paint see p. 174
- LEVEL finished with Premium veneer or UV acrylic paint see p. 178

Recommended door frames with reversed rebate:

 Porta SYSTEM with reversed rebate finished with Premium veneer or UV acrylic paint see p. 176

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- Height, 220': available models A, B, C, E, T, U, V; core hollow chipboard, 3 hinges as standard
- Double doors are available in any door leaf size combinations. Passive door leaves (side panels) in sizes '30', '40', '50' available only in solid option (without decorative applications)
- Magnetic lock is not available for a double door
- Reinforcement for door closer requires third hinge
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- hollow chipboard core
- · ventilation sleeves or ventilation undercut
- preparation for shortening (maximum 60 mm)
- OFFER prime set
- gold 3D hinges (extra charge added to door frame price)
- third 3D hinge silver (extra charge added to door frame price)
- third 3D hinge gold (extra charge added to door frame price)
- magnetic lock
- reinforcement for door closer (third hinge is required)
- hook lock with side pull handles (sliding doors)
- oblong pull handle for sliding doors
- · caps for standard hinges
- handle with an escutcheon

Porta FOCUS Premium



Porta FOCUS Premium 4.A, White



Porta FOCUS Premium 4.A, White



model 5.B





model 4.A











Porta VECTOR model E see page 18

model 4.E



















Premium paint ★★★☆☆

White

UV acrylic paint ★★★★☆

White

UV acrylic paint is highly resistant to: - dirt (coffee, alcohol, grease)

- abrasion
- scratches
- impacts

Guarantee of colour permanence for years. For the door leaf we recommend door frame in UV acrylic paint.



decorative milling close up model 4.D



glass-door panel joint

If you're looking for a flush door that matches this collection, check Porta VÉCTOR Premium see p. 18

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core reinforced with rails and stiles (at an extra charge). The construction is skinned with HDF. Glazed models come with 8 mm thick, frosted tempered glass, which is an element of the construction.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: two or three standard barrel hinges or PRIME hinges; non-rebated: two 3D hinges
- · Three hinges for size '100'
- Lock: key lock, WC lock, or cylinder lock
- 8 mm thick, frosted, tempered glass
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta System finished with Premium veneer or UV acrylic paint see p. 172
- MINIMAX finished with Premium veneer or UV acrylic paint see p. 170

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE finished with Premium veneer or UV acrylic paint see p. 174
- Porta SYSTEM ELEGANCE 90 degrees finished with Premium veneer or UV acrylic paint see p. 174
- LEVEL finished with Premium veneer or UV acrylic paint see p. 178

Recommended door frames with reversed rebate:

· Porta SYSTEM with reversed rebate finished with Premium veneer or UV acrylic paint see p. 176

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- · Double doors are available in any door leaf size combinations.
- · For non-rebated double door, active' and ,passive' door leaves must be ordered 4.B, and 4.D models are available only with hollow chipboard core, free of extra charge
- · Models 4.D, 4.E are not available for double-leaf door option
- Fixed size of glass, model 4.A
- · Magnetic lock is not available for a double door
- · Ventilation undercut in glazed models is available only for Polish Norm and it is not available for reversed rebate optoion
- · Size '100' requires third hinge
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- · hollow chipboard core
- · ventilation undercut
- preparation for shortening group 5 models (maximum 60 mm)
- OFFER prime setgold 3D hinges (extra charge added to door frame price)
- third 3D hinge silver (extra charge added to door frame price)
- third 3D hinge gold (extra charge added to door frame price)
- magnetic lock
- hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- · caps for standard hinges (set for 1 PCs)
- · handle with an escutcheon

Porta DESIRE UV



Porta DESIRE 2, White



Porta DESIRE 3, White with a black decorative door inlay



model 1



model 2



model 3 black decorative inlays



model 4 black decorative inlays



model 3 silver decorative inlays



model 4 silver decorative inlays





UV acrylic paint ★★★★☆

White

NOTE -

UV acrylic paint is highly resistant to:

- dirt (coffee, alcohol, grease)
- abrasion
- scratches
- impacts

Guarantee of colour permanence for years. For the door leaf we recommend door frame in UV acrylic paint.



decorative milling model 2



Black decorative inlay, model 3. Silver decorative inlays are also



golden decorative inlay, model 3

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core reinforced with glued wood rails and stiles (at an extra charge). The construction is skinned with HDF.

Satin look, smooth surface is achieved thanks to UV painting technology. Model 3 and 4 with decorative door inlays (inlays colours: silver or black).

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: three standard barrel hinges or PRIME hinges; non-rebated: two 3D hinges
- Lock with silver or golden glossy plate: key lock, WC lock, or cylinder lock
- Preparation for shortening (maximum 60 mm)

DOOR FRAMES

Recommended rebated door frames:

- Porta System finished with Premium veneer or UV acrylic paint, see p. 172
- MINIMAX finished with Premium veneer or UV acrylic paint, see p. 170

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE finished with Premium veneer or UV acrylic paint see p. 174
- Porta SYSTEM ELEGANCE 90 degrees finished with Premium veneer or UV acrylic paint see p. 174
- LEVEL finished with Premium veneer or UV acrylic paint see p. 178

Recommended door frames with reversed rebate:

 Porta SYSTEM with reversed rebate finished with Premium veneer or UV acrylic paint see p. 176

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- Height,220': core hollow chipboard; 3 hinges as a standard
- Double doors are available in any door leaf size combinations.
 Magnetic lock is not available for a double door
- Size,100' requires third hinge
- PRIME or 3D hinges packed with a door frame.

EXTRA CHARGES

- size '100'
- · ventilation undercut
- preparation for shortening group 5 models (maximum 60 mm)
- gold 3D hinges (extra charge added to door frame price)
- third 3D hinge silver (extra charge added to door frame price)
- third 3D hinge gold (extra charge added to door frame price)
- magnetic lock
- hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- handle with an escutcheon

Porta GRANDE UV



WE RECOMMEND

Frame and panel construction of Grande collection and new UV painting technology guarantee long-lasting durability.

Porta GRANDE G.4, White



model G.0 model G.4 model A.0 model A.1







Check more models from this collection





model B.0

model B.1



















UV acrylic paint ★★★★☆

White

NOTE


UV acrylic paint is highly resistant to:

- dirt (coffee, alcohol, grease)
- abrasion
- scratches
- impacts

Guarantee of colour permanence for years. For the door leaf we recommend door frame in UV acrylic paint.

AVAILABLE FINISHES OF DECORATIVE SLATS

Solid Oak ★★★☆☆







Portaperfect 3D veneer ★★★★☆







Brushed aluminium





glazing of G.4 model - glass panel recessed in comparison to the surface of a door panel



flush panel



Decorative slat made of solid oak, flush with the surface of door leaf panel, horizontal graining



Model G.0 - decorative slat (Portaperfect finish or Natural Oak) is recessed in comparison to the surface of a door leaf panel. Vertical graining is optional at extra charge.



Model G.0 - decorative slat (brushed aluminium) is recessed in comparison to the surface of a door leaf panel. Vertical graining is optional at extra charge.

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Satin look, smooth surface is achieved thanks to UV painting technology.

It is possible to produce model A.1 with a mirror on one or on both sides. If the mirror is only on one side, there is a solid board on another side.

There is a possibility to choose decorative slats made of solid oak, which are flush with the surface of door leaf panels (model F). Another option are slats in synthetic or natural veneer or brushed aluminium which are recessed in comparison to the surface of door leaf panels (model G).

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: three standard barrel hinges or PRIME hinges; non-rebated: two 3D hinges
- Lock with silver or glossy gold plate: key lock, WC lock, or cylinder lock
- Frosted, tempered glassRound pull handle (for sliding doors)
- Preparation for shortening (maximum 60 mm)

DOOR FRAMES

Recommended rebated door frames:

- Porta System finished with UV acrylic paint, see p. 172
- MINIMAX finished with UV acrylic paint, see p. 170

Recommended non-rebated door frames:

- · Porta SYSTEM ELEGANCE finished with Premium veneer or UV acrylic paint, see p. 174
- Porta SYSTEM ELEGANCE 90 degrees finished with Premium veneer or UV acrylic paint, see p. 174
- LEVEL finished with Premium veneer or UV acrylic paint, see p. 178

Recommended door frames with reversed rebate:

· Porta SYSTEM with reversed rebate finished with Premium veneer or UV acrylic paint, see p. 176

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- Double doors are available in any door leaf size combinations. Magnetic lock is not available for a double door
- Size,100' requires third hinge
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- decorative slat in Portaperfect finish (model G)
- · decorative slat brushed aluminium (model G)
- · decorative slat in natural veneer (model G)
- size '100'
- · ventilation undercut
- gold 3D hinges (extra charge added to door frame price)
- third 3D hinge silver (extra charge added to door frame price)
- third 3D hinge gold (extra charge added to door frame price)
- · magnetic lock
- · mirror on one side
- · mirror on both sides
- · hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- · handle with an escutcheon

Porta DUO



- WE RECOMMEND

Combination of white colour with a vertical panel in natural or ligniform veneer is a timeless and glamorous interior arrangement. It's suitable for homes and public areas, regardless of their style.

Porta DUO 4.0, White UV paint with Natural Oak



Porta DUO 4.0, White UV paint with Natural Oak



model 4.0 model 4.A with a glass





model 4.0

model 4.A with a glass panel







UV acrylic paint ★★★★☆

White

AVAILABLE FINISHES - PANEL

Portadecor veneer ★★★☆☆☆



Portaperfect 3D veneer ★★★★☆☆







Natural Select Veneer ★★★☆☆











NOTE -

UV acrylic paint is highly resistant to: - dirt (coffee, alcohol, grease)

- scratches
- impacts

Guarantee of colour permanence for years. For the door leaf we recommend door frame in UV acrylic paint.



glass-panel joint



panels joint

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

The door leaf consists of: a wide, painted panel and a narrow stile covered with natural or synthetic veneer. For a glazed model we use 8 mm thick, frosted, tempered glass which is a construction element of the door leaf. Painted white part has a satin smooth surface which is achieved thanks to UV painting technology. Natural veneer is protected with ecological water varnishes, hardened under UV lamp (semi-matt effect).

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Two 3D hinges
- · Lock with silver or glossy gold faceplate: key lock, WC lock, or cylinder lock
- Preparation for shortening, model 4.0 maximum 60 mm
- 8 mm, frosted, tempered glass

DOOR FRAMES

- Porta SYSTEM ELEGANCE finished with Premium veneer or UV acrylic paint see p. 174
- Porta SYSTEM ELEGANCE 90 degrees finished with Premium veneer or UV acrylic paint see p. 174
- · LEVEL finished with Premium veneer or UV acrylic paint see p. 178

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- Double doors are available in any door leaf size combinations.
- For a double door,,active' and 'passive' door leaves must be ordered
- · Magnetic lock is not available for a double door
- · Fixed size of glass, model 4.A
- Ventilation undercut in glazed models is available only for Polish Norm
- · Size '100' requires third hinge
- · PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- · ventilation undercut
- gold 3D hinges (extra charge added to door frame price)
- third 3D hinge silver (extra charge added to door frame price)
- third 3D hinge gold (extra charge added to door frame price)
- magnetic lock
- · handle with an escutcheon

Porta HIDE



- WE RECOMMEND -

Porta HIDE opens up new possibilities for interior designs. It allows you to install the door leaf and frame within the wall to be then decorated in the same finish as the wall (eg. paint, wallpaper) to create a hidden door.

Porta HIDE, 1.1



model 1.1













Premium paint ★★★★☆☆

White

Primer paint for self painting and wallpapering



decorative milling close up





Non-rebated door leaf (outwards outwords) - right door





Reversed rebate (opening inwards) - left door

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Non-rebated door leaf (opening outwards) or door leaf with reversed rebate (opening inwards). A honeycomb or hollow core (at an extra charge) reinforced with rails and

- stiles. The construction is skinned with HDF. Available two types of finish:
 Prime finish ready for painting or wallpapering
- White Premium Paint finish

DOOR FRAMES

Hidden aluminium door frame, ready for painting with wall paint. It's dedicated for 40 mm thick, wooden door leaves.

Can be assembled on concrete wall or plasterboard wall. Dimensions see page 211, Table 8.

DOORS INCLUDE

- Door leaf Two 3D hinges
- Three 3D hinges for hollow core
- Magnetic lock: key lock, WC lock or cylinder lock
 Hidden aluminium door frame
- Preparation for shortening is available for hollow chipboard core, maximum 60 mm

- Technical Assessment AT-15-6515/2016, ITB Warsaw. door leaf
- Technical Assessment ITB-KOT-2019/1076 edition 1- door frame
- · Dedicated 3D hinge
- Automatic threshold seal is available for a door leaf with hollow chipboard core

EXTRA CHARGES

- · ventilation undercut
- automatic threshold seal
- · hollow core
- · handle with an escutcheon



Porta Verte HOME, group B



Porta Verte HOME B.5, Wenge White



Porta Verte HOME B.0, Wenge White



model B.5

Check more models from this collection on a website



















Portadecor veneer ★★★☆☆☆



Portasynchro 3D veneer ★★★☆☆☆

Honey Silver Scarlet Dark Wenge Norwegia Acacia Acacia Oak Oak White Pine							Norwegian Pine
--	--	--	--	--	--	--	-------------------

Premium veneer ★★★☆☆



Portaperfect 3D veneer ★★★★☆



Portalamino ★★★★☆☆





model B.0 - slim panel



model B.5 - dedicated frosted glass panel with transparent stripes

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 4 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock key lock, WC lock, cylinder lock, handle only
- Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- · Frosted tempered glass
- Preparation for shortening (maximum 30 mm)
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172
- MINIMAX see p. 170
 STEEL see p. 184-189

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 174
- Porta SYSTEM ELEGANCE 90 degrees, finished with Premium veneer see p. 174
- · LEVEL see p. 178

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- Double doors are available in any door leaf size combinations.
- For a non-rebated double door, active and , passive door leaves must be ordered
- Magnetic lock is not available for a double door
- Size,100' requires third hinge
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- · ventilation undercut or ventilation sleeves
- PRIME hinges (for dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price) • third 3D hinge - silver (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lockhook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- caps for standard hinges
- · handle with an escutcheon

Porta Verte HOME, group C



Porta Verte HOME C.5, Scarlet Oak



Porta Verte HOME C.5, Scarlet Oak



model C.0



model C.1



model C.3



model C.4



model C.2

model C.5



model C.0 decorative inlays



model C.5 decorative inlays

Check more models from this collection on a website



















Portadecor veneer ★★★☆☆☆



Portasynchro 3D veneer ★★★☆☆☆

Honey	Silver	Scarlet	Dark	Wenge	Norwegian
Acacia	Acacia	Oak	Oak	White	Pine
1 10 2 10 10	多關州北京和蘇		the property of the		AN ANTHU

Premium veneer ★★★☆☆



Portaperfect 3D veneer ★★★★☆☆



Portalamino ★★★★☆☆





decorative inlays aluminium colour



frosted tempered glass

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 4 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, cylinder lock, handle only
- Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- · Frosted tempered glass
- Preparation for shortening (maximum 30 mm)
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172
- MINIMAX see p. 170
- STEEL see p. 184-189

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 174
- Porta SYSTEM ELEGANCE 90 degrees, finished with Premium veneer see p. 174
- LEVEL see p. 178

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- · Double doors are available in any door leaf size combinations. For a double non-rebated door, active' and , passive' door leaves must be ordered.
- · Magnetic lock is not available for a double door
- Size,100' requires third hinge
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- · ventilation undercut or ventilation sleeves
- PRIME hinges (for dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver (extra charge added to a door frame price) • third 3D hinge - gold (extra charge added to a door frame price)
- magnetic lock
- hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- · caps for standard hinges
- handle with an escutcheon

Porta Verte HOME, group D



Porta Verte HOME D.7, Scandinavian Oak



Porta Verte HOME D.7, Scandinavian Oak



model D.0



model D.1



model D.2



model D.3



model D.4



model D.5



model D.6



model D.7



model D.0 decorative inlays



model D.7 decorative inlays

Check more models from this collection on a website



















Portadecor veneer ★★★☆☆☆



Portasynchro 3D veneer ★★★☆☆☆

DE THE PERSON NAMED IN	SECTION AND	WHO SHEET			
Honey Acacia	Silver Acacia	Scarlet Oak	Dark Oak	Wenge White	Norwegian Pine
1 11 11 11 11	SERVICE LIBER		files our distri		

Premium veneer ★★★☆☆



Portaperfect 3D veneer ★★★★☆☆



Portalamino ★★★★☆☆





decorative inlays - aluminium colour



frosted tempered glass panel

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 4 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Lock key lock, WC lock, cylinder lock, handle only
 Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- · Frosted tempered glass
- Preparation for shortening (maximum 30 mm)
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172
- MINIMAX see p. 170
- STEEL see p. 184-189

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 174
- Porta SYSTEM ELEGANCE 90 degrees, finished with Premium veneer see p. 174
- LEVEL see p. 178

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- · Double doors are available in any door leaf size combinations. For a double non-rebated door, active' and , passive' door leaves must be ordered.
- · Magnetic lock is not available for a double door
- Size,100' requires third hinge
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- · ventilation undercut or ventilation sleeves
- PRIME hinges (for dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price) • third 3D hinge - silver (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock
- hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- · caps for standard hinges
- handle with an escutcheon

Porta Verte HOME, group E



Porta Verte HOME E.0 i E.0 with a blackboard, Norwegian Pine



Porta Verte HOME E.0, Norwegian Pine



model E.0



model E.1



model E.5



model E.0 blackboard















Portadecor veneer ★★★☆☆☆



Portasynchro 3D veneer ★★★☆☆☆



Portaperfect 3D veneer ★★★★☆☆





an option with a magnetic blackboard for drawing with chalk markers (this option is available for E.0 model for one side, rebated version only)



glazing, model E.5

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 4 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, cylinder lock, handle only
- Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- · Frosted tempered glass
- Preparation for shortening (maximum 30 mm)
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172
- MINIMAX see p. 170
 STEEL see p. 184-189

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 174
- · LEVEL see p. 178

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- Double doors are available in any door leaf size combinations.
- For a double non-rebated door, active and passive door leaves must be ordered
- Magnetic lock is not available for a double door
- Size,100' requires third hinge
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- · ventilation undercut or ventilation sleeves
- PRIME hinges (for dedicated door frames)
- RIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lockhook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- caps for standard hinges
- · handle with an escutcheon

Porta Verte HOME, group G



Porta Verte HOME G.4, Portadecor veneer, White



Check more models from this collection on a website









Portaperfect 3D veneer ★★★★☆☆

Brushed aluminium



AVAILABLE FINISHES OF DECORATIVE SLATS









AVAILABLE FINISHES

Portadecor veneer ★★★☆☆☆



Portasynchro 3D veneer ★★★☆☆☆

Honey	Silver	Scarlet	Dark	Wenge	Norwegian
Acacia	Acacia	Oak	Oak	White	Pine
	建設。				

Scandinavian Oak

Scandinavian

Portaperfect 3D veneer ★★★★☆☆

PROPERTY OF THE PROPERTY OF TH	



glazing, model G.4



Model G.0 - decorative slat (Portaperfect finish) is recessed in comparison to the surface of a door leaf panel. Vertical graining is optional at extra charge.



decorative inlays - aluminium colour



Model G.0 - decorative slat (brushed aluminium) is recessed in comparison to the surface of a door leaf panel. Vertical graining is optional at extra

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 4 mm thick, frosted, tempered glass. Combination of those depends on a model.

For models in white finishes you can choose decorative slats in two options: Portaperfect veneer or brushed aluminium (at an extra charge).

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, cylinder lock, handle only
- · Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- Frosted tempered glass
- Preparation for shortening (maximum 30 mm)
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172
- MINIMAX see p. 170
- STEEL see p. 184-189

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 174
- LEVEL see p. 178

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- Double doors are available in any door leaf size combinations. For a double non-rebated door, active and passive door leaves must be ordered.
- Magnetic lock is not available for a double door
- Size,100' requires third hinge
 PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- · decorative slat Portaperfect finish (white door leaf)
- · decorative slat, brushed aluminium (white door leaf)
- size '100'
- ventilation undercut or ventilation sleeves
- PRIME hinges (for dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
 third 3D hinge silver (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- · magnetic lock
- hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- caps for standard hinges
- · handle with an escutcheon

Porta Verte HOME, group H




Porta Verte HOME H.5, Natural Oak



Porta Verte HOME H.5, Natural Oak







 $Special\ of fer\ terms \& conditions: https://https://www.porta.com.pl/do-pobrania$







AVAILABLE FINISHES OF DECORATIVE SLATS









AVAILABLE FINISHES

Portadecor veneer ★★★☆☆☆



Portasynchro 3D veneer ★★★☆☆☆



Portaperfect 3D veneer ★★★★☆☆

Oak Oak Beech Oa
Oak Deecii Oa

Portaperfect 3D veneer ★★★★☆☆



Brushed aluminium





model H.0 - slim panel



model H.5 - glazing

Oak



Model H.0 - decorative slat (Portaperfect finish) is recessed in comparison to the surface of a door leaf panel. Vertical graining is optional at extra charge.



Model H.0 - decorative slat (brushed aluminium) is recessed in comparison to the surface of a door leaf panel. Vertical graining is optional at extra charge.

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 4 mm thick, frosted, tempered glass. Combination of those depends on a model.

For models in white finishes you can choose decorative slats in two options: Portaperfect veneer or brushed aluminium (at an extra charge).

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Lock: key lock, WC lock, cylinder lock, handle only
 Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- Frosted tempered glass
- Preparation for shortening (maximum 30 mm)
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172
- MINIMAX see p. 170
- STEEL see p. 184-189

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 174
- LEVEL see p. 178


NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- Double doors are available in any door leaf size combinations. For a double non-rebated door, active and, passive door leaves must be ordered
- · Magnetic lock is not available for a double door
- · Size,100' requires third hinge
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- · decorative slat Portaperfect finish (white door leaf)
- · decorative slat, brushed aluminium (white door leaf)
- size '100'
- · ventilation undercut or ventilation sleeves
- · PRIME hinges (for dedicated door frames)
- · PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- · magnetic lock
- hook lock with side pull handles (sliding doors)
- oblong pull handle for sliding doors
- caps for standard hinges
- · handle with an escutcheon

Porta Verte HOME, group J



Porta Verte HOME J.6, White



Porta Verte HOME J.6, White



















Portadecor veneer ★★★☆☆☆



Portasynchro 3D veneer ★★★☆☆☆

	THE RE	N. als			AWE
Honey Acacia	Silver Acacia	Scarlet Oak	Dark Oak	Wenge White	Norwegian Pine
自動產業等	SHOW SEE				

Scandinavian

Scandinavian

Portaperfect 3D veneer ★★★★☆☆



model J.6 - slim panel



Model J.0 - decorative slat (Portaperfect finish) is recessed in comparison to the surface of a door leaf panel. Vertical graining is optional at extra charge.





AVAILABLE FINISHES OF DECORATIVE SLATS

Portaperfect 3D veneer ★★★★☆☆



Brushed aluminium





model J.6 - glazing



Model J.0 - decorative slat (brushed aluminium) is recessed in comparison to the surface of a door leaf panel. Vertical graining is optional at extra charge.

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 4 mm thick, frosted, tempered glass. Combination of those depends on a model.

For models in white finishes you can choose decorative slats in two options: Portaperfect veneer or brushed aluminium (at an extra charge).

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Lock: key lock, WC lock, cylinder lock, handle only
 Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinge
- Frosted tempered glass
- Preparation for shortening (maximum 30 mm)
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172
- MINIMAX see p. 170 STEEL see p. 184-189

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 174
- LEVEL see p. 178

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- Double doors are available in any door leaf size combinations. For a double non-rebated door, active and passive door leaves must be ordered.
- · Magnetic lock is not available for a double door
- · Size,100' requires third hinge
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- · decorative slat Portaperfect finish (white door leaf)
- · decorative slat, brushed aluminium (white door leaf)
- size '100'
- · ventilation undercut or ventilation sleeves
- · PRIME hinges (for dedicated door frames)
- · PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- · magnetic lock
- hook lock with side pull handles (sliding doors)
- oblong pull handle for sliding doors
- caps for standard hinges
- · handle with an escutcheon

Porta Verte HOME, group L and N



Porta Verte HOME N.3, Silver Acacia



Porta Verte HOME L.4, Silver acacia



model L.0





model L.1



model L.2



model L.3



model N.0



model N.1



model N.2



model N.3

44















Portadecor veneer ★★★☆☆☆



Portasynchro 3D veneer ★★★☆☆☆



Portaperfect 3D veneer ★★★★☆☆





model L.0 - slim panel



model L.4 - glazing



model N.0 - slim panel



model N.3 - slim panel

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 4 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, cylinder lock, handle only
- Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- · Frosted tempered glass
- Preparation for shortening (maximum 30 mm)
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172
- MINIMAX see p. 170STEEL see p. 186-189

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 174
- · LEVEL see p. 178

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- Double doors are available in any door leaf size combinations.
- For a double non-rebated door, active' and , passive' door leaves must be ordered.
- Magnetic lock is not available for a double door
- Size,100' requires third hinge
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- · ventilation undercut or ventilation sleeves
- PRIME hinges (for dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver (extra charge added to a door frame price) • third 3D hinge - gold (extra charge added to a door frame price)
- magnetic lockhook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- caps for standard hinges
- · handle with an escutcheon

Porta Verte PREMIUM, group A and D



Porta Verte PREMIUM A.4, Scarlet Oak



Porta Verte PREMIUM A.4, Scarlet Oak



model A.0





model A.1



model A.2



model A.3



model A.4



model D.0



model D.1



model D.2



model D.3



model D.5



model D.6



model D.7



model D.8

46





Portalamino ★★★★☆☆











AVAILABLE FINISHES

Portasynchro 3D veneer ★★★☆☆☆



Premium veneer ★★★☆☆



Portaperfect 3D veneer ★★★★☆☆





model A.0 - flat panel



model A.0 - frosted glass panel



model D.0 - flat panel



model D.8 - frosted glass panel

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 6 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, cylinder lock
- · Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- · Frosted tempered glass
- Preparation for shortening (maximum 60 mm)
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172
- MINIMAX see p. 170
- STEEL see p. 184-189

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 174
- Porta SYSTEM ELEGANCE 90 degrees, finished with Premium veneer see p. 174
- LEVEL see p. 178

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- Double doors are available in any door leaf size combinations. For a double non-rebated door, active' and passive' door leaves must be ordered.
- · Magnetic lock is not available for a double door
- · Size,100' requires third hinge
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- · ventilation undercut or ventilation sleeves
- OFFER PRIME set
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver (extra charge added to a door frame price)
 third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock
- · hook lock with side pull handles (sliding doors)
- oblong pull handle for sliding doors
- caps for standard hinges
- · handle with an escutcheon

Porta Verte PREMIUM, group B and C



Porta Verte PREMIUM C.0, Scandinavian Oak



Porta Verte PREMIUM C.0, Scandinavian Oak



model B.0





model B.1



model B.2



model B.3



model C.0



model C.1



model C.2















Portasynchro 3D veneer ★★☆☆☆



Portaperfect 3D veneer ★★★★☆☆



Portalamino ★★★★☆☆





flat panel



frosted glass panel

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 6 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, cylinder lock
- Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- Frosted tempered glassPreparation for shortening (maximum 60 mm)
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172
- MINIMAX see p. 170 STEEL see p. 184-189

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 174
- LEVEL see p. 178

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- Double doors are available in any door leaf size combinations. For a double non-rebated door, active' and , passive' door leaves must be ordered.
- · Magnetic lock is not available for a double door.

EXTRA CHARGES

- size '100'
- ventilation undercut or ventilation sleeves
- OFFER PRIME set
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock
- · hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- · caps for standard hinges
- · handle with an escutcheon

Porta Verte PREMIUM, group E




Porta Verte PREMIUM E.5, White



Porta Verte PREMIUM E.5, White





Special offer terms&conditions: https://https://www.porta.com.pl/do-pobrania















Portadecor veneer ★★★☆☆☆



Portasynchro 3D veneer ★★★☆☆☆



Premium veneer ★★★☆☆



Portaperfect 3D veneer ★★★★☆☆



Portalamino ★★★★☆☆







frosted glass panel

■ TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 6 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Lock: key lock, WC lock, cylinder lock
- Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- · Frosted tempered glass
- Preparation for shortening (maximum 60 mm)
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172
- MINIMAX see p. 170
- STEEL see p. 184-189

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 174
- LEVEL see p. 178

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- Double doors are available in any door leaf size combinations.
 For a double non-rebated door, active and passive door leaves must be ordered
- Magnetic lock is not available for a double door
- Size,100' requires third hinge
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- · ventilation undercut or ventilation sleeves
- OFFER PRIME set
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock
- · hook lock with side pull handles (sliding doors)
- oblong pull handle for sliding doors
- caps for standard hinges
- handle with an escutcheon

Porta CONCEPT, group A and B



WE RECOMMEND -

Traditional frame and panel construction guarantees long-time durability.

Porta CONCEPT A.9, Natural Oak



Porta CONCEPT A.9, Natural Oak



model A.0

model A.8



model A.2



model A.4



model A.6

model A.9



model A.7

model A.3



model B.0



Check more models from this collection on a website



















Portadecor veneer ★★★☆☆☆





* until stocks last

Portasynchro 3D veneer ★★★☆☆☆



Premium veneer ★★★☆☆

White

Portadur veneer ★★★☆☆



* until stocks last

Portaperfect 3D veneer ★★★★☆☆

Havana	California	Malibu	Scandinavian	Classic	Southern
Oak	Oak	Oak	Oak	Oak	Oak
Siberian Oak	Natural Oak	Scandinavian Beech			

Portalamino ★★★★☆☆





frosted glass panel



flat panel

WE RECOMMEND!

Special, multilayer wooden construction.



TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 6 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, cylinder lock
- · Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- Frosted tempered glass
- Preparation for shortening (maximum 60 mm)
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172
- MINIMAX see p. 170 STEEL see p. 184-189

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 174
- Porta SYSTEM ELEGANCE 90 degrees, finished with Premium veneer see p. 174
- LEVEL see p. 178

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- Double doors are available in any door leaf size combinations.
- For a double non-rebated door, active and passive door leaves must be ordered.
- · Magnetic lock is not available for a double door
- · Size,100' requires third hinge
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- · ventilation undercut or ventilation sleeves
- PRIME hinges (for dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
 gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver (extra charge added to a door frame price) • third 3D hinge - gold (extra charge added to a door frame price)
- magnetic lock
- hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- caps for standard hinges
- · handle with an escutcheon

Porta CONCEPT, group C



- WE RECOMMEND -

Traditional frame and panel construction guarantees long-time durability.

Porta CONCEPT C.6, White



Porta CONCEPT C.6, White



















Portadecor veneer ★★★☆☆☆





* until stocks last

Portasynchro 3D veneer ★★★☆☆☆



Premium veneer ★★★☆☆



Portadur veneer ★★★☆☆



* until stocks last

Portaperfect 3D veneer ★★★★☆



Portalamino ***





frosted glass panel



flat panel

WE RECOMMEND!

multilayer wooden construction.



TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 6 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, cylinder lock
- · Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- Frosted tempered glass
- · Preparation for shortening (maximum 60 mm)
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172
- MINIMAX see p. 170 STEEL see p. 184-189

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 174
- Porta SYSTEM ELEGANCE 90 degrees, finished with Premium veneer see p. 174
- LEVEL see p. 178

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- Double doors are available in any door leaf size combinations.
- For a double non-rebated door, active and passive door leaves must be ordered.
- · Magnetic lock is not available for a double door
- · Size,100' requires third hinge
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- · ventilation undercut or ventilation sleeves
- PRIME hinges (for dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
 gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver (extra charge added to a door frame price) • third 3D hinge - gold (extra charge added to a door frame price)
- magnetic lock
- hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- caps for standard hinges
- · handle with an escutcheon

Porta CONCEPT, group H and K



- WE RECOMMEND

Traditional frame and panel construction guarantees long-time durability.

Porta CONCEPT K.3, English Oak Hamilton



Porta CONCEPT H.4, English Oak Hamilton



model H.0



model H.1



model H.2



model H.4



model K.0



model K.1



model K.2



model K.3

56















Portadecor veneer ★★★☆☆☆





Portasynchro 3D veneer ★★★☆☆☆

	SECTION AND	N. S.			
Honey	Silver	Scarlet	Dark	Wenge	Norwegian
Acacia	Acacia	Oak	Oak	White	Pine

Premium veneer ★★★☆☆

White

Portadur veneer ★★★☆☆



* until stocks last

Portaperfect 3D veneer ★★★★☆



Portalamino ★★★★☆☆





H.4 model - frosted glass panel



H.0 model - flat panel



K.3 model - frosted glass panel.3



K.0 - flat panel

WE RECOMMEND!

multilayer wooden construction.



TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 6 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, cylinder lock
- · Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- · Frosted tempered glass
- Preparation for shortening (maximum 60 mm)
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172
- MINIMAX see p. 170 STEEL see p. 184-189

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 174
- Porta SYSTEM ELEGANCE 90 degrees, finished with Premium veneer see p. 174
- LEVEL see p. 178

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- Double doors are available in any door leaf size combinations. For a double non-rebated door, ,active' and ,passive' door leaves must be ordered.
- · Magnetic lock is not available for a double door
- · Size,100' requires third hinge
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- · ventilation undercut or ventilation sleeves
- PRIME hinges (for dedicated door frames)
- PRIME lock with a glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock
- · hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- caps for standard hinges
- · handle with an escutcheon

Porta BALANCE



Porta BALANCE D.0, D.3, Wenge White



Porta BALANCE D.0, Wenge White





58















Portadecor veneer ★★★☆☆☆



Portasynchro 3D veneer ★★★☆☆☆



Portaperfect 3D veneer ★★★★☆☆



Portalamino ★★★★☆☆





frosted glass panel



raised panel

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails and stiles, slim panels and 4 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, cylinder lock,
- · Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- Frosted tempered glass
- Preparation for shortening (maximum 30 mm)
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172
- MINIMAX see p. 170 • STEEL see p. 184-189

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 174
- LEVEL see p. 178

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- Double doors are available in any door leaf size combinations.
- For a double non-rebated door, active and passive door leaves must be ordered.
- · Magnetic lock is not available for a double door
- · Size,100' requires third hinge
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- · ventilation undercut or ventilation sleeves

- PRIME hinges (for dedicated door frames)
 PRIME lock with glossy faceplate (silver or gold)
 gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock
- hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- caps for standard hinges
- · handle with an escutcheon

Porta HARMONY



Porta HARMONY B.0, Siberian Oak





model A.0



model A.1



model B.0



model B.1



model B.2



model C.0



model C.1















Portadecor veneer ★★★☆☆☆



Portasynchro 3D veneer ★★★☆☆☆



Portaperfect 3D veneer ★★★★☆☆



Portalamino ★★★★☆☆





frosted glass panel



raised panel

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails and stiles, slim panels and 4 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, cylinder lock,
- · Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- Frosted tempered glass
- Round pull handle (for sliding doors)
- Preparation for shortening (maximum 30 mm)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172
- MINIMAX see p. 170

STEEL see p. 184-189 Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 174
- LEVEL see p. 178

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- Double doors are available in any door leaf size combinations.
- For a double non-rebated door, active and passive door leaves must be ordered.
- · Magnetic lock is not available for a double door
- · Size,100' requires third hinge
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- · ventilation undercut or ventilation sleeves

- PRIME hinges (for dedicated door frames)
 PRIME lock with glossy faceplate (silver or gold)
 gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock
- hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- caps for standard hinges
- · handle with an escutcheon

Porta INSPIRE, group A and B



WE RECOMMEND

Traditional frame and panel construction guarantees long-time durability.

Porta INSPIRE A.0, Scandinavian Oak, retro module



Porta INSPIRE A.0, Scandinavian Oak



model A.0



model A.1



model A.1 with a mirror



model B.0



model B.1



model B.2



model B.3

















Portadecor veneer ★★★☆☆☆



Portasynchro 3D veneer ★★★☆☆☆



Portaperfect 3D veneer ★★★★☆☆



Portalamino ★★★★☆☆





frosted glass panel, 'frame'



fancy decorative moulding

WE RECOMMEND!

Special, multilayer wooden construction.



■ TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails and stiles, slim panels and 6 mm thick, frosted, tempered glass. Combination of those depends on a model.

It is possible to produce model A.1 with mirror on one or on both sides. If a mirror is only on one side, there is a solid board on the other side.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Lock: key lock, WC lock, cylinder lock,
- Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- Frosted tempered glass and frosted glass
- Preparation for shortening (maximum 60 mm)
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172
 MINIMAY see p. 170
- MINIMAX see p. 170
- STEEL see p. 184-189

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 174
- LEVEL see p. 178

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- For a double non-rebated door, active and passive door leaves must be ordered
- · If a mirror is only on one side, there is a solid board on the other side.
- Magnetic lock is not available for a double door
- Size,100' requires third hinge
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- · ventilation undercut or ventilation sleeves
- PRIME hinges (for dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock
- hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- caps for standard hinges
- mirror on one side
- mirror on both sides
- · handle with an escutcheon

Porta INSPIRE, group C



Porta INSPIRE C.4, Classic Oak



Porta INSPIRE C.4, Classic Oak



model C.0



model C.1



model C.2



model C.3



model C.4















Portadecor veneer ★★★☆☆☆



Portasynchro 3D veneer ★★★☆☆☆



Premium veneer ★★★☆☆

White

Portaperfect 3D veneer ★★★★☆☆



Portalamino ★★★★☆☆







frosted glass panel



fancy panel

WE RECOMMEND!

Special, multilayer wooden construction.



TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails and stiles, slim panels and 6 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, cylinder lock,
- Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- Frosted tempered glass
- Round pull handle (for sliding doors)
- Preparation for shortening (maximum 60 mm)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172
- MINIMAX see p. 170
 STEEL see p. 184-189

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 174
- Porta SYSTEM ELEGANCE 90 degrees, finished with Premium veneer see p. 174
- LEVEL see p. 178

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- For a double non-rebated door, active and passive door leaves must be ordered.
- Magnetic lock is not available for a double door
- Size,100' requires third hinge
 PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- · ventilation undercut or ventilation sleeves
- PRIME hinges (for dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- · gold 3D hinges (extra charge added to a door frame price) • third 3D hinge - silver (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock
- hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- caps for standard hinges
- · handle with an escutcheon

Porta DECOR



WE RECOMMEND -

Chosen models with a hollow core are classified with 3rd strength performance class. Additionally, available the 'investment set' containing 3 part hinges and a lock of the highest category of use (at extra charge). The set consists of a door leaf and a dedicated door frame.

Porta DECOR P, Scandinavian Beech



Porta DECOR P, Scandinavian Beech







model M





model L















Portadecor veneer ★★★☆☆☆



^{*} until stocks last

Portasynchro 3D veneer ★★★☆☆☆



Portaperfect 3D veneer ★★★★☆



Portalamino ★★★★☆☆





glazing bead with a glass panel



'Chinchilla' glass panel

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core reinforced with rails and stiles. The construction is skinned with HDF.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: two or three standard barrel hinges or PRIME hinges (optionally at extra charge); non-rebated: two 3D hinges
- · Lock: key lock, WC lock, or cylinder lock
- · 'Chinchilla' glass or frosted tempered glass (optionally at extra charge)
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172 • MINIMAX see p. 170
- STEEL see p. 184-189

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 174
- LEVEL see p. 178

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- · Hollow chipboard core has preparation for shortening as a standard.
- · Size '110' is available only with hollow chipboard core. Glazing size is the same as for
- Double doors are available in any door leaf size combinations. Passive door leaves (side panel) in sizes '30', '40', '50' available only in flat option (without glazing or decorative applications).

- For a double non-rebated door, active' and , passive' door leaves must be ordered.
- Magnetic lock is not available for a double door.
 Size '80' and '90' in investment norm (clear opening width 800, 900 mm) available as a standard- without extra charge.
- Reinforcement for a door closer requires third hinge.
- Sizes,100' and,110' require third hinge.
- Investment set is available only with hollow chipboard core
- · PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100' and '110'
- · hollow chipboard core
- · ventilation grille, ventilation sleeves or ventilation undercut
- PRIME hinges (applies to dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
 third 3D hinge silver (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- · magnetic lock
- preparation for shortening (maximum 60 mm)
- · reinforcement for door closer (third hinge is required)
- stainless steel porthole

- · hook lock with side pull handles (sliding doors) · oblong pull handle for sliding doors
- · caps for standard hinges
- frosted tempered glass model M $\,$
- frosted tempered glass model D
- · frosted tempered glass model L
- handle with an escutcheon

Porta STYL



Porta STYL 1, California Oak



Porta STYL 1, California Oak







model 2



model 3













Portadecor veneer ★★★☆☆☆



* until stocks last


Portasynchro 3D veneer ★★★☆☆☆



Portaperfect 3D veneer ★★★★☆☆



CPL HQ 0,2 veneer ★★★★☆



* until stocks last



glazed model

NOTE

If you're looking for a flush door that matches this collection, check Porta DECOR see p. 66 and Porta CPL see p. 82.

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core reinforced with rails and stiles (at an extra charge). The construction is skinned with HDF. There is lipping ABS on the side edges of the doors finished with CPL.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: two or three standard barrel hinges or PRIME hinges (optionally at extra charge); non-rebated: two 3D hinges
- Lock: key lock, WC lock, or cylinder lock
- · 'Chinchilla' glass or frosted tempered glass
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172
- MINIMAX see p. 170
- · STEEL see p. 184-189

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 174
- LEVEL see p. 178

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- · Hollow chipboard core has preparation for shortening as a standard.
- Size '110' is available only with hollow chipboard core. Glazing size is the same as for size '100'.

- · Double doors are available in any door leaf size combinations.
- For a double non-rebated door, active' and , passive' door leaves must be ordered. · Magnetic lock is not available for a double door.
- · Reinforcement for a door closer requires third hinge.
- Sizes,100' and,110' require third hinge.
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100' and '110'
- · hollow chipboard core
- CPL 0,2 mm finish GROUP II
- · ventilation grille, ventilation sleeves or ventilation undercut
- PRIME hinges (applies to dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver (extra charge added to a door frame price) • third 3D hinge - gold (extra charge added to a door frame price)
- · magnetic lock
- OFFER doors with CPL finish- PRIME set
- preparation for shortening (maximum 60 mm)
- reinforcement for door closer (third hinge is required)
- hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- caps for standard hinges
- · handle with an escutcheon




Porta FIT, group C, I



Porta FIT I.1, Grey Euroinvest



Porta FIT I.1, Grey Euroinvest







model I.0

model I.1













Portadecor veneer ★★★☆☆☆



* until stocks last


Portasynchro 3D veneer ★★★☆☆☆



Portaperfect 3D veneer ★★★★☆☆



CPL HQ 0,2 veneer ★★★★☆



* until stocks last



glazing bead with glass panels NOTE: in case of CPL finish the glazing bead is rounded



glazing bead with a slim panel NOTE: in case of CPL finish the glazing bead is rounded

NOTE

If you're looking for a flush door that matches this collection, check Porta DECOR see p. 66 and Porta CPL see p. 82.

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Models A, B, C and I honeycomb and stabilising insert or chipboard core (at an extra charge). The construction is reinforced with rails and stiles and skinned with HDF. There is lipping ABS on the side edges of the doors finished with CPL.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: two or three standard barrel hinges or PRIME hinges (optionally at extra charge); non-rebated: two 3D hinges
- Lock: key lock, WC lock, or cylinder lock
- 'Chinchilla' glass or frosted tempered glassRound pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172 MINIMAX see p. 170
- STEEL see p. 184-189

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 174
- LEVEL see p. 178

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- Double doors are available in any door leaf size combinations. For a double non-rebated door, active and, passive door leaves must be ordered.
- Magnetic lock is not available for a double door.
- · Reinforcement for a door closer requires third hinge.
- · Size,100'requires third hinge.
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- · hollow chipboard core or chipboard core
- CPL 0,2 mm finish GROUP II
- ventilation grille, ventilation sleeves or ventilation undercut
- PRIME hinges (applies to dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock
- · OFFER doors with CPL finish PRIME set
- preparation for shortening (maximum 60 mm)
 reinforcement for door closer (third hinge is required)
- · hook lock with side pull handles (sliding doors)
- oblong pull handle for sliding doors
- caps for standard hinges
- · handle with an escutcheon

Porta FIT, group F-H



Porta FIT G.5, Norwegian Pine



Porta FIT G.5, Norwegian Pine



model F.2



model F.6



model G.0



model G.2



model G.3



model G.5



model H.0



model H.1



model H.3



model H.4



















Portadecor veneer ★★★☆☆☆



* until stocks last


Portasynchro 3D veneer ★★★☆☆☆



Portaperfect 3D veneer ★★★★☆☆



CPL HQ 0,2 veneer ★★★★☆



* until stocks last



glazing bead with a glass panel NOTE: in case of CPL finish the glazing bead is rounded



glazing bead with a glass panel NOTE: in case of CPL finish the glazing bead is rounded

NOTE

If you're looking for a flush door that matches this collection, check Porta DECOR see p. 66 and Porta CPL see p. 82.

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Models A, B, C and I honeycomb and stabilising insert or chipboard core (at an extra charge). The construction is reinforced with rails and stiles and skinned with HDF. There is lipping ABS on the side edges of the doors finished with CPL.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: two or three standard barrel hinges or PRIME hinges (optionally at extra charge); non-rebated: two 3D hinges
- Lock: key lock, WC lock, or cylinder lock
- · 'Chinchilla' glass or frosted tempered glass
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172
- MINIMAX see p. 170 STEEL see p. 184-189

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 174
- · LEVEL see p. 178

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- Ventillation grille and 2 rows of ventillation sleeves are not available for model H
- Double doors are available in any door leaf size combinations. For a double non-rebated door, active and passive door leaves must be ordered. Magnetic lock is not available for a double door.
- · Reinforcement for a door closer requires third hinge.
- · Size,100' requires third hinge.
- · PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- · hollow chipboard core or chipboard core
- CPL 0,2 mm finish GROUP II
- ventilation grille, ventilation sleeves or ventilation undercut
- PRIME hinges (applies to dedicated door frames)
 PRIME lock with glossy faceplate (silver or gold)

- gold 3D hinges (extra charge added to a door frame price)
 third 3D hinge silver (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- · magnetic lock
- · OFFER doors with CPL finish- PRIME set
- preparation for shortening (maximum 60 mm)
- · reinforcement for door closer (third hinge is required)
- hook lock with side pull handles (sliding doors) · oblong pull handle for sliding doors
- · caps for standard hinges
- · handle with an escutcheon

Porta NOVA, group 2-5



Porta NOVA 2.1, Silvery Oak



Porta NOVA 5.5, Silvery Oak



model 2.1





model 2.2





model 3.1



model 3.2



model 4.1



model 4.2



model 4.4



model 5.1



model 5.2



model 5.4



model 5.5





74















Portadecor veneer ★★★☆☆☆



* until stocks last

Portasynchro 3D veneer ★★★☆☆☆



Portadur veneer ★★★☆☆



* until stocks last

Portaperfect 3D veneer ★★★★☆☆



Portalamino ****







decorative moulding with a slim panel

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Chipboard core reinforced with rails and stiles. The construction is skinned with HDF. It is possible to produce model 2.2 with a mirror on one or on both sides. If the mirror is only on one side, there will be slim panel on the other side.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Lock: key lock, WC lock, or cylinder lock
- · Rebated doors: two or three standard barrel hinges or PRIME hinges (optionally at extra charge); non-rebated: two 3D hinges
- · Glazing 'chinchilla' glass or frosted tempered glass (at an extra charge)
- Preparation for shortening maximum 60 mm (group 2 and 3 only)
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- · Porta SYSTEM see p. 172
- MINIMAX see p. 170
 STEEL see p. 184-189

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 174
- LEVEL see p. 178

NOTES

- · Technical Assessment AT-15-6515/2016, ITB Warsaw.
- · Double doors are available in any door leaf size combinations.
- For a double non-rebated door, active' and , passive' door leaves must be ordered.
- Magnetic lock is not available for a double door.
 Model 2.2 is not available in size,100'
- Reinforcement for a door closer requires third hinge.
- · Size,100' requires third hinge
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- · frosted glass, model 2.2
- frosted glass, model 3.2
- frosted glass, models from group 4 and 5 (1 PCs of a glass panel)
- ventilation sleeves (1 row) or ventilation undercut
- PRIME hinges (applies to dedicated door frames)

- PRIME lock with glossy faceplate (silver or gold)
 gold 3D hinges (extra charge added to a door frame price)
 third 3D hinge silver (extra charge added to a door frame price)
 third 3D hinge gold (extra charge added to a door frame price)
- · reinforcement for door closer (third hinge is required)
- · magnetic lock
- · hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- caps for standard hinges
- · a mirror on one side
- · a mirror on both sides
- · handle with an escutcheon

Porta NOVA, group 6 and 7



Porta NOVA 7.1, Walnut 3, retro module



Porta NOVA 6.3 Walnut 3, retro module



model 6.1





model 6.2



model 6.3



model 6.4



model 6.5



model 7.1



model 7.2



model 7.5













Portadecor veneer ★★★☆☆☆



* until stocks last

Portasynchro 3D veneer ★★★☆☆☆



Portadur veneer ★★★☆☆



* until stocks last

Portaperfect 3D veneer ★★★★☆









glazing bead with a raised panel

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Chipboard core reinforced with rails and stiles. The construction is skinned with HDF.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Lock: key lock, WC lock, or cylinder lock
- · Rebated doors: two or three standard barrel hinges or PRIME hinges (optionally at extra charge); non-rebated: two 3D hinges
- Glazing 'chinchilla' glass or frosted glass (at an extra charge)
- Preparation for shortening maximum 60 mm
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- · Porta SYSTEM see p. 172 MINIMAX see p. 170
- STEEL see p. 184-189

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 174
- · LEVEL see p. 178

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- Finishes: Portasynchro Dark Oak and Portaperfect Scandinavian Oak are not available for models from group 6 and 7.
- Ventilation grille and 2 rows of ventilation sleeves are available only for models 6.5, 7.5
- · Double doors are available in any door leaf size combinations. For a double non-rebated door, active' and , passive' door leaves must be ordered.
- · Magnetic lock is not available for a double door.
- · Reinforcement for a door closer requires third hinge.
- Due to various materials use, there might be a slight colour difference between door leaf and a glazing bead/muntins
- · Size,100' requires third hinge
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- · frosted glass
- ventilation grille, ventilation sleeves or ventilation undercut
- PRIME hinges (applies to dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
 reinforcement for door closer (third hinge is required)
- magnetic lock
- · hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- · caps for standard hinges
- frosted tempered glass
- · handle with an escutcheon

Porta LEVEL



- WE RECOMMEND

Thanks to new attractive finishes and dedicated door frame LEVEL with 20 cm or 100 cm panel, Porta LEVEL collection gives opportunities for extraordinary interior designs.

Porta LEVEL C.2, Catania Oak. Dedicated door frame LEVEL with top panel 100 cm.



Porta LEVEL C.2 with a decorative inlay, Catania Oak Door frame with the top panel - 20 cm.



Porta Decor model P see page 66



model C.1 Door frame with top panel 20 cm



model C.2 with a decorative inlay Door frame with the top panel - 20 cm.



model C.3 with a decorative inlay Door frame with the top panel - 20 cm.

WE RECOMMEND! -

Special offer terms&conditions: https://https://www.porta.com.pl/do-pobrania











Portadecor veneer ★★★☆☆☆





Portaperfect 3D veneer ★★★★☆☆





Portalamino ★★★★☆☆





NOTE

If you're looking for a flush door that matches this collection, check Porta DECOR see page 66.

We offer dedicated door frame LEVEL for Level door leaves. The top panel Level is available with two graining directions – horizontal or vertical applies to 6 chosen finishes.



dedicated door frame LEVEL



black decorative inlays



silver decorative inlays

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core reinforced with rails and stiles. The construction is skinned with HDF.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: two or three standard barrel hinges or PRIME hinges (optionally at
- extra charge); non-rebated: two 3D hinges
 Lock: key lock, WC lock, or cylinder lock

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172
- MINIMAX see p. 170
- STEEL see p. 184-189

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 174
- LEVEL see p. 178

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- · Hollow chipboard core and chipboard core have a preparation for shortening as
- Double doors are available in any door leaf size combinations.
- Magnetic lock is not available for a double door.
- · Reinforcement for a door closer requires third hinge.
- · Size 100' requires third hinge
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- · hollow chipboard core
- · ventilation sleeves or ventilation undercut
- · PRIME hinges (for dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to door frame price) third 3D hinge - silver (extra charge added to door frame price)
- third 3D hinge gold (extra charge added to door frame price)
- magnetic lock
- preparation for shortening (maximum 60 mm)
- reinforcement for door closer (third hinge is required)
- · caps for standard hinges
- · handle with an escutcheon

Porta LINE



- WE RECOMMEND -

Chosen models with a hollow core are classified with 3rd strength performance class. Additionally, available the 'investment set' containing 3 part hinges and a lock of the highest category of use (at extra charge). The set consists of a door leaf and a dedicated door frame.

Porta LINE G.1, Dark Concrete



Porta LINE H.1, Dark Concrete



model A.1



model B.1



model C.1



model E.1



model F.1



model G.1



model H.1















Portadecor veneer ★★★☆☆☆



until stocks last


Portasynchro 3D veneer ★★★☆☆☆



Portaperfect 3D veneer ★★★★☆



CPL HQ 0,2 veneer ★★★★☆



* until stocks last

Portalamino ★★★★☆☆





silver decorative inlays, black also available

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core reinforced with rails and stiles. Then construction is skinned with HDF. Door leaves are enriched with silver or black decorative inlays, $6\,\mathrm{mm}$ wide. There is lipping ABS on the side edges of the doors finished with CPL.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Rebated doors: two or three standard barrel hinges or PRIME hinges (optionally at extra charge); non-rebated: two 3D hinges
- Lock: key lock, WC lock, or cylinder lock
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172
- MINIMAX see p. 170 STEEL see p. 184-189

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 174
- LEVEL see p. 178

NOTES


- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- · Ventilation sleeves are not available for D.1 model
- Sliding option of models F.1 and G.1 decorative inlays placed on pull handle height
- Preparation for shortening is extra charged in case of ordering honeycomb core
- · Hollow chipboard core and chipboard core have a preparation for shortening as a standard

- Size '110' is available only with hollow chipboard.
- Double doors are available in any door leaf size combinations. For a double non-rebated door, active and passive door leaves must be ordered.
- Magnetic lock is not available for a double door.
- Reinforcement for a door closer requires third hinge.
- · Sizes,100' and,110' require third hinge.
- · Investment set is available only with hollow chipboard core
- · PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100' and '110'
- hollow chipboard core · CPL 0,2 mm finish - GROUP II
- ventilation sleeves or ventilation undercut
- PRIME hinges (applies to dedicated door frames) PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock
- OFFER doors with CPL finish- PRIME set
- preparation for shortening (maximum 60 mm)
- reinforcement for door closer (third hinge is required)
- hook lock with side pull handles (sliding doors)
- · an oblong pull handle for sliding doors
- caps for standard hinges
- · a handle with an escutcheon

Porta CPL



WE RECOMMEND

Chosen models with a hollow core are classified with 3rd strength performance class. Additionally, available the 'investment set' containing 3 part hinges and a lock of the highest category of use (at extra charge). The set consists of a door leaf and a dedicated door frame.

Porta CPL 1.1, door leaf - Natural Oak, door frame - Dark concrete



Porta CPL 1.1, Natural Oak



model 1.1





model 1.2



model 1.3



model 1.4



model 1.5



model 5.1



model 5.2



model 5.4



model 5.5

















CPL HQ 0,2 veneer ★★★★☆









Check the possibilities of ordering bespoke door models through Porta CONTRACT, see page 226.



glazing bead with a glass panel



a glazing bead with a raised panel



push panel



ventilation kick panel



kick panel



kick panel with a ventilation undercut

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Group 1 - honeycomb or hollow chipboard core (at an extra charge) reinforced with rails and stiles. Group 5 and model 1.4 - chipboard core. The construction is skinned with HDF. lipping ABS on the side edges

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, or cylinder lock
- Rebated doors: two or three standard barrel hinges or PRIME hinges; non-rebated: two 3D hinges
- Glazing 'chinchilla' glass or frosted/transparent tempered glass (optionally at an extra charge)
- Preparation for shortening max. 60 mm (only group 5)
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172
- MINIMAX see p. 170
- STEEL see p. 184-189

Recommended non-rebated door frames:

Porta SYSTEM ELEGANCE see p. 174

NOTES

- · Technical Assessment AT-15-6515/2016, ITB Warsaw.
- · Hollow chipboard core and chipboard core have preparation for shortening as
- Size '110' is available only with hollow chipboard. Glazing size is the same as for size '100'.
- · Size '100' and '110' is not available for model 1.4.
- · Black finish is not available for models of group 5
- · Double doors are available in any door leaf size combinations.
- Passive door leaf (standard) is available for sizes from '60' to '100'. • Passive door leaf (side panel) - sizes '30', '40', '50' is available only in flat option (without glazing or decorative mouldings). For non-rebated double door 'active' and 'passive' door leaves must be ordered.

- · Possibilities of ordering bespoke door models through Porta CONTRACT p. 226.
- · Magnetic lock is not available for a double door. - Size '80' and '90' in investment norm (clear opening width 800, 900 mm) available as a standard- without extra charge
- Reinforcement for a door closer requires third hinge.
- All of the stainless steel panels are available only for sizes: 80, 90, 100, for doors with hollow chipboard core
- · Investment set is available only with hollow chipboard core
- · Sizes,100' and,110' require third hinge
- · PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- · size '100' and '110'
- hollow chipboard core
- CPL finish 0,2 and 0,7 mm GROUP II
- · OFFER PRIME set
- gold 3D hinges (extra charge added to door frame price)
- third 3D hinge silver (extra charge added to door frame price) • third 3D hinge - gold (extra charge added to door frame price)
- · ventilation grille (only group 1), ventilation sleeves or ventilation undercut
- magnetic lock
- preparation for shortening (maximum 60 mm) (group 1)
- · reinforcement for door closer (third hinge is required)
- frosted/transparent glass model 1.2
- frosted/transparent glass model 1.3 and 1.4
- frosted/transparent glass model 1.5
- frosted/transparent glass models of group 5 (1PCs of glass)
- stainless steel porthole (model 1.1)
- push panel both sides set (models 1.1, 1.2)
 kick panel both sides set (models 1.1, 1.2, 1.3)
- kick panel with a ventilation undercut both sides set (models 1.1, 1.2, 1.3) • ventilation kick panel - both sides set (models 1.1, 1.2, 1.3)
- · hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- · caps for standard hinges
- · handle with an escutcheon

Porta RESIST



WE RECOMMEND

Chosen models with a hollow core are classified with 3rd strength performance class. Additionally, available the 'investment set' containing 3 part hinges and a lock of the highest category of use (at extra charge). The set consists of a door leaf and a dedicated door frame.

Porta RESIST 1.1, Halifax Natural



Porta RESIST 7.1, Halifax Natural

vertical graining:



model 1.1



model 1.2



model 1.3



model 1.4

horizontal graining:



model 7.1



model 7.2



model 7.3



model 7.4

vertical or horizontal graining:



model B.1*



model E.1*



model H.1*



model 4.A



model 4.B

^{*} graining is in line with the direction of inlays











AN INNOVATIVE PRODUCT ON THE MARKET -

Texture of Gladstone/Halifax finish resembles real raw wood.







AVAILABLE FINISHES

Gladstone / Halifax ★★★★★











Check the possibilities of ordering bespoke door models through Porta CONTRACT, see page 226.

Gladstone/Halifax

High durability level which guarantees door protection from intensive usage. Indications for use - places with heavy foot traffic, where hundreds of people pass daily.

PORTA RESIST - INDICATIONS FOR USE:

- Offices
- Hotels and guesthouses
- Publlic buildings
- · Residential buildings



Gladstone / Halifax texture emphasizes natural wood rawness





glazing - model 4.A

WE RECOMMEND!

The door leaf is skinned with a highly compressed board with very fine fibres structure. Thanks to its high density, the board guarantees resistance to impacts, attritions and



also available srebrné

black decorative inlay, silver ones

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core (at an extra charge) reinforced with rails and stiles. Models 1.4, 1.7 - chipboard core, 4.B - hollow chipboard core. The construction is skinned with HDF. lipping ABS tape on the side edges. Inlays - black or silver, 6 mm wide. 4.A and 4.B models come with 8 mm thick, tempered glass, which is an element

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: two or three standard barrel hinges or PRIME hinges; non-rebated: two 3D hinges
- · Lock: key lock, WC lock, or cylinder lock
- Glazing models of gr. 1 and 7'chinchilla' glass; frosted tempered glass; transparent glass. Models of gr. 4 8 mm thick frosted tempered glass.
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172
- MINIMAX see p. 170
- STEEL see p. 184-189

Recommended non-rebated door frames:

Porta SYSTEM ELEGANCE see p. 174

- · Technical Assessment AT-15-6515/2016, ITB Warsaw.
- The door leaf is skinned with a Gladstone/Halifax board (with structure), a door frame is finished with matching CPL veneer 0,2 mm
- Ventilation grille, ventilation sleeves and preparation for shortening are not available for group 4.
- · Hollow chipboard core and chipboard core have preparation for shortening as a standard.

- Size '100' and '110' is not available for models 1.4, 7.4.
- · Size '110' is available only with hollow chipboard. Glazing size is the same as for size, '100'.
- Size '110' is not available for models of gr. 4.
- · Fixed size of glass, model 4.A.
- Magnetic lock is not available for a double door.
- Double doors are available in any door leaf size combinations.
- For non-rebated double door, active and passive door leaves must be ordered.
- Size '80' and '90' in investment norm (clear opening width 800, 900 mm) available as a standard (applies to gr. 1 and 7) - without extra charge.
- Reinforcement for a door closer requires third hinge.
- · Investment set is available only with hollow chipboard core
- · Sizes,100' and,110' reguire third hinge
- · PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100' and '110'
- hollow chipboard core
- OFFER PRIME set
- gold 3D hinges (extra charge added to door frame price)
- third 3D hinge silver (extra charge added to door frame price)
- third 3D hinge gold (extra charge added to door frame price)
- ventilation grille (only group 1 and 7), ventilation sleeves or ventilation undercut · magnetic lock
- preparation for shortening (maximum 60 mm) (apart from gr. 4)
- · reinforcement for door closer (third hinge is required)
- stainless steel porthole (model 1.1, 7.1)
- · hook lock with side pull handles (sliding doors) oblong pull handle for sliding doors
- caps for standard hinges
- · handle with an escutcheon

Porta FOCUS



Porta FOCUS 4.A, Natural Walnut (matt)



Porta FOCUS 4.A, Natural Walnut (matt)







model 4.A



model 4.B













Portadecor veneer ★★★☆☆☆



* until stocks last


Portasynchro 3D veneer ★★★☆☆☆



Portaperfect 3D veneer ★★★★☆☆



CPL HQ 0,2 veneer ★★★★☆



Portalamino ★★★★☆☆





glass-door panel joint rebated door



non-rebated door

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core (at an extra charge) reinforced with rails and stiles. The construction is skinned with HDF. Glazed models come with 8 mm thick, frosted tempered panel glass, which is an element of the construction. There is lipping ABS on the side edges of the doors finished with CPL.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Rebated doors: two or three standard barrel hinges or PRIME hinges (optionally at extra charge); non-rebated: two 3D hinges
- Lock: key lock, WC lock, or cylinder lock
- · Frosted, tempered glass
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172
- MINIMAX see p. 170
- STEEL see p. 184-189

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 174
- LEVEL see p. 178

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- · Hollow chipboard core and chipboard core have preparation for shortening as a standard.
- Size '110' is vailable only with chipboard core.
- Double doors are available in any door leaf size combinations.
- For non-rebated double door, active and passive door leaves must be ordered.
- 4.B model is available only with hollow chipboard core, free of extra charge.
- Size '110' is not available for models of group 4.
- · Fixed size of glass group 2, model 4.A.
- · Magnetic lock is not available for a double door
- · Sizes,100' and,110' require third hinge
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'. '110'
- CPL finish 0,2 GROUP II
- hollow chipboard core
- · ventilation undercut or ventilation sleeves • PRIME hinges (for dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to door frame price)
- third 3D hinge silver (extra charge added to door frame price)
- third 3D hinge gold (extra charge added to door frame price)
- magnetic lock
- · hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- · caps for standard hinges
- · handle with an escutcheon

Porta LOFT



Porta LOFT gives new possibilities of interior design. Edgy black and timeless white colours are the leitmotiv of this collection. They are used to finish the door frame and all the accessories. Thanks to their combination with one of Porta's veneer you can create your own, unique, product that matches almost any interior.

Porta LOFT 1.1, Scandinavian Beech



Porta LOFT 1.1, Scandinavian Beech



model 1.1



model 4.A



model 4.B



model 1.1



model 4.A



model 4.B



AVAILABLE FINISHES OF DOOR FRAMES

SUPER MATT veneer ★★★☆☆☆

CPL HQ 0,2 veneer ★★★★☆

White





AVAILABLE FINISHES

Portaperfect 3D veneer ★★★☆☆









Gladstone / Halifax ★★★★★









CPL HQ 0,2 veneer ★★★★☆















Dark structure









glass - door panel joint



lock faceplate

3D hinges in door frame colour



lock faceplate

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core (at an extra charge) reinforced with rails and stiles. The construction is skinned with HDF. Glazed models come with 8 mm thick, frosted tempered panel glass, which is an element of the construction. **The distinctive feature** of this collection is black or white lipping ABS on the side edges.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Two 3D hinges in a door frame colour- Black or White
- Lock in ABS tape colour Black or White
- 8 mm thick frosted, tempered glass

DOOR FRAMES

- Porta SYSTEM ELEGANCE, black or white
- Steel PORTA SYSTEM ELEGANCE, black or white

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
 Ventilation undercut in glazed models is available only for Polish Norm.
- Hollow chipboard core and chipboard core have preparation for shortening as a standard.
- 4.B model is available only with hollow chipboard core, free of extra charge.
- · Fixed size of glass panel -model 4.A.
- · Size,100' requires third hinge
- 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- CPL finish 0,2 mm GROUP II
- · hollow chipboard core
- · ventilation undercut
- third 3D hinge (extra charge added to door frame price)
- preparation for shortening (maximum 60 mm), (group 1.1)
- · handle with an escutcheon



Nature CLASSIC



WE RECOMMEND

Chosen models with a hollow core are classified with 3rd strength performance class. Additionally, available the 'investment set' containing 3 part hinges and a lock of the highest category of use (at extra charge). The set consists of a door leaf and a dedicated door frame.

Nature CLASSIC 1.1, Oak 1, grain -, flower' (produced through Porta CONTRACT see page 226).



Nature CLASSIC 1.1, Oak 1, grain -, flower'



model 1.1





model 1.1





model 1.3



model 1.4



model 7.1



model 7.2



model 7.3



model 7.4

horizontal graining:



model 5.1



model 5.2



model 5.5


























Natural Select Veneer ★★★☆☆







Natural veneer - Ash ★★★☆☆



Ash veneer is available for models of group 1. Grain -, flower'

Natural veneer - Walnut ★★★☆☆



Walnut veneer is available for models of group 1. Grain -,flower'.

Natural Satin Oak Veneer ★★★☆☆





Customize colours to meet your individual needs. Send an enquiry through Porta CONTRACT. Details regarding bespoke order, see page 226.

Due to the characteristic of natural veneers, differences in colour and graining, might appear on a door leaf. These differences cannot be grounds for complaints.



horizontal graining group 7



fancy decorative moulding group 5

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Core- stabilizing infill reinforced with rails and stiles. The construction is skinned with a slim particle board which is finished with high quality natural veneer. The door leaf surface is protected by ecological water-based varnishes. Select, Natural Oak, Ash, Walnut and Satin (apart from white) veneers are hardened under UV lamp (semi-matt). Hollow chipboard core available at an extra charge.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: three standard barrel hinges or PRIME hinges; non-rebated: two 3D hinges
- Lock with glossy faceplate (silver or gold): key lock, WC lock, or cylinder lock
- Glass panel 'chinchilla' or frosted tempered glass
- Preparation for shortening (maximum 60 mm)
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172
- MINIMAX see p. 170 STEEL see p. 184-189

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 174
- Porta SYSTEM ELEGANCE 90 degrees see p. 174

Recommended door frames with a reversed rebate:

· Porta SYSTEM with a reversed rebate see p. 176

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- · Height 220 available for models 1.1 and 1.7; core: hollow chipboard, 3 hinges as a standard
- Size '100' is not available for model 1.3
- Unvarnished door leaves are available in a standard product price
- Ventilation sleeves- silver or gold. 1 row.
- Double doors are available in any door leaf size combinations. For a double non-re bated door, active' and , passive' door leaves must be ordered
- Magnetic lock is not available for a double door.
- · Investment set is available only with hollow chipboard core
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- · door leaf height 220 cm
- ventilation undercut or ventilation sleeves 1 row, 2 rows available only for models: 1.1, 1.2, 1.3
- stainless steel porthole (only 1.1, 1.2, 1.3 models)
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock
- hook lock with side pull handles (sliding doors)
- · an oblong pull handle for sliding doors
- · mirror on one side
- · mirror on both sides
- · hollow chipboard core
- · 'Satin white oak' finish · a handle with an escutcheon



Nature LINE



Nature LINE E.2, Mocca



Nature LINE F.1, Mocca





model F.1



model F.1



model A.1



model B.1



model C.2



model E.2



model G.1



model H.1




















Natural Select Veneer ★★★☆☆







Due to the characteristic of natural veneers, differences in colour and graining, might appear on a door leaf. These differences cannot be grounds for complaints.

Natural Satin Oak Veneer ★★★☆☆





silver decorative inlay



silver decorative inlay

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Core-stabilising infill reinforced with rails and stiles. The construction is skinned with slim particle board which is finished with high quality natural veneer. Door leaves are enriched with aluminium decorative inlays, 6 mm wide. The door leaf surface is protected by ecological water-based varnishes. Select, Natural Oak and Satin (apart from white) veneers are hardened under UV lamp (semi-matt). Hollow chipboard core available at an extra charge.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Rebated doors: three standard brel hinges or PRIME hinges; non-rebated: two 3D hinges
- · Lock with glossy faceplate (silver or gold): key lock, WC lock, or cylinder lock
- Preparation for shortening (maximum 60 mm)
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- · Porta SYSTEM see p. 172 • MINIMAX see p. 170
- STEEL see p. 184-189

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 174
- Porta SYSTEM ELEGANCE 90 degrees see p. 174

Recommended door frames with reversed rebate:

Porta SYSTEM with reversed rebate see p. 176

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- · Height 220: core hollow chipboard; 3 hinges as a standard
- Ventilation sleeves silver or gold. 1 or 2 rows
- Double doors are available in any door leaf size combinations. For a double non-rebated door,,active' and,passive' door leaves must be ordered
- · Magnetic lock is not available for a double door
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- door leaf height 220 cm
- · ventilation sleeves or ventilation undercut
- hook lock with side pull handles (sliding doors)
- an oblong pull handle for sliding doors gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- · magnetic lock
- · hollow chipboard core
- White Oak -Satin finish
- · a handle with an escutcheon



Nature VECTOR



Nature VECTOR collection - doors in natural veneer: White Oak Satin. The collection consists of the most frequently chosen decorative milling patterns of the Porta VECTOR collection and a new dedicated one - pattern J.

Nature VECTOR J, Oak White



Nature VECTOR J, Oak White



model B



model E



model J



model U



model V













Natural Satin Oak Veneer ★★★☆☆

Oak White

Natural veneer Oak ★★★☆☆





Give free rein to your imagination! Do you have your own door concept? You can order any milling with Porta CONTRACT, details regarding bespoke orders see page 226.



decorative milling close up - visible texture of Natural Oak



TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Core - stabilising infill reinforced with rails and stiles. The construction is skinned with a slim particle board which is finished with high quality natural veneer. The door leaf surface is protected by ecological water-based varnishes. Hollow chipboard core available at an extra

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: three standard barrel hinges or PRIME hinges; non-rebated: two 3D hinges
- · Three hinges for size '100'
- · Lock with glossy faceplate (silver or gold): key lock, WC lock, or cylinder lock
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172
- MINIMAX see p. 170 • STEEL see p. 184-189

- Recommended non-rebated door frames:
 Porta SYSTEM ELEGANCE see p. 174
- Porta SYSTEM ELEGANCE 90 degrees see p. 174

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- Height,220': core: hollow chipboard; three hinges as a standard
- Double doors are available in any door leaf size combinations.
- Passive door leaf (panel) available in sizes:,30′, '40′,,50′ without a decorative milling
- Magnetic lock is not available for a double door.
- Reinforcement for a door closer requires third hinge.
- Model E comes with horizontal wood graining, other models with vertical
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- · hollow chipboard core
- · Ventilation sleeves or ventilation undercut
- preparation for shortening (maximum 60 mm)
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- · magnetic lock
- reinforcement for door closer (third hinge is required)
- hook lock with side pull handles (sliding doors)
 an oblong pull handle for sliding doors
- a handle with an escutcheon



Nature LOFT



Nature LOFT gives new possibilities of interior design. Black colour is the leitmotiv of this collection. It is used to finish the door frame and all the accessories.

Nature LOFT 1.1, Oak 1,,striped'wood grain



Nature LOFT 1.1, Oak 1,,flower' wood grain



1.1, Oak 1 - ,flower' wood grain



1.1, Oak 1 - ,striped' wood grain



1.1, Ash



1.1, Walnut



AVAILABLE FINISHES OF DOOR FRAMES

Natural Select Veneer ★★★☆☆

Black





AVAILABLE FINISHES

Natural veneer - Oak ★★★☆☆



wood graining -,flower' and ,striped'

Natural veneer - Ash ★★★☆☆



wood graining -,flower'

Natural veneer - Walnut ★★★☆☆



wood graining -,flower'

Due to the characteristic of natural veneers, diff erences in colour and graining, might appear on a door leaf.
These diff erences cannot be grounds for complaints.



lock faceplate

3D hinges in door frame colour

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core reinforced with rails and stiles (optionally at extra charge). The construction is skinned with a particle board finished with natural veneer. Side edges finished with Natural Select Veneer. The distinctive features of this collection are black lipping on the side edges and black accessories.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Two 3D hinges Black
- · Lock in ABS tape colour Black

DOOR FRAMES

- Porta SYSTEM ELEGANCE, black see p. 174
- Porta SYSTEM ELEGANCE 90 degrees, black see p. 174

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- Hollow chipboard core and chipboard core have preparation for shortening as a standard.
- · Size,100' requires third hinge
- 3D hinges packed with a door frame.

EXTRA CHARGES

- size '100'
- · hollow chipboard core
- ventilation undercut
- third 3D hinge (extra charge added to door frame price)



Nature GRANDE



Nature GRANDE A.1, Oak



Nature GRANDE A.0, Oak



model A.0



model A.1

model B.0



model B.1



model B.3



model C.0



model C.1



model D.0



model D.1


















Natural Select Veneer ★★★☆☆







Due to the characteristic of natural veneers, differences in colour and graining, might appear on a door leaf. These differences cannot be grounds for complaints.

Natural Satin Oak Veneer ★★★☆☆





a door with glazing



flat panel

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Frame and panel construction. A door leaf is finished with natural veneer. Surface is protected by ecological water-based varnishes. Select, Natural Oak and Satin (apart from white) veneers are hardened under UV lamp (semi-matt)

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: three standard barrel hinges or PRIME hinges; non-rebated: two 3D hinges
- · Lock with glossy faceplate (silver or gold): key lock, WC lock, or cylinder lock
- Frosted tempered glass
- Preparation for shortening (maximum 60 mm)
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172
- MINIMAX see p. 170

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 174
- Porta SYSTEM ELEGANCE 90 degrees see p. 174

Recommended door frames with reversed rebate:

· Porta SYSTEM with reversed rebate see p. 176

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- Double doors are available in any door leaf size combinations.
- · Magnetic lock is not available for a double door.
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- · ventilation undercut
- preparation for shortening (maximum 60 mm)
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock
- hook lock with side pull handles (sliding doors)
- · an oblong pull handle for sliding doors
- · White Oak -Satin finish
- · a handle with an escutcheon



Nature IMPRESS, Nature SPACE





Nature IMPRESS 4, Brown Oak



IMPRESS 1



IMPRESS 3





IMPRESS 7



IMPRESS 8



IMPRESS 9



SPACE F.0



SPACE F.1



SPACE G.0



SPACE G.1



SPACE H.1

















Natural Select Veneer ★★★☆☆







Due to the characteristic of natural veneers, differences in colour and graining, might appear on a door leaf. These differences cannot be grounds for complaints.

Natural Satin Oak Veneer ★★★☆☆





Nature IMPRESS - relief Ratan



Nature SPACE - relief Ratan



TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION IMPRESS

Hollow chipboard core reinforced with rails and stiles. The construction is skinned with a slim particle board which is finished with high quality natural veneer. The door leaf surface contains relief and it is protected by ecological water-based varnishes. Select, Natural Oak and Satin (apart from white) veneers are hardened under UV lamp (semi-matt).

DOOR LEAF CONSTRUCTION SPACE

Glued softwood. Depending on the model, door leaves contain rails and stiles finished with natural veneer or relief board (Ratan pattern). Thanks to applied technology, door leaf is very resistant to deformation. Surface is protected by ecological water-based varnishes. Select, Natural Oak and Satin (apart from white) veneers are hardened under UV lamp (semi-matt)

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Rebated doors: two or three standard barrel hinges or PRIME hinges (optionally at extra charge); non-rebated: two 3D hinges
- · Lock with glossy faceplate (silver or gold): key lock, WC lock, or cylinder lock
- Preparation for shortening, maximum 60 mm (IMPRESS only models: 1, 3, 4, SPACE only models: F.0, G.0)
- Frosted tempered glass, 8 mm thick

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172
- MINIMAX see p. 170 STEEL see p. 184-189

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 174
- · Porta SYSTEM ELEGANCE 90 degrees see p. 174

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- · Ventilation sleeves- silver or gold. 1 row.
- Double doors are available in any door leaf size combinations. For a double non-rebated door, active' and passive' door leaves must be ordered
- Magnetic lock is not available for a double door.
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- · ventilation sleeves or ventilation undercut (doesn't apply to glazed models)
- · magnetic lock
- hook lock with side pull handles (sliding doors)
- an oblong pull handle for sliding doors
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price) · 'Satin white oak' finish
- · a handle with an escutcheon



Nature CONCEPT



– WE RECOMMEND –

Traditional frame and panel construction guarantees long-time durability.

Nature CONCEPT C.6, Oak



Nature CONCEPT C.6, Oak



model A.0



model A.3



model A.9



model B.0



model D.0



model C.0



model C.2



model C.4



model C.6



model K.0



model K.1



model K.2



model K.3





















Natural Select Veneer ★★★☆☆







Due to the characteristic of natural veneers, differences in colour and graining, might appear on a door leaf. These differences cannot be grounds for complaints.

Natural Satin Oak Veneer ★★★★☆☆





flat panel - model A.0



flat panel - model B.0



frosted glass panel - model A.9



decorative inlays - model D.0

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Glued laminated with MDF. The construction is finished with natural veneer. Thanks to applied technology, door leaf is very resistant to deformations. Model D.0 - aluminium decorative inlays, 6 mm wide. Surface is protected by ecological water-based varnishes. Select, Natural Oak and Satin (apart from white) veneers are hardened under UV lamp

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: two or three standard barrel hinges or PRIME hinges
- (optionally at extra charge); non-rebated: two 3D hinges

 Lock with glossy faceplate (silver or gold): key lock, WC lock, or cylinder lock
- Frosted tempered glass
- Preparation for shortening, maximum 60 mm
- Oblong pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172
- MINIMAX see p. 170

- Recommended non-rebated door frames: • Porta SYSTEM ELEGANCE see p. 174
- Porta SYSTEM ELEGANCE 90 degrees see p. 174

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- · Ventilation sleeves- silver or gold. 1 row.
- Double doors are available in any door leaf size combinations. For a double non-rebated door,,active' and ,passive' door leaves must be ordered
- · Magnetic lock is not available for a double door.
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- · ventilation sleeves or ventilation undercut
- · hook lock with side pull handles (sliding doors)
- an oblong pull handle for sliding doors
 gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- · magnetic lock
- · 'Satin white oak' finish
- · a handle with an escutcheon





SEVILLA, MADRID



The beauty of classical doors

SEVILLA solid, White Oak



SEVILLA solid, White Oak







MADRID solid





side panel J

MADRID large muntin



















Natural veneer - Oak ★★★★☆☆



Due to the characteristic of natural veneers, differences in colour and graining, might appear on a door leaf. These differences cannot be grounds for complaints.

Natural Satin Oak Veneer ★★★☆☆





SFVII I A raised panel profile



MADRID decorative profiled stile



MADRID decorative coved panel

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Glued softwood with MDF. The construction is finished with natural veneer. Thanks to applied technology, door leaf is very resistant to deformations. Surface is protected by ecological water-based varnishes. Natural Oak and Satin (apart from white) veneers are hardened under UV lamp (semi-matt).

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: three standard barrel hinges or PRIME hinges; non-rebated: two 3D hinges
- Lock with glossy faceplate (silver or gold): key lock, WC lock, or cylinder lock
- Glass panels 'chinchilla' or frosted tempered glass preparation for shortening, maximum 60 mm. A door leaf with a ventilation slit - shortening up to 40 mm
- Round pull handle (for sliding doors)
- · A seal fitting the glass panel

DOOR FRAMES

Recommended rebated door frames:

- Porta SYSTEM see p. 172

• MINIMAX see p. 170

- Recommended non-rebated door frames: • Porta SYSTEM ELEGANCE see p. 174
- Porta SYSTEM ELEGANCE 90 degrees see p. 174

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- · Unvarnished door leaves are available at standard product price
- · Ventilation sleeves silver or gold. 1 row.
- Double doors are available in any door leaf size combinations. For a double non-rebated door,,active' and,passive' door leaves must be ordered
- · Magnetic lock is not available for a double door
- · Side panels in size '40'
- PRIME or 3D hinges- packed with a door frame

EXTRA CHARGES

- size '100'
- · ventilation sleeves, ventilation undercut or ventilation slit
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock with a stainless steel faceplate
- · magnetic lock black or whit, for rebated doors
- hook lock with side pull handles (sliding doors)
- · an oblong pull handle for sliding doors
- · an astragal for double doors
- · White Oak -Satin finish
- a mirror on one side (SEVILLA)
- a handle with an escutcheon



CORDOBA, TOLEDO



CORDOBA large muntin, panel K Tabacco



CORDOBA solid, Tabacco



CORDOBA solid





TOLEDO solid



CORDOBA small glazing



TOLEDO model 1



CORDOBA muntin

TOLEDO model 2



CORDOBA large muntin





TOLEDO model 3



TOLEDO model 5

















Natural veneer - Oak ★★★★☆☆



Natural Satin Oak Veneer ★★★☆☆

Oak White	Tabacco	Мосса	Nero
Light	Oak	Brown	
Oak	Winchester	Oak	

Due to the characteristic of natural veneers, differences in colour and graining, might appear on a door leaf. These differences cannot be grounds for complaints.



CORDOBA minimalist rails and stiles chamfered with 20°



TOLEDO minimalist rails and stiles chamfered with 20°

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Glued softwood with MDF. The construction is fi nished with natural veneer. Thanks to applied technology, door leaf is very resistant to deformations. Surface is protected by ecological water-based varnishes. Natural Oak and Satin (apart from white) veneers are hardened under UV lamp (semi-matt). Rails and stiles of Cordoba and Toledo are chamfered with 20°

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: three standard barrel hinges or PRIME hinges; non-rebated: two 3D hinges
- Lock with glossy faceplate (silver or gold): key lock, WC lock, or cylinder lock
- Glass panels 'chinchilla' or frosted tempered glass preparation for shortening, maximum 60 mm. A door leaf with a ventilation slit - shortening up to 40 mm
- · Round pull handle (for sliding doors)
- · A seal fitting the glass panel

DOOR FRAMES

Recommended rebated door frames:

- · Porta SYSTEM see p. 172
- MINIMAX see p. 170

Recommended non-rebated door frames:

- Porta SYSTEM ELEGANCE see p. 174
- Porta SYSTEM ELEGANCE 90 degrees see p. 174

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- · Unvarnished door leaves are available at standard product price
- Ventilation sleeves- silver or gold. 1 row.
- Double doors are available in any door leaf size combinations. For a double non-rebated door,,active' and ,passive' door leaves must be ordered
- Magnetic lock is not available for a double door
- Side panels in size '40'
- PRIME or 3D hinges- packed with a door frame

EXTRA CHARGES

- · ventilation sleeves, ventilation undercut or ventilation slit
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock with a stainless steel faceplate
 magnetic lock black or whit, for rebated doors
- hook lock with side pull handles (sliding doors)
 an oblong pull handle for sliding doors
- · an astragal for double doors
- · White Oak Satin finish
- · a handle with an escutcheon





Villadora RETRO



Villadora RETRO, Residence 0, Module RETRO, White Oak



Villadora RETRO Residence 0, Oak White







Empire 0













Natural Satin Oak Veneer ★★★☆☆

Oak

Due to the characteristic of natural veneers, differences in colour and graining, might appear on a door leaf. These differences cannot be grounds for complaints.



decorative moulding with a raised panel



TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Frame and panel construction. Rails and stiles made of high quality softwood and wood-based materials, finished with Natural Oak veneer. Specially selected satin tempered glass. Decorative mouldings/beads made of solid oak. The door leaf surface is protected by ecological water-based varnishes.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Lock with glossy faceplate (silver or gold): key lock, WC lock, or cylinder lock
- Plain satin glass
- Preparation for shortening (maximum 60 mm)

DOOR FRAMES

Recommended rebated door frame:

· Villadora RETRO see p. 182

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- Doors are equipped with 3 PCs of golden hinges hinges packed with a frame Option of purchasing caps for hinges in a few colours: glossy golden, old gold,
- glossy silver- see extra charges

 Double doors are available in any door leaf size combinations.

 Magnetic lock is not available for a double door

EXTRA CHARGES

- · ventilation sleeves 1 row
- · magnetic lock
- · ventilation undercut, ventilation slit
- · caps for Villadora hinges
- · handle with an escutcheon

(see p. 194)



Villadora MODERN



Villadora MODERN, Space S01, Walnut





Sand vertical graining:



Sand



horizontal grain:



Space S01



Space S02



Sand S03



Space S03



Line

Space



Ethno

 $see\ details\ www.porta.com.pl/dm/villadora.pdf$



















Natural Select Veneer ★★★☆☆



Natural veneer - Oak ★★★☆☆



Natural veneer - Ash ★★★☆☆



Ash veneer is available for models of group 1. Grain -,flower'.

Natural veneer - Walnut ★★★☆☆



Walnut veneer is available for models of group 1. Grain -,flower'.

Natural Satin Oak Veneer ★★★☆☆



Due to the characteristic of natural veneers, differences in colour and graining, might appear on a door leaf. These differences cannot be grounds for complaints.



Made to measure dimensions through Porta CONTRACT, see page 226.



model Line - grain



model Space - glazing



new 3D hidden hinge



safe magnetic lock

■ TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Frame made of high quality wood, plywood and hollow chipboard, all skinned with a slim particle board, finished with natural veneer. 8 mm thick glass panel. The door leaf surface is protected by ecological water-based varnishes. Select, Natural Oak, Ash, Walnut and Satin (apart from white) veneers are hardened under UV lamp (semi-matt).

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Lock with glossy faceplate (silver or gold): key lock, WC lock, or cylinder lock
- Key lock or magnetic lock
- Satin or transparent glass panel

DOOR FRAMES

Recommended non-rebated door frames:

• Villadora MODERN see p. 182

NOTES

- Technical Assessment AT-15-6515/2016, ITB Warsaw.
- Doors are equipped with 3 PCs of 3D hinges hinges packed with a door frame
- Double doors are available in any door leaf size combinations.
- Magnetic lock is not available for a double door

EXTRA CHARGES

- ventilation sleeves 1 row
- ventilation shortening 12 mm (optional)
- magnetic lock (optional)
 "Cation white and (Cation)
- 'Satin white oak' finish door leaf height 220 cm
- a handle with an escutcheon

(see p. 194)

Folding doors




ALFA, BETA, White

ALFA



HOW TO OPEN THE DOOR* (top view)



Right door


A REBATED DOOR LEAF

The complete set consists of:

- track system
- two-part door leaf
- Porta SYSTEM door frame (modified)



BETA



A NON-REBATED DOOR LEAF

The complete set consists of:

- track system two-part door leaf
- Porta SYSTEM door frame (modified)





*NOTE: Due to fittings specifics there is a slight narrowing of clear opening width when the door is open. (about 10 cm).











Standard paint ★★★☆☆☆



Portadecor veneer ★★☆☆☆




Portasynchro 3D veneer ★★★☆☆☆

\$1347 EAT 8	U MORE INDE	NHOLE BE			
Honey	Silver	Scarlet	Dark	Wenge	Norwegian
Acacia	Acacia	Oak	Oak	White	Pine

Portaperfect 3D veneer ★★★★☆☆



CPL HQ 0,2 veneer ★★★★☆



* until stocks last



how to open / fold ALFA door leaves



how to open / fold BETA door leaves

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb core or hollow chipboard core (at an extra charge) reinforced with plywood rails and stiles. Alfa – a two-part door, unsymmetrically divided, with a standard lock in a door leaf and a tongue strike in a door frame.

Beta – a two part door, symmetrically divided without a lock.

ACCESSORIES INCLUDED IN THE PRICE

- Track
- Seal
- Three silver hidden hinges
- Lock: key lock, WC lock, cylinder lock (ALFA)
- Tongue strike (ALFA)
- · Round pull handle (BETA)

DOOR FRAMES

• Modified Porta SYSTEM, adjustment range from B to K see p. 172.

- National Technical Assessment ITB-KOT-2017/0184 issue 1
- Size '100' is not available for BETA.

EXTRA CHARGES

- size '100' (ALFA only)
- · hollow chipboard core
- door leaf: CPL 0,2 mm finish GROUP II
- door frame: CPL 0,2 mm finish GROUP II
- · ventilation sleeves, ventilation undercut
- price of ALFA track (extra charge to the set)
- a handle with an escutcheon

(see p. 194)

Sliding systems



Sliding system PORTA, Porta CONCEPT, A.9, Grey Euroinvest

ON WALL-MOUNTED SLIDING SYSTEMS

PORTA



The complete set consists of:

- on wall-mounted sliding system (track)
 a door leaf (sliding version)
 a door frame to suit on wall sliding system (tunnel version)







The set consists of:

- on wall-mounted sliding system (track)
 a door leaf (sliding version)
 a door frame to suit on wall sliding system (tunnel version)









Finishes charts see page 217 - 224.

NOTE! Any sliding version door leaf is compatible with System Porta and ALU.

TECHNICAL INFORMATION

System PORTA

CONSTRUCTION OF PORTA SLIDING SYSTEM

On Wall Sliding system consists of: a rail bar with trolleys, rail cover & door stop. Rail cover and a door stop are made of chipboard and MDF.

If you decide to choose Natural Veneer for your Door, this will be finished with semi-matt varnish.

ACCESSORIES INCLUDED IN THE PRICE

- · A rail with trolleys
- · A lock strike
- · Self-adhesive brush seal
- · Guide element which stabilizes the door leaf. Floor-mounted.

DOOR FRAMES

- · Porta SYSTEM door frame, 'tunnel' option see p. 172.
- Dimensions see page 209, Table 7.

NOTES

- National Technical Assessment ITB-KOT-2017/0184 edition 1.
- · Set is reversible (left/right). Opening direction can be changed by installing door stop (jamb) on right or left side of Porta System tunnel.

EXTRA CHARGES

- CPL 0,2 mm finishes GROUP II
- · Natural veneer finish White Oak Satin

System ALU

CONSTRUCTION OF ALU SLIDING SYSTEM

Offered system consists of: a rail and a construction profile supporting the door leaf. Both elements are made of nicely looking aluminium.

ACCESSORIES INCLUDED IN THE PRICE

· Guide element which stabilizes the door leaf. Floor-mounted.

DOOR FRAMES

• Porta SYSTEM frame 'tunnel', see dimensions see page 211., Table 7.

NOTES

- · Set is reversible (left/right).
- In order to assemble the track system, a door leaf and a tunnel door frame correctly, door leaf must be one size bigger. E.g track system and,tunnel' size '70' goes with door leaf '80', track system and ,tunnel' '80' goes with a door leaf '90', '150' --> 2x '80', '170'---> 2x '90' etc.
- Hook lock is not available.

Sliding systems



Sliding system COMPACT, Porta CONCEPT A.9, Scandinavian Oak

WALL-MOUNTED SLIDING SYSTEM

METAL

HOW TO OPEN THE DOOR (top view)

Steel sliding system works in pair with all internal door leaves (sliding option). Recommended for interiors where design concept or limited space doesn't let to install traditional hinged doors.



on wall-mounted sliding system MFTAI


POCKET DOOR SYSTEM

COMPACT


HOW TO OPEN THE DOOR (top view)

Discreet framework for installation in a plasterboard wall gives an opportunity to have a door in interiors, where a traditional hinged door would spoil design concept or would be even impossible to install.

Pocket door system COMPACT (,tunnel' frame, metal cassette (pocket) dedicated for a wall 125 mm thick)



COMPACT, tunnel' frames are dedicated for wall thicknesses 100 mm and 150 mm.



NOTE! Porta Compact tunnel frame is dedicated to work together with Porta pockets and pockets of leading European producers. Before installing Compact tunnel frame along with a pocket not produced by PORTA, it is required to check So/Ho dimensions.



hook lock COMPACT sliding system



metal cassette (pocket) COMPACT sliding system









SLIDING SYSTEM 'COMPACT' - AVAILABLE FINISHES



Finishes charts, see page 217 - 224.



Possibility of orderidng 'tunnel' in natural veneer through Porta CONTRACT, see page 226.

SLIDING SYSTEM 'METAL' - AVAILABLE FINISHES

Polyester Premium Paint ★★★★

NOTE! Any sliding version door leaf is compatible with Compact and Metal sysdtems.

TECHNICAL INFORMATION

COMPACT System

COMPACT SYSTEM CONSTRUCTION

Offered system for a 125 mm thick wall, consists of: a,tunnel frame' made of chipboard and MDF; galvanized steel cassette with a running track, which are a pocket construction inside the wall.

ACCESSORIES IN THE COMPACT SYSTEM PRICE

- Pocket is dedicated for a wall -125 mm thick
- Rail with trolleys and a floor-mounted element which guides the door leaf
- · Hook lock strike (optionally, at an extra charge)
- Anti-dust brush seal. Pressed in.'Tunnel' for a wall 125 mm thick

DOOR FRAMES

- Door frames -'tunnel' option. Available for wall thicknesses: 100 mm, 125 mm and 150 mm
- 'Tunnel' door frame dedicated for a wall thickness 125 mm is compatible with the PORTA pocket
- All of above mentioned 'tunnel frames' are compatible with pockets of leading European producers (H_q/S_o dimensions must be checked)
- COMPACT, dimensions see page 211., Table 7.

NOTES

- Pockect system is dedicated for 125 mm thick plasterboard walls.
- It is possible to order additional extensions for symmetrical and unsymmetrical 'tunnel frames' (bespoke order).

EXTRA CHARGES

- · cooridnation kit for a double door (open/close)
- CPL 0,2 mm finish GROUP II

METAL System

METAL SYSTEM CONSTRUCTION

Complete set consists of: Corner profile folding frame (LARGE) dedicated for wall thickness 100 mm (tunnel option - without hinges, strike, and a seal bent), a rail with trolleys, rail cover and door stop (jamb). All of these elements are made of galvanized steel and packed ready for self-assembly on site.

ACCESSORIES IN THE ALU SYSTEM PRICE

- self-adhesive brush seal
- · floor-mounted guiding and stabilizing element

DOOR FRAMES

- Folding steel door frame in,tunnel' version. Sizes: '60', '70', '80', '90', '100' see dimensions see page 211., Table 7.
- Set is reversible (left/right). Install at finished floor level.
- Opening direction can be changed by assembling door stop (jamb) on right or left side of Porta System tunnel.

NOTES

• National Technical Assessment ITB-KOT-2017/0184 issue 1.

EXTRA CHARGES

- finishes GROUP II
- dowel pins

Sliding systems



Sliding system BLACK, type REA

BLACK



REA type



model 1



model 2



model 4

SLIDE





LUNA type

model 3











BLACK System

Premium paint ★★★★☆☆




UV acrylic paint ★★★★☆☆



SLIDE System

Gladstone / Halifax ★★★★★



Portaperfect 3D veneer ★★★★☆☆





pull BLACK 1

TECHNICAL INFORMATION

System BLACK

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core. The construction is skinned with HDF.

ACCESSORIES INCLUDED IN THE PRICE

Track 2000 mm

NOTES

- Technical Assessment AT 15-6515/2016
- · Set is reversible (left/right)
- Set is dedicated to be mounted on wall opening one size smaller than standard. See details see p. 211
- Hook lock is not available.
- For a double door leaf set the following parts must be ordered: two sliding systems, two door leaves and a bracket
- In case of using spacers there is a possibility to move the door leaf away from the wall - 10 mm
- Black system, type LUNA can be ordered with any door leaf in sliding version
- Black system, type REA can be applied only with door leaves with hollow chipboard coré

EXTRA CHARGES

- · Hollow chipboard core
- · an oblong pull
- Black 1 pull
- Set of two soft-closers with anti-slam
- · Bracket for double door solutions
- Set of 5 spacers

System SLIDE

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core. The construction is skinned with HDF.

ACCESSORIES INCLUDED IN THE PRICE

- Track 2000 mm
- A set of two Soft-Closes with Anti-Slam

- Technical Assessment AT 15-6515/2016
- Set is reversible (left/right)
- Set is dedicated to be mounted on wall opening one size smaller than standard. See details 7 na see p. 211.
- Hook lock is not available.

EXTRA CHARGES

· an oblong pull

Sliding systems



Sliding system EFEKT, Sand Oak

EFEKT



opened door







closed door











Premium paint ★★★★☆☆



Gladstone / Halifax ★★★★★







Portaperfect 3D veneer ★★★★☆☆







■ TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Hollow chipboard core. The construction is skinned with HDF.

ACCESSORIES INCLUDED IN THE PRICE

• Tracks

NOTES

- Technical Assessment AT 15-6515/2016
- Hook lock is not available.
 Set is dedicated to be mounted on wall opening three sizes smaller than standard.
 E.g. wall opening,60' requires door leaf,90'
 See details see p. 211

EXTRA CHARGES

- sizes,100' and,110'an oblong pull

06TECHNICAL DOORS

In this section we present products well known on investment projects. We offer acoustic doors, specialized doors and also fire-resistant doors.







Products finished with CPL HQ and Gladstone / Halifax, which are marked with the AQUA STOP symbol have lower edge protection against humidity made with TechnoPORTA technology.





SUMMARY OF MODELS APARTMENT ENTRANCE DOORS AND TECHNICAL DOORS

Presented collections of models apply as:

TECHNICAL DOORS

Acoustic 27 dB, 32 dB, INNOVO 37 dB, Porta SILENCE 37 dB, EI 30, INNOVO 42 dB, 42 dB, PURE 57 dB, Fire-rated EI 30, EI 60

APARTMENT ENTRANCE DOORS

AGATE, OPAL, EXTREME RC 2, QUARTZ, EXTREME RC 3, GRANITE cl. C



WITH DECORATIVE INLAYS: synthetic veneers - vertical graining, Gladstone/Halifax fi nish models 3, 6, 9 - graining direction - according to decorative inlays orientation



Acoustic 27 dB, 32 dB





All available models -see page 124

ACOUSTIC RATING OF THE DOORS:

- Rw=27 dB (27-31 dB)
- Rw=32 dB (32-36 dB)



cylinder lock



automatic threshold seal



Three-part hinge





















Finishes charts see page 217 - 224.

NOTE! Natural veneers (except Ash and Walnut) are available in vertical or horizontal grain direction (applies only to door leaf)

NOTE! It is recommended to choose CPL or Gladstone/Halifax laminate for entrance door, especially if they are used in public buildings.

TECHNICAL INFORMATION

ACCESSORIES

- Three barrel hinges (adjustable door frame Porta system) or three-part hinges (steel $\,$ door frame)
- · Cylinder lock
- · An automatic threshold seal
- A door frame seal
- · A door frame
- · A door leaf finished with CPL HQ or Gladstone/Halifax has lipping ABS on the side edges.

DOOR FRAMES

- Porta SYSTEM adjustable door frame (27dB door) 172.
 Reinforced Porta SYSTEM adjustable door frame (32dB door),
- Corner steel door frame of 100mm wide profile
- PROJECT BIS, PROJECT PREMIUM door frame cover. 190).

- Technical Assessment ITB-KOT-2017/0096 issue 1 (Rw=27dB) Technical Assessment ITB-KOT-2017/0007 issue 1 (Rw=32dB)
- Acoustic rating Rw=27dB (27÷31 dB) D₁=25 dB
- Acoustic rating Rw=32dB (32÷36 dB) D₁=30dB
- Size '60' available for fl ush doors only (without decorative mouldings etc.)
- Thanks so TechnoPORTA technology door leaves finished with CPL HQ and Gladstone / Halifax, have lower edges protected against humidity.

EXTRA CHARGES

- size '100'
- · adjustable strike (steel door frame)
- · door leaf: colours of CPL 0,2 mm and 0,7 mm veneers- GROUP II
- door frame: colours of CPL 0,2 mm veneer- GROUP II
- · door leaf: Gladstone/Halifax colours with vertical grains
- inlays in synthetic veneers (for 1 side, for both sides price x 2)
- inlays in natural veneers (for 1 side, for both sides price x 2)
- door leaf: Natural veneer, White Oak, Satindoor leaf: Natural veneer, Oak, Satin (other colours)
- door leaf: Natural veneer: Walnut
- door frame: Natural veneer, White Oak, Satin
- door frame: Natural veneer, Oak, Satin (other colours)
 door frame: Natural veneer: Walnut
- · steel door frame: colours GROUP II
- · steel door frame profile for PROJECT BIS cover
- steel door frame profile for PROJECT PREMIUM cover
- steel door frame profile from 101 to 150 mm
- steel door frame profile from 151 to 270 mm • steel door frame profile from 271 to 390 mm
- · reinforcement for a door closer (steel door frame)
- · dowel pins (steel door frame)
- · mounting anchors (steel door frame)
- a handle with an escutcheon

(see p. 197)

INNOVO 37 dB



INNOVO 37 dB, Black



- All available models see page 124
- ACOUSTIC RATING OF INNOVO 37 dB DOOR:
- Rw=37 dB (37-41 dB)



cylinder lock



automatic threshold seal



three part hinges



three part hinges

















CPL HQ 0,2 mm CPL HQ 0,7 mm Gladstone/Halifax

Finishes charts see page 217 – 224.

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

INNOVO core is special 3-layered sound proofing construction with rails and stiles made of glued laminated softwood. The construction is skinned with HDF. Available in rebated option. Side edges finished with lipping ABS

ACCESSORIES

- Two or three 3-part hinges
- Lock of the highest category of use class 3 according to PN-EN 12209
- · Automatic threshold seal

DOOR FRAMES

- Porta SYSTEM adjustable door frame for a wall thickness range from 120 to 300 mm.
- Corner profile steel door frame of 100mm wide profile. Made of steel sheet, galvanized on both sides, 1,5 mm thick.

NOTES

- Norm PN EN 14351-2; 2018-2.
- Fire rated doors should be equipped with escutcheon with a a steel core handle. In case of using different hardware to offered by PORTA, guarantee cards guidelines must be followed.
- · Available options: solid or with decorative inlays.
- Doors are equipped with a lock with a 9x9 mm spindle. Any of dedicated PORTA $\,$ handle require metal spindle adapter 9/8.
- Thanks to TechnoPORTA technology door leaves finished with CPL $\ensuremath{\mathsf{HQ}}$ and Gladstone / Halifax, have lower edges protected against humidity

EXTRA CHARGES

- size '100'
- door leaf: colours of CPL 0,2 mm and 0,7 mm veneers GROUP II
- door frames: colours of CPL 0,2 mm veneer GROUP II
- door leaf: Gladstone/Halifax colours with vertical grains
- inlays in synthetic veneers (for 1 side, for both sides price x 2)
- steel door frame: colours GROUP II
- steel door frame profi le for PROJECT BIS cover
- steel door frame profi le from 101 to 150 mm
- steel door frame profi le from 151 to 270 mm
 steel door frame profi le from 271 to 390 mm

(str. 197)

SILENCE 37 dB, EI 30



Acoustic rating Rw=40 dB* Fire resistance 30 min. Smoke control.

SILENCE, Oak Milano 5

All available models - see page 124



ACOUSTIC RATING OF PORTA SILENCE DOOR:

Rw=37 dB (37-41 dB)



cylinder lock



heavy duty technical hinges



automatic threshold seal





































CPL HQ 0,2 mm CPL HQ 0,7 mm Gladstone/Halifax

Finishes charts see page 217 - 224.

NOTE! Natural veneers (except Ash and Walnut) are available in vertical or horizontal grain direction (applies only to door leaf)

NOTE! It is recommended to choose CPL or Gladstone/Halifax laminate for entrance door, especially if they are used in public buildings.

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

PortaSilence®core ia a special 5-layered sound proofing construction with rails and stiles made of glued laminated softwood. The construction is skinned with HDF. Available in rebated and non-rebated options. A door leaf finished with CPL HQ or Gladstone/Halifax has lipping ABS on the side edges.

ACCESSORIES

- · Two or three heavy duty technical hinges
- Rebated version of MDF door frame 4 barrel hinges
- Lock of the highest category of use class 3 according to PN-EN 12209
- · Automatic threshold seal

DOOR FRAMES

- · A possibility of ordering a door frame in 2 options: rebated and non-rebated:
- Porta SYSTEM adjustable door frame for a wall thickness range from 120 to 300 mm. Made of plywood.
- Corner steel door frame of 100 mm wide profile. Made of steel sheet, galvanized on both sides, 1,5 mm thick
- · 100 mm MDF fixed door frame. PROJECT BIS door frame (see p. 190).
- · Available with Individual Approval Documentation covered by Contracts department

NOTES

- Technical Assessment ITB-KOT-2017/0007 issue 1.
- National certification of constancy of performance No 020-UWB-0567/W
- In order to meet the requirements of building law, regarding fire-rating and soundproofness, it is necessary to use door closer.
- Fire rated doors should be equipped with escutcheon with a a steel core handle

- · In case of using different hardware to offered by PORTA, guarantee cards guidelines must be followed
- · Available options: flat, with decorative inlays and with decorative slats.
- · Fire rated doors inlays available only in both sides option.
- Doors are equipped with a lock with a 9x9 mm spindle. Any of dedicated PORTA handle require metal spindle adapter 9/8.
- Thanks to TechnoPORTA technology door leaves finished with CPL HQ and Gladstone / Halifax, have lower edges protected against humidity.

EXTRA CHARGES

- size '100'
- door leaf: colours of CPL 0,2 mm and 0,7 mm veneers GROUP II
- door frame: colours of CPL 0,2 mm veneer GROUP II
- door leaf: Gladstone/Halifax colours with vertical grains
- inlays in synthetic veneers (for 1 side, for both sides price x 2)
- inlays in natural veneers (for 1 side, for both sides price x 2)
- door leaf: Natural Satin Oak White veneer
- door leaf: Natural Satin Oak veneer (other colours)
- door leaf: Natural Walnut veneer
- door frame: Natural Satin Oak White veneer
- door frame: Natural Satin Oak veneer (other colours)
- door frame: Natural Walnut veneer
- steel door frame: colours GROUP II
- steel door frame profile for PROJECT BIS cover
- steel door frame profile from 101 to 150 mm
- steel door frame profile from 151 to 270 mm
- steel door frame profile from 271 to 390 mm · handle with escutcheon

(see p. 197)

INNOVO 42 dB



Acoustic rating Rw=42 dB Fire-resistance EI 30 Smoke control

INNOVO 42 dB, Halifax Natural

all available models - see page 124



Solid with an adjustable door frame, Natural Halifax $\,$

ACOUSTIC RATING:

Rw=42 dB (42-46 dB)



cylinder lock



heavy duty technical hinges



automatic threshold seals (option with MDF door frame)



heavy duty technical hinges





















Finishes charts see page 217 – 224.

■ TECHNICAL INFORMATION

TECHNICAL INFORMATION

- Two heavy duty technical hinges Porta SYSTEM door frame; three 3-part hinges -MDF door frame
- Lock of the highest category of use class 3 according to PN-EN 12209
- An automatic threshold seal
- an intumescent strip (under high temperatures) El 30, Rw=42 dB option

DOOR FRAMES

- Reinforced adjustable Porta SYSTEM door frame . Door type DT-A42/PS for a wall thickness range from 120 to 300 mm. Door frame beams made from plywood.
- Corner profile steel door frame of 120mm wide profile. Made from steel sheet 1,5 mm thick. Standard option includes reinforcement for a door closer
- MDF 100 mm fixed door frame equipped with hinge receivers with continuous 3D adjustment.
- It is possible to produce adjustable option of MDF frame for wall thickness from 160 mm - CONTRACT (bespoke) order.
- Reinforcement for a door closer is not available.

NOTES

- Product is available with Individual Approval Documentation
- Acoustic rating Rw=42 dB (range 42-46 dB)
- In order to meet the requirements of building law, regarding fire-rating and soundproofness, it is necessary to use a door closer.

- Door rails and stiles made of exotic or oak wood, colourless varnished or stained
- Fire rated doors should be equipped with an escutcheon with a a steel spindle
- In case of using different hardware to offered by PORTA, guarantee cards guidelines must be followed
- Available only as solid option, with decorative inlays
- Doors are equipped with a lock with a 9x9 mm spindle. Any of thr dedicated PORTA handle require metal spindle adapter 9/8.
- Thanks to TechnoPORTA technology door leaves finished with CPL HQ and Gladstone / Halifax, have lower edges protected against humidity.

EXTRA CHARGES

- size '100'
- door leaf: CPL 0,2 mm and 0,7 mm veneers GROUP II
- door frame: CPL 0,2 mm veneer GROUP II
- decorative inlays for synthetic veneers (for 1 side, for both sides the price x 2)
- steel door frame: colours GROUP II
- steel door frame profile from 101 to 150 mm
- steel door frame profile from 151 to 270 mm
- steel door frame profile from 271 to 390 mm
- · reinforcement for a door closer for Porta System frame

Acoustic 42 dB



Acoustic rating Rw=42 dB Fire-resistance EI 30 Smoke control

Acoustic 42 dB, Natural Walnut (matt)

All available models - see page 124



Solid, Natural Walnut (matt)

ACOUSTIC RATING:

Rw=42 dB (42–46 dB)



cylinder lock



heavy duty technical hinges



two automatic threshold seals (option with Porta System door frame)



two automatic threshold seals (option with steel door frame and MDF door frame)

























Finishes charts see page 217 - 224.

NOTE! Natural veneers (except Ash and Walnut) are available in vertical or horizontal grain direction (applies only to door leaf)

NOTE! It is recommended to choose CPL or Gladstone/Halifax laminate for entrance door, especially if they are used in public buildings.

TECHNICAL INFORMATION

ACCESSORIES

- Two heavy duty technical hinges, three hinges for MDF (El 30) door frame
- · Lock of the highest category of use class 3 according to PN-EN 12209
- Two automatic threshold seals
- rubber seal set circumferentially in door leaf and door frame rebates
- intumescent strip (under high temperatures) El 30, Rw=42 dB option

DOOR FRAMES

- · Reinforced adjustable Porta SYSTEM door frame TYPE DT-AW/PS for a wall thickness range from 120 to 300 mm. Door frame beams made of plywood. Door set price shown on see p. 135 includes door frame of 'C' adjustment range.
- Corner profile steel door frame of 120 mm wide profile. Made of steel sheet 1,5 mm thick. Standard option includes reinforcement for a door closer.
- MDF fixed door frame equipped with hinge receivers with continuous 3D adjustment. It is possible to produce adjustable option of MDF frame for wall thickness from 160 mm - CONTRACT (bespoke) order.
- PROJECT BIS, PROJECT PREMIUM door frames (see p. 190).

- Technical Assessment ITB-KOT-2017/0096 issue 1.
- National certification of constancy of performance No 020-UWB-2546/W (does not apply to 42 dB set with Porta System door frame)
- Acoustic rating Rw=42 dB (range 42-46 dB)
- · In order to meet the requirements of building law, regarding fire-rating and soundproofness, it is necessary to use a door closer.
- · Door rails and stile are made of exotic or oak wood and colourless varnished or stained
- · Fire rated doors should be equipped with an escutcheon with a steel spindle
- In case of using different hardware to offered by PORTA, guarantee cards guidelines must be followed.

- Doors are equipped with a lock with a 9x9 mm spindle. Any of dedicated PORTA handle require metal spindle adapter 9/8.
- Thanks so TechnoPORTA technology door leaves finished with CPL HQ and Gladstone / Halifax, have lower edges protected against humidity.

EXTRA CHARGES

- door leaf: CPL 0,2 mm and 0,7 mm veneers GROUP II
- · door frame: CPL 0,2 mm veneer GROUP II
- decorative inlays for synthetic veneers (for 1 side, for both sides the price x 2)
- decorative inlays for natural veneers (for 1 side, for both sides the price x 2)
- · door leaf: Natural Satin Oak White veneer
- · door leaf: Natural Satin Oak veneer (other colours)
- · door leaf: Natural Walnut veneer
- · door frame: Natural Satin Oak White veneer
- door frame: Natural Satin Oak veneer (other colours) · door frame: Natural Walnut veneer
- · steel door frame: colours GROUP II
- · steel door frame profile for PROJECT BIS cover
- steel door frame profile for PROJECT PREMIUM cover
- steel door frame profile from 101 to 150 mm • steel door frame profile from 151 to 270 mm
- · steel door frame profile from 271 to 390 mm
- · reinforcement for a door closer for Porta System frame

· handle with an escutcheon

(see p. 197)

PURE 57 dB



Acoustic rating Rw=57 dB Fire-resistance El 30 Smoke control

PURE, Natural Hickory

All available models - see page 124



Solid with Porta SYSTEM door frame, Natural Hickory



cylinder lock



heavy duty technical hinges



automatic threshold seals (option with Porta System door frame)



automatic threshold seals (option with steel and MDF door frames)



















CPL HQ 0,2 mm

★★★★

CPL HQ 0,7 mm
Gladstone/Halifax

Finishes charts see page 217 – 224.

■ TECHNICAL INFORMATION

ACCESSORIES INCLUDED IN THE DOOR PRICE

- Two heavy duty technical hinges, three hinges for MDF (EI 30) door frame
- Lock of the highest category of use class 3 according to PN-EN 12209
- Two automatic threshold seals
- rubber seal set circumferentially in door leaf and door frame rebates
- intumescent strip (under high temperatures) El 30, Rw=57 Db option

DOOR FRAMES

- Two reinforced adjustable Porta System door frames TYPE DT-AW/PS installed as
 a set in one wall opening. Adjustment range starts from 180 mm. Door frame beams
 are made from plywood.
- Two fixed MDF door frames, equipped with hinge receivers with continuous 3D adjustment. Installed as a set in one wall opening. Reinforcement for a door closer is not available

NOTES

- Product is available with Individual Approval Documentation
- Acoustic rating Rw=57 dB
- Acoustic rating obtained thanks to two 42 dB door leaves installed in one wall opening

- In order to meet the requirements of building law, regarding fire-rating and sound proofness, it is necessary to use a door closer.
- Door rails and stiles made of exotic or oak wood, colourless varnished or stained
- Fire rated doors should be equipped with an escutcheon with a a steel spindle
- In case of using different hardware to offered by PORTA, guarantee cards guidelines must be followed
- Available only as solid option
- Doors are equipped with a lock with a 9x9 mm spindle. Any of the dedicated PORTA handles requires metal spindle adapter 9/8.
- Thanks to TechnoPORTA technology door leaves finished with CPL HQ and Gladstone / Halifax, have lower edges protected against humidity.

EXTRA CHARGES

- size '100'
- door leaf: CPL 0,2 mm and 0,7 mm veneers GROUP II
- door frame: CPL 0,2 mm veneer GROUP II
- reinforcement for a door closer for Porta System frame

Fire-rated El 30, El 60



Fire-rated EI 30

All available models -see page 124



ACOUSTIC RATING OF EI 30 AND EI 60 DOORS:

• Rw=32 dB (32-36 dB)



flush (El 30)



model 2 (El 60)




model 3 (El 30, El 30 soft)



examples of glazings bespoke orders (El30)

























Finishes charts see page 217 - 224.

NOTE! Natural veneers (except Ash and Walnut) are available in vertical or horizontal grain direction (applies only to door leaf)

NOTE! It is recommended to choose CPL or Gladstone/Halifax laminate for entrance door, especially if they are used in public buildings.

■ TECHNICAL INFORMATION

ACCESSORIES

- · Hinges: Two or three (El 30); four (El 30 soft, El 60)
- Cylinder lock
- Transparent, fire-resistant glass panel, (fixed width, not dependent on door leaf size)
- Intumescent strip (under high temperatures) El 30, Rw=42 dB option
- · Automatic threshold seal
- A door leaf finished with CPL HQ or Gladstone/Halifax has lipping ABS on the side edges.

DOOR FRAMES

- MDF El30 100 mm fixed door frame and adjustable one (min. 160 mm) (El 30, El 30 SOFT), equipped with adjustable hinges – heavy duty for El 30 and adjustable barrel hinges for El 30 SOFT
- Wooden door frame 120 mm (El 60), made of three-ply glued softwood, equipped with adjustable barrel hinges
- Corner profile steel door frame, 100mm wide profile. Made from hot dip galvanized steel sheet 1,5 mm thick. Equipped with three-part hinges, dowels pins and reinfor ced for door closer.
- PROJECT BIS door frame (p.190).
- Modified PROJECT door frame, order processing: PORTA contracts department.
 Details available in Investment Catalogue and at Sales Departments.

NOTES

- El 30 Technical Assessment ITB-KOT-2017/0007 issue 1. and National certification of constancy of performance No 020-UWB-0567/W
- El 60 Technical Assessment ITB-KOT-2018/0407 issue 1. and National certification of constancy of performance No 020-UWB-2707/W
- In order to meet the requirements of building law, regarding fire-rating and soundproofness, it is necessary to use a door closer.
- Fire rated doors should be equipped withan escutcheon with a a steel spindle

- In case of using different hardware to offered by PORTA, guarantee cards guidelines must be followed
- Acoustic rating Rw=32 dB (32÷36 dB)
- El 60 in size '100' is not available in standard offer (Porta CONTRACT, see page 226).
- double El 30 SOFT is not available.

EXTRA CHARGES

- size '100' El 30
- door leaf: CPL 0,2 mm and 0,7 mm veneers GROUP II
- door frame: CPL 0,2 mm veneer GROUP II
- door leaf: Gladstone/Halifax finish, vertical grain
- third hinge (MDF door frame)
- decorative inlays for synthetic veneers (for 1 side, for both sides the price x 2)
- decorative inlays for natural veneers (for 1 side, for both sides the price x 2)
- door leaf: Natural veneer, White Oak, Satin
- door leaf: Natural veneer, Oak, Satin (other colours)
- door leaf: Natural veneer: Walnut
- · adjustable door frame: Natural veneer, White Oak, Satin
- door frame: Natural veneer, Oak, Satin (other colours)
- door frame: Natural veneer, Walnut
- steel door frame: colours GROUP II
- steel door frame profile for PROJECT BIS cover
 steel door frame profile from 101 to 150 mm
- steel door frame profile from 151 to 270 mm
- steel door frame profile from 151 to 270 mm
 steel door frame profile from 271 to 390 mm
- quater rounds, architraves
- handle with an escutcheon

(see p. 204) (see p. 197)



ENDURO



Interior technical doors with the highest durability, abrasion resistance class and resistance to various external conditions. Specially profiled edge guards made of stainless steel and. Finish - extremely durable HPL or CPL veneer.

ENDURO, Anthracite



solid model 3









ENDURO 3, Anthracite











HPL, CPL 0,7 veneer ★★★★★



^{*} until stocks last

ENDURO - INDICATIONS FOR USE

- Laboratories
- · Dental clinics
- Hospitals



push panel



kick panel



ventilation kick panel



ventilation grille

TECHNICAL INFORMATION

ACCESSORIES

- Reinforced three-part hinges (3 PCs)
- Swinging option: two (size '60'), three ('70', '80'), or four ('90') hinges
- Transparent or frosted, tempered glass panel, (model 4 laminated glass panel)
- Lock: key lock, WC lock, or cylinder lock
 Reinforcement for a door closer included

- Corner profile steel door frame, profile: 105 mm wide. Made from galvanized steel sheet 1,2 mm thick. Equipped with 3 PCs of reinforced three-part hinges (which come with door leaf), rubber seal set circumferentially, six dowel pins. Powder coated (finishes charts see p. 224).
- · Option of ordering two types of a door frame:
- to install on finished floor level '0'
- to install below a floor level '-30'

NOTES

- Technical Assessment AT-15-6515/2016 Warsaw, for swinging doors ITB--KOT-2017/0184 issue 1
- · New installation method of edge guards without interference with veneer structure
- Maximum size of a swinging door leaf '90'

EXTRA CHARGES

- size '100'
- · adjustable strike plate
- steel door frame: colours GROUP II
- door frame profile from 80 to 100 mm
- door frame profile extension from 106 to 150 mm
- door frame profile extension from 155 to 270 mm
- door frame profile extension from 275 to 390 mm
- push panel both sides set
- kick panel both sides set
- ventilation kick panel both sides set
- · ventilation grille
- swinging option
- · handle with an escutcheon

(see p. 197)



AQUA



Thanks to the construction Aqua doors can be installed in business premises e.g. wellness centres, eating places.

AQUA 4, Grey



solid
model 3









model 4

AQUA 4, Grey







Okleina HPL ★★★★★







AQUA - INDICATIONS FOR USE:

- Eating places
- Shops
- · Business premises
- Wellness centres
- · Beauty parlours



door leaf cross-section

■ TECHNICAL INFORMATION

ACCESSORIES

- Two stainless steel hinges
- Transparent or frosted, tempered glass panel, (model 4 laminated glass panel)
- · Lock: key lock, WC lock, or cylinder lock
- · A door frame

DOOR FRAMES

- Corner profile steel door frame LARGE, profile: 105 mm wide. Made from galvanized steel sheet 1,2 mm thick. Equipped with two hinges (which come with door leaf), rubber seal, set circumferentially, six dowel pins. Powder coated (finishes charts see p. 224).
- Option of ordering two types of a door frame: to install on finished floor level '0'

 - to install below a floor level '-30'

NOTES

- Technical Assessment ITB-KOT-2017/0006 issue 1
- · Door closer can be used

EXTRA CHARGES

- size '100'
- stainless steel ventilation grille
- steel door frame: colours GROUP II
- door frame profile from 80 to 100 mm
- door frame profile extension from 106 to 150 mm
 door frame profile extension from 155 to 270 mm
 door frame profile extension from 275 to 390 mm
 reinforcement for a door closer door frame
 handle with an escutcheon

(see p. 226) (see p. 197)

AGATE

apartment entrance doors 32 dB

OPAL

anti-burglary doors RC 2, 32 dB



Burglar resistance RC2 (Opal) Acoustic rating Rw=32dB

AGATE Solid, Sand Beech with a steel door frame

All available models - see page 124



Solid AGATE, Sand Beech, with a steel door frame

OPAL DOOR

Doors with burglar resistance class RC2 according to PN EN 1627:2012 OPAL are also acoustic rated Rw=32 dB (32-36 dB). Opal remain burglar-resistant only as a part of a complete set: steel door frame (suggested by Porta), stainless steel threshold, a handle with an escutcheon (at least 2 class) and a cylinder (at least 4th class of burglary resistance).

AGATE DOOR

Reinforced Agate door is equipped with locks with security pins. It is acoustic rated Rw=32 dB (32-36 dB).



a lock with security pins - AGATE



dog bolts - AGATE, OPAL



4 point lock - OPAL



NEW

adjustable strike - steel door frame (optionally)

















Finishes charts see page 217 - 224.

NOTE! Natural veneers (except Ash and Walnut) are available in vertical or horizontal grain direction (applies only to door leaf)

NOTE! It is recommended to choose CPL or Gladstone/Halifax laminate for entrance door, especially if they are used in public buildings.





Doorset price: door leaf+door frame+steel threshold+door viewer (at an extra charge).

WE RECOMMEND!

THANKS TO THE ALUMINIUM LAYER, DOORS ARE EXCEP-TIONALLY RESISTANT TO ADVERSE CONDITIONS OF USE, **TEMPERATURE** AND HUMIDITY DIFFERENCES, WHICH ARE **COMMON IN** COMMUNAL AREAS.

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaf frame is made of glued laminated softwood. It is reinforced with stiles. Door leaf is skinned with a layer of aluminium sheet and wood-based board. Door leaves with silver decorative inlays are available. Natural veneers are finished with semi-matt varnish. A door leaf finished with CPL HO or Gladstone/Halifax has lipping ABS on the side edges.

ACCESSORIES INCLUDED IN THE AGAT DOOR PRICE

- · One or two locks with security pins
- Three barrel hinges
- · Three dog bolts NEW
- · Door frame equipped with a standard stainless steel threshold (90 mm)

ACCESSORIES INCLUDED IN OPAL DOOR PRICE

- · 4 point lock for two cylinders
- Three barrel hinges (steel door frame)
- Three dog bolts
- Steel door frame equipped with stainless steel threshold (90 mm)

- Corner profile steel door frame, profile 105 mm wide. Made from both sides galvanized steel sheet 1,2 mm thick (AGATE) or 1,5 mm thick (OPAL).
- Equipped with three barrel hinges, rubber seal set circumferentially. OPAL is additionally equipped with six dowel pins.
- PROJECT BIS, PROJECT PREMIUM door frames (see p. 190)


- Technical Assessment ITB-KOT-2017/0096 issue 1.
- Preparation for shortening (maximum 60 mm)
- Acoustic rating Rw=32 dB (32÷36 dB)
- · Threshold is a part of steel AGATE/OPAL door frame

EXTRA CHARGES

- door viewer
- size '100'
- adjustable lock strike plate (steel door frame)
- · door frame: CPL 0.2 mm veneer GROUP II
- · door leaf: CPL 0,2 mm and 0,7 mm veneers- GROUP II
- · door leaf: Gladstone/Halifax finish, vertical graining · white or black glass applique (for solid models)
- decorative inlays for synthetic veneers (for 1 side, for both sides the price x 2)
- decorative inlays for natural veneers (for 1 side, for both sides the price x 2)
- · door leaf: Natural veneer, White Oak, Satin
- · door leaf: Natural veneer, Oak, Satin (other colours)
- · door leaf: Natural veneer: Walnut
- · adjustable door frame: Natural veneer, White Oak, Satin
- · door frame: Natural veneer, Oak, Satin (other colours) · door frame: Natural veneer, Walnut
- · 6 dowel pins AGATE door frame
- steel door frame: colours GROUP II
- · steel door frame: black
- steel door frame profile for PROJECT BIS cover
- · steel door frame profile for PROJECT PREMIUM cover • steel door frame profile from 106 to 150 mm
- steel door frame profile from 151 to 270 mm
- steel door frame profile from 271 to 390 mm
- · reinforcement for a door closer for a steel door frame
- cvlinder inserts
- · a handle with an escutcheon

(see p. 200)

EXTREME RC 2 anti-burglary doors, class RC 2, 37 dB



Burglar resistance RC2 Acoustic rating Rw = 40 dB*

EXTREME RC2, Solid, Oak Milano 1 with a steel door frame

All available models - see page 124



EXTREME RC2, Oak Milano 1 with a steel door frame

EXTREME RC 2 doors

Extreme RC2 doors are equipped with 2 locks with 3 security pins, cylinders of class B and dog bolts.

- burglar resistant class RC2 according to PN EN 1627:2012 acoustic rated Rw=37 dB (37-41 dB)



lower lock - 3 security pins



upper lock - 3 security pins



dog bolts



3 PCs of three-part hinges



adjustable lock strike (optional) steel door frame



stainless steel threshold (90 mm)



















Finishes charts see page 217 - 224.

NOTE! Natural veneers (except Ash and Walnut) are available in vertical or horizontal grain direction (applies only to door leaf).

NOTE! It is recommended to choose CPL or Gladstone/Halifax laminate for entrance door, especially if they are used in public buildings.

WE RECOMMEND! -THANKS TO THE ALUMINIUM LAYER, RC 2 DOORS ARE

EXCEPTIONALLY RESISTANT TO ADVERSE CONDITIONS OF USE, TEMPERATURE AND HUMIDITY DIFFERENCES, WHICH ARE COMMON IN COMMUNAL AREAS.

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Core: special, 5-layer construction with rails and stiles made of glued laminated softwood, skinned with HDF. Available in rebated option.

A door leaf finished with CPL HQ or Gladstone/Halifax has lipping ABS on the side edges

ACCESSORIES INCLUDED IN THE DOOR PRICE

- Two locks with security pins (handle spacing 72 mm)
- · Silver three-part hinges (3 PCs)
- · Four dog bolts
- A door frame
- · Standard stainless steel threshold (90 mm)

DOOR FRAMES

- · Corner profile steel door frame, profile 100 mm wide. Made from both sides galvanized steel sheet 1,5 mm thick.
- · Equipped with three three-part hinges, rubber seal set circumferentially
- and eight dowel pins.
 PROJECT BIS door frame see p. 190.

NOTES

- Norm PN-EN 14351-2-2018-12
- Acoustic rating Rw=37 dB (37÷41 dB)
- Thanks to TechnoPORTA technology door leaves finished with CPL HQ and Gladstone / Halifax, have lower edges protected against humidity.

EXTRA CHARGES

- door viewer size '100'
- · adjustable lock strike (steel door frame)
- door leaf: CPL 0,2 mm and 0,7 mm veneers GROUP II
- door leaf: Gladstone/Halifax finish, vertical graining
 decorative inlays for synthetic veneers (for 1 side, for both sides the price x 2) • decorative inlays for natural veneers (for 1 side, for both sides – the price x 2)
- · door leaf: Natural veneer, White Oak, Satin
- · door leaf: Natural veneer, Oak, Satin (other colours)
- · door leaf: Natural veneer: Walnut
- steel door frame: colours GROUP II
- · steel door frame: black colour
- steel door frame profile for PROJECT BIS cover
- steel door frame profile from 106 to 150 mm
- steel door frame profile from 151 to 270 mm
- steel door frame profile from 271 to 390 mm · reinforcement for door closer for a steel door frame
- · a handle with an escutcheon

(see p. 200)

Steel SAFE

anti-burglary doors, class RC 2 i RC 3



Burglar resistance RC 2 and RC 3


Steel SAFE A.0 with a door viewer, Anthracite

Steel SAFE doors

Doors are equipped with two LOB locks and class B cylinder. Burglary resistance class RC 2 according to PN EN 1627:2012.

Doors are equipped with a WINKHAUS STV multipoint lock and two cylinders (class B). Burglary resistance class RC 3 according to PN EN 1627:2012.

PROTECTION SYSTEM OF STEEL SURFACES





Steel SAFE, A.0 with a door viewer, Anthracite



Steel SAFE door, type II Lower lock - 3 security pins



Steel SAFE door, type III Multipoint lock with hooks



Steel SAFE doors, type II Upper lock - 3 security pins



Steel SAFE door, TYPE III HOOK - upper/lower bolting











Polyester Premium Paint ★★★★☆







Laminated steel sheet (PVC) ★★★★☆













stainless steel threshold with a perforation



adjustable lock strike



- LARGE

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

The construction is based on double layer wooden rails and stiles. Expanded polystyrene with a large admixture of graphite is used as a thermal insulating infill. The construction is skinned with galvanized steel sheet 0,6 mm - film laminated (PVC) or coated with a polyester paint.

ACCESSORIES INCLUDED IN THE DOOR PRICE - TYPE II

- · Three-part hinges (3 PCs)
- Two separate locks LOB
- · Four dog bolts
- · Opal handle
- Cylinders LOB class A
- · Adjustable strike of a main lock
- · Corner profile door frame
- · Stainless steel threshold with a perforation

ACCESSORIES INCLUDED DOOR PRICE-TYPE III

- Three-part hinges (3 PCs)
- WINKHAUS STV multipoint lock
- Four dog bolts
- 'SAFE' handle
- · Cylinders WILKA, class A
- · Adjustable strike of a main lock
- Corner profile door frame
- Stainless steel threshold with a perforation

DOOR FRAMES

· Corner profile steel door frame, profile 100mm wide. Made from both sides galvanized steel sheet 1,2 mm thick (Type II) or 1,5 mm thick (Type III).

NOTES

• Technical Assessment ITB-KOT-2017/0008, issue 1

EXTRA CHARGES - TYPE II

- size '100'
- · a door viewer
- two cylinders LOB, class B exchange for standard set class A
- · mineral wool infill
- · reinforcement for a door closer
- · a handle with an escutcheon

(see p. 196)

EXTRA CHARGES - TYPE III

- size '100'
- · an additional upper lock
- · doorguard for paint coated doors
- door bar for film laminated doors (PVC)
- upper escutcheon class C
- door viewer
- cylinder WILKA, class B exchange for standard set class A
- · upper cylinder WILKA, class A
- upper cylinder WILKA, class B
- · mineral wool infill
- · reinforcement for a door closer
- · a handle with an escutcheon

(see p. 200)

QUARTZ RC 2

anti-burglary doors, class RC 2, EI 30, 32 dB



Burglary resistance class RC 2 Acoustic rating Rw=34 dB* Fire-resistance El 30 Smoke control

QUARTZ, decorative inlays 6, with a steel door frame

All available models - see page 124



QUARTZ doors

DT-K32 (QUARTZ type III) doors are equipped with a multipoint lock and dog bolts.

- They have following qualities: burglar resistance class RC 2 according to PN EN 1627:2012 acoustic rating Rw=32 dB (32-36 dB) fire resistance EI 30





Four point lock with two cylinders - QUARTZ III



dog bolts - QUARTZ III





reinforced three-part hinge





















Finishes charts see page 217 - 224.

NOTE! Natural veneers (except Ash and Walnut) are available in vertical or horizontal grain direction (applies only to door leaf)

NOTE! It is recommended to choose CPL or Gladstone/Halifax laminate for entrance door, especially if they are used in public buildings.

WE RECOMMEND!

THANKS TO THE ALUMINIUM LAYER, QUARTZ DOORS
ARE EXCEPTIONALLY RESISTANT TO ADVERSE
CONDITIONS OF USE, TEMPERATURE AND HUMIDITY
DIFFERENCES,
WHICH ARE
COMMON IN
COMMUNAL
AREAS.

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Core: Multilayer construction which provides fire-resistance of 30 min and acoustic insulation of Rw=34dB*. Thanks to a layer of aluminium sheet door leaves are extremely resistant to adverse conditions of use that are characteristic for communal areas. A door leaf finished with CPL HQ or Gladstone/Halifax has lipping ABS on the side edges.

ACCESSORIES INCLUDED IN DOOR PRICE

- A mortise cylinder lock with a rectangular deadbolt and (QUARTZ Type I)
- Two cylinder mortise locks with rectangular deadbolts (QUARTZ Type II)
- A 4-point lock with two cylinders and three dog bolts (QUARTZ Type III)
- · Reinforced, silver three-part hinges (3 PCs)
- An intumescent seal in a door leaf rebate
- · A door frame with a standard stainless steel threshold (90 mm)

DOOR FRAMES

- Corner profile steel door frame, profile 105mm wide. Made from both sides galvanized steel sheet 1,5 mm thick. Equipped with self-extinguishing gasket, three 3-part hinges, stainless steel threshold standard 90 mm, reinforcement for a door closer. QUARTZ I has one lock strike, QUARTZ II two lock strikes, QUARTZ III multipoint lock strike, six dowel pins and receivers for dog bolts.
- PROJECT BIS door frame (see p. 190).
- PROJECT Premium, available with Individual Approval Documentation covered by "Contract" department

NOTES

- Technical Assessment ITB-KOT-2017/0007 issue 1.
- National certification of constancy of performance No 020-UWB-0567/W
- Preparation for shortening (maximum 60 mm)
- In order to meet the requirements of building law, regarding fire-rating and/or smoke control, it is necessary to use a door closer.
- In case of using different hardware to offered by PORTA, guarantee cards guidelines must be followed.
- Fire rated doors should be equipped with an escutcheon and a handle with a steel spindle
- Acoustic rating Rw=32 dB (32-36 dB)

EXTRA CHARGES

- door viewer
- size '100'
- door leaf: CPL 0,2 mm and 0,7 mm veneers GROUP II
- door leaf: Gladstone/Halifax finish, vertical graining
- decorative inlays for synthetic veneers (for 1 side, for both sides the price x 2)
- decorative inlays for natural veneers (for 1 side, for both sides the price x 2)
- · door leaf: Natural veneer, White Oak, Satin
- door leaf: Natural veneer, Oak, Satin (other colours)
- · door leaf: Natural veneer, Walnut
- steel door frame: colours GROUP II
- steel door frame: colours GN
 steel door frame: black colour
- steel door frame profile for PROJECT BIS cover
- steel door frame profile from 101 to 150 mm
- steel door frame profile from 151 to 270 mm
 steel door frame profile from 271 to 390 mm
- a handle with an escutcheon

(see p. 200)



EXTREME RC 3 anti-burglary doors, class RC 3, El 30, 37 dB



Burglary resistance class RC 3 Acoustic rating Rw=40 dB* Fire-resistance El 30 Smoke control

EXTREME RC 3, Sand Oak with a reinforced PS door frame

All available models - see page 124



EXTREME doors

we offer two types:

- Type I
 RC 3 burglary resistance class according to PN EN 1627-2012
 Acoustic rating Rw=37 dB (37-41 dB)
- smoke control

- Type I qualities fire-resistance EI 30



2 anti-burglary hooks



Winkhaus multipoint lock with



4 dog bolts intumescent seal (Type II)



Porta SYSTEM door frame



























Finishes charts see page 217 - 224.

NOTE! Natural veneers (except Ash and Walnut) are available in vertical or horizontal grain direction (applies only to door leaf)

NOTE! It is recommended to choose CPL or Gladstone/Halifax laminate for entrance door, especially if they are used in public buildings.

WE RECOMMEND!

THANKS TO THE ALUMINIUM LAYER, EXTREME DOORS ARE EXCEPTIONALLY RESISTANT TO ADVERSE CONDITIONS OF **USE, TEMPERATURE** AND HUMIDITY DIFFERENCES. WHICH ARE **COMMON IN** COMMUNAL ARFAS.

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Core: special 5-layer construction with rails and stiles made of glued laminated softwood, skinned with HDF. Available in rebated option.

A door leaf finished with CPL HQ or Gladstone/Halifax has lipping ABS on the side edges.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Winkhaus STV hook lock with a pressure adjustment and an additional upper lock
- · Two anti-burglary cylinders
- · A handle with an anti-burglary escutcheon, SAFE'
- · An upper escutcheon, SAFE'
- · 3 PCs of three-part hinges (steel door frame) or 2 PCs of heavy duty hinges (reinforced PS frame). Both options - silver.
- · Four dog bolts
- Additionally: type II hight temperature intumescent seal on door leaf edges (apart from bottom edge)
- Door frame is equipped with a standard stainless steel threshold (90 mm) and reinforcement for a door closer

DOOR FRAMES

- · Corner profile steel door frame, profile 100mm wide. Made from both sides galvanized steel sheet 1,5 mm thick. Equipped with self-adhesive gasket, eight dowel pins and a stainless steel threshold (120 mm).
- · Reinforced Porta system door frame with an adjustment range 120-300 mm. Architraves 80 mm wide
- · PROJECT BIS door frame (see p. 190).
- Modified PROJECT door frame, order processing: PORTA contracts department. Details available in Investment Catalogue and at Sales Departments.

NOTES

- Technical Assessment ITB-KOT-2017/0007 issue 1.
- National certification of constancy of performance No 020-UWB-0567/W
- In order to meet the requirements of building law, regarding fire-rating and/or smoke control, it is necessary to use a door closer.

- Fire rated doors should be equipped with an escutcheon and a handle with a steel spindle · In case of using different hardware to offered by PORTA, guarantee cards guidelines
- must be followed.
- · A fire-rated door decorative inlays are available onlly as an option for both sides
- · Thanks to TechnoPORTA technology door leaves finished with CPL HQ and Gladstone / Halifax, have lower edges protected against humidity.

EXTRA CHARGES

- · a door viewer
- size '100'
- · a door guard
- · door leaf: CPL 0,2 mm and 0,7 mm veneers GROUP II
- · door frame: CPL 0,2 mm veneer GROUP II
- · door leaf: Gladstone/Halifax finish, vertical graining
- decorative inlays for synthetic veneers (for 1 side, for both sides the price x 2)
- decorative inlays for natural veneers (for 1 side, for both sides the price x 2)
- · door leaf: Natural veneer, White Oak, Satin
- · door leaf: Natural veneer, Oak, Satin (other colours)
- · door leaf: Natural veneer, Walnut
- · door frame: Natural veneer, White Oak, Satin
- · door frame: Natural veneer, Oak, Satin (other colours)
- · door frame: Natural veneer: Walnut
- · steel door frame: colours GROUP II
- steel door frame: black colour
- steel door frame profile for PROJECT BIS cover
- steel door frame profile from 101 to 150 mm
- steel door frame profile from 151 to 270 mm • steel door frame profile from 271 to 390 mm
- a handle with an escutcheon, SAFE'

(see p. 200)

GRANITE class C anti-burglary doors, class C, EI 30, 32 dB



Burglary resistance class RC 3 and class C Acoustic rating Rw=36 dB* Fire-resistance El 30

GRANITE class C, Natural Walnut with a door frame and a PROJECT BIS door frame cover



All available models - see page 124

GRANITE DOORS cl. C

we offer two types:

Type I

- ,C' burglary resistance class RC3 burglary resistance class according to PN EN 1627-2012 Acoustic rating Rw=32 dB (32-36 dB) Smoke control

Type II

- Type I qualities Fire-resistance EI 30



two cylinder multipoint lock with security pins



dog bolts





reinforced three-part hinge





























Finishes charts see page 217 - 224.

NOTE! Natural veneers (except Ash and Walnut) are available in vertical or horizontal grain direction (applies only to door leaf)

NOTE! It is recommended to choose CPL or Gladstone/Halifax laminate for entrance door, especially if they are used in public buildings.

WE RECOMMEND! -

THANKS TO THE ALUMINIUM LAYER, GRANITE DOORS ARE **EXCEPTIONALLY RESISTANT TO ADVERSE CONDITIONS OF** USE, TEMPERATURE AND HUMIDITY DIFFERENCES, WHICH ARE **COMMON IN** COMMUNAL AREAS.





How to install Granite doors, using dowel pins - see video www.porta.com.pl/dm/montazgranitnadyble.wmv

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Rails and stiles made of glued softwood. The construction is skinned with special double layer aluminium sheet and HDF. Silver decorative inlays available. Natural veneers are finished with semi-matt varnish.

Granite doors are perfect for the most demanding customers, who appreciate safety based on the highest quality of both: workmanship and materials. A door leaf finished with CPL HQ or Gladstone/Halifax has lipping ABS on the side edges.

ACCESSORIES INCLUDED IN DOOR PRICE

- · Multipoint lock with security pins, class 4
- Two anti-burglary cylinders, class 'C'
- · A handle with an anti-burglary escutcheon'GRANITE' or 'GRANITE PLUS' (at an additional charge)
- An upper escutcheon
- · Four dog bolts
- A preparation for shortening, maximum 60 mm (regards Granite type I)
- Additionally: type II high temperature intumescent seal on door leaf edges
- Door frame equipped with a stainless steel threshold, (wider option- 120 mm) and reinforcement for a door closer

DOOR FRAMES

- · Corner profile steel door frame, profile 100 mm wide. Made from galvanized steel sheet 1,5 mm thick. Equipped with self-adhesive gasket, eight dowel pins and a stainless steel threshold (120 mm).
- PROJECT BIS door frame (see p. 190).
- · PROJECT Premium (see p. 190).

NOTES

- Technical Assessment ITB-KOT-2017/0242 issue 1.
- National certification of constancy of performance No 020-UWB-2618/W
- In order to meet the requirements of building law, regarding fire-rating and/or smoke control, it is necessary to use a door closer.
- Fire rated doors should be equipped with an escutcheon and a handle with a steel spindle
- · In case of using different hardware to offered by PORTA, guarantee cards guidelines must be followed.
- Acoustic rating Rw=32 dB (32-36 dB).
- Thanks to TechnoPORTA technology door leaves finished with CPL HQ and Gladstone / Halifax, have lower edges protected against humidity.

EXTRA CHARGES

- · a door viewer
- size '100'
- an adjustable lock strike (Type I)
 door leaf: CPL 0,2 mm and 0,7 mm veneers GROUP II
- decorative inlays for synthetic veneers (for 1 side, for both sides the price x 2)
 decorative inlays for natural veneers (for 1 side, for both sides the price x 2)
- · door leaf: Natural veneer, White Oak, Satin
- door leaf: Natural veneer, Oak, Satin (other colours)
- · door leaf: Natural veneer, Walnut
- steel door frame: colours GROUP II
- steel door frame: black colour
- · steel door frame profile for PROJECT BIS cover
- steel door frame profile for PROJECT Premium
- steel door frame profile from 101 to 150 mm
- steel door frame profile from 151 to 270 mm
- steel door frame profile from 271 to 390 mm
- · a handle with an escutcheon GRANITE PLUS

(see p. 200)

Steel SAFE, ENERGY PROTECTBurglar resistant locks, class 3 or 4. Anti-burglary glazing class P4




Burglary resistance RC2/RC3* Thermal transmittance Ud=1.1÷1.7*

Steel SAFE E.1, Oak Winchester



Steel ENERGY PROECT C.1, Oak Winchester

PROTECTION SYSTEM OF STEEL SURFACES





model A.0



model B.1



model C.1



model D.1













Polyester Premium Paint ★★★★☆







Laminated steel sheet (PVC) ★★★★☆













Steel door frame Thermo



3 PCs of three-part hinges



Hook - upper/lower bolting. SAFE type III, ENERGY PROTECT



Infill - expanded polystyrene



Multipoint lock SAFE type III,



Triple glazing - class P4



4 dog bolts



Thermal barrier threshold - it reduces heat transfer coefficient along with, Thermo' door frame

TECHNICAL INFORMATION

BASIC INFORMATION

'SAFE' doors (door leaf thickness 54 mm)

- Burglar resistance class RC2 or RC 3 (regards solid door leaves) • Two independent LOB locks or Winkhaus STV hook lock
- Corner profile frame 'LARGE' or ,Thermo' door frame
- Stainless steel perforated threshold or a thermal barrier threshold
- 3 PCs of three-part hinges
- Four dog bolts
- Handle: OPAL (RC2) or SAFE (RC3)
- · LOB or WILKA cylinders
- · An adjustable lock strike

EXTRA CHARGES - SAFE DOORS TYPE II, III, ENERGY PROTECT

- size '100'
- A door viewer
- A bottom drip cap (door leaf colour)
- · A stainless steel kick panel 150 mm, models: A0, B1, F1
- Mineral wool infill
- A protecion set for the bottom edge in case of self-shortening
- Two cylinders LOB, class B exchange for a standard set class A (SAFE TYPE II)
- A lower cylinder WILKA class B exchange for a STD set, class A (SAFE TYPE III)
- An upper cylinder WILKA class A (SAFE TYPE III)
- A lower cylinder WILKA class B exchange for std. set, class A (ENERGY PROTECT)
- Round or rectangular pull

BASIC INFORMATION

'ENERGY PROTECT' door (door leaf thickness 66 mm)

- Burglar resistance class RC 3 (regards solid door leaves)
- · Winkhaus STV hook lock
- 'Thermo' door frame
- · Stainless steel thermal barrier threshold
- 3 PCs of three-part hinges
- · Four dog bolts
- · 'SAFE' handle

(see p. 201)

- · WILKA cylinder
- · An adjustable lock strike

EXTRA CHARGES - TYPE III ENERGY PROTECT

- An additional upper lock
- · A door guard (paint coated doors)
- A door guard (film laminated doors PCV)
- An upper escutcheon, class C
- An upper cylinder WILKA, class B



Eco POLAR, Eco POLAR PASSIVE Burglar resistant locks, class 4. Anti-burglary glazing class P4



Doors are made out of laminated oak. Be ECO, Save ENERGY!

The Innovative Technology helps to save Energy & Be Eco-Friendly. Precisely chosen features create a product with the highest quality. ECO POLAR PASSIVE Doors are perfect solution for passive houses.

Eco POLAR PASSIVE A.5, White



Eco POLAR PASSIVE C.3 both sides glass panel Oak 6 (white)



model A.1













EXAMPLES OF TRANSOMS Transoms can be ordered through Porta, COTRACT', see page 226.







RIGHT for a right door

Decide transom side looking at hinges side.

 $^{{\}rm *Regards\ solid\ doors\ only.\ Detailed\ tests\ results\ are\ available\ on\ our\ website\ tab\ DOWNLOAD\ on\ www.porta.com.pl}$









Water-based exterior varnish ★★★☆☆











Oak 6




Customize colours to meet your individual needs. Send an enquiry through Porta CONTRACT. Details regarding bespoke orders, see page 226.



Two anti-burglary locks with security pins, class 4



Thermal barrier threshold, Porta ThermControl'**



Anti-burglary glazing with double air space, class P4 and a stainless steel glazing bead



French rebate hinge side

IMPORTANT!

Stainless steel glazing bead is on one side only (external).

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Surface finished with a natural veneer. In a door leaf frame we put steel profile which enhances rigidity of the construction. Glazing with double air space (U=0,5 Wm²K) brown reflex glass. Glazing bead made of stainless steel (on one side of the door).

Threshold made of glued laminated oakwood and stainless steel.

Eco POLAR PASSIVE

- Door leaf thickness 79 mm
- Three seals set circumferentially

Eco POLAR

- Door leaf thickness 68 mm
- Two seals set circumferentially

ACCESSORIES INCLUDED IN DOOR PRICE

- Two independent cylinder locks 4th class of burglar resistance
- Three adjustable hinges (3D)
- · A thermal barrier threshold -,Porta ThermControl'
- · A temporary cylinder
- A thermal insulating glazing set for glazed models
- A door frame made of glued laminated oakwood

DOOR FRAMES

- A door frame (93 mm thick) is made of multilayered glued laminated oakwood
- · A French rebate on hinge side, which prevents attempts of forcing the door
- ** Registered marketing name

NOTES

- Detailed parameters of thermal transmittance, see p.224
- Porta Synergy** In case of installation a transom (transoms), transom frame with a fixed upper jamb and lower jamb with a threshold are a part of a door frame.
- · An innovative method of connecting transoms eliminates thermal bridges and makes installation easier
- · Models C4, C3 without a drip cap.

EXTRA CHARGES

• size '100'

CREATE YOUR OWN PERFECT SET THAT MEETS YOUR NEEDS - CHOOSE FROM ALL AVAILABLE ACCESSORIES

(more information on https://www.portadoors.com/do-pobrania

PRICES

- Premium hinge -Simonswerk series 4000 (3 PCs)
- · Winkhaus STV multipoint lock with a pressure adjustment
- · Mini escutcheon*
- A straight pull on one side (round) 1500 mm
- A straight pull on one side (rectangular) 1500 mm
 A straight pull on one side (round) 900 mm
- · A curved pull on one side (round) 900 mm
- Hinges caps (set for 1 PCs)
- · CORTES silver handle with an escutcheon -for one side
- · CORTES silver handle with an escutcheon -for both sides
- * available for Eco Polar Passive collection only

Multipurpose doors

for utility rooms and storage rooms



Multipurpose, galvanized, robust doors are perfectly suitable for utility rooms, industrial rooms and also for basements, attics or storage rooms.


Multipurpose doors, model 2, Grey

right or left? reversible!



PRODUCT







back of a door leaf

















Galvanized steel sheet ★★★☆☆



Premium polyester paint ★★★★☆



White









handle



ventilation grille





 $www.porta.com.pl/dm/uniwersalne_montaz.wmv$

■ TECHNICAL INFORMATION

A DOOR SET INCLUDES

- A door leaf (paint coated galvanized steel sheet)A ventilation grille (optional)
- Two standard barrel hinges
- · A cylinder lock
- Hinges caps (set for 1 PCs)
- An economical, plastic handle with a round escutcheon
- A corner profile frame

A DOOR FRAME

- A corner profile frame, profile 48 mm wide. Made of 0,8 mm thick steel sheet, both sides galvanized.

NOTES

- Technical Assessment AT-15-8081/2016, ITB Warsaw.
- Thanks to symmetrical construction and reversible hardware (handle, hinges)
- doors can be installed as right or left-handed.

· Galvanized steel sheet, reinforced in three levels.

EXTRA CHARGES

• colours - GROUP II

Steel BASIC, Steel BASIC PLUS



An economical solution with a sufficient level of performance features.

Galvanized steel construction guarantees durability and reliability.

Steel BASIC, Grey



Steel BASIC PLUS, Coated steel sheet, Grey

,Steel BASIC.' The price of the internal door set includes:

- a handle galvanized steel construction

,Steel BASIC PLUS'. The price of the external door set includes:



a handle and a lock



a ventilation grille



a powder paint coated threshold (Steel BASIC PLUS)



a drip cap (STEEL BASIC PLUS)















Galvanized steel sheet ★★★☆☆



Coated steel sheet ★★★☆☆



Grev











expanded polystyrene infill

TECHNICAL INFORMATION

A DOOR SET INCLUDES

- A door leaf (steel sheet 0,5 mm, galvanized or galvanized and coated with a polvester paint)
- · Two standard barrel hinges
- · A cylinder lock
- · A set of handles with escutcheons
- · A corner profile frame (galvanized steel)
- · A threshold (steel BASIC PLUS)
- A drip cap (steel BASIC PLUS)

A DOOR LEAF INCLUDES

- A door leaf
- Two standard barrel hinges
- A cylinder lock

DOOR FRAME

- A corner profile frame, profile 64 mm wide (like Corner profile SMALL PLUS). Made of 1,2 mm thick steel sheet, galvanized or powder paint coated.
- · Steel BASIC door frame has a seal. Steel BASIC PLUS has a seal set circumferentially.
- Door frame- right or left, ready to me mounted on a finished floor level.

NOTES

- STEEL BASIC AT-15-8081/2016, ITB Warsaw, internal doors.
- Steel BASIC PLUS: PN:EN 14351-1+A1:2010 external doors.
- Steel BASIC doors available only in 'investment norm' (see dimensions see p. 209, tab 3).
- Steel BASIC door leaf is produced in Polish norm and investment norm
- · Steel BASIC PLUS doors, inward opening, are equipped with a drip cap.
- · Due to the specifics of used material (coated steel), colours of the products are similar to colours of RAL pallete.

- drip cap (Steel BASIC PLUS) ventilation grille (Steel BASIC)

Steel SOLID




Steel SOLID, solid, Grey

PROTECTION SYSTEM OF STEEL SURFACES

powder coating (primer or paint)

zirconium conversion

coating





Steel SOLID 1, Grey

solid

model 3

















Galvanized steel sheet ★★★☆☆



Premium polyester paint ★★★★☆

party party party						
Group I	White MAT	Grey MAT	Structured anthracite			
Group II	White	Grey	Brown	Structured Black		

Stainless steel ★★★★★



Laminated steel sheet (PVC) ★★★★☆



* until stocks last



Custom colours available through Porta CONTRACT, details regarding bespoke orders, see page 226.



honeycomb core



expanded polystyrene infill



mineral wool infill

■ TECHNICAL INFORMATION

A DOOR LEAF INCLUDES

- A door leaf (galvanized steel sheet 0,6 mm, powder paint coated)
- Two standard barrel hinges (three hinges for size '100')
- · A cylinder lock
- Frosted or transparent glass panel

SUGGESTED DOOR FRAMES

- A corner profile frame SMALL PLUS, LARGE, FOLDING LARGE
- Steel ADJUSTABLE (standard), ADJUSTABLE 'PS' with 'sharp edges'
- Porta SYSTEM steel door frame

NOTES

- Technical Assessment AT-15-8081/2016, ITB Warsaw.
- Door leaves with expanded polystyrene infill are available only in polyester premium paint finish.
- Door leaves skinned with laminated steel sheet glazing available only with flat stainless steel glazing bead.

- Double doors are available in any door leaf size combinations.
- Stainless steel door leaves are available only in Porta CONTRACT offer (as a bespoke order).

EXTRA CHARGES

- size '100' (galvanized steel doors)
- size '100' (stainless steel doors)
- · colours GROUP II
- Premium polyester paint and laminated steel (PCV): anthracite
- K stainless steel ventilation grille
- reinforcement for a door closer
- a handle with an escutcheon

(see p. 197)

Steel El 30, El 60



Steel El 30, model 3, Anthracite

EI 30

Fire-resistance 30 min.

EI 60

Fire-resistance 60 min. Smoke control Acoustic rating Rw=40 dB*

PROTECTION SYSTEM OF STEEL SURFACES

P GALVANIZED SHEET PORTA STEEL PRODUCT


Steel El 30, model 1, Grey

El 60 doors We offer two types:

- Fire-resistance 60 min
- Strength performance class 3

Typ 1:

- Standard type qualities
 Smoke control Sa, Sm
 Acoustic rating Rw=37 dB (37-41 dB)





EI 30 solid



El 30 model 1



EI 30 model 2



El 30 model 3



El 60 solid



El 60 model 1



El 60 model 2



El 60 model 3

































AVAILABLE FINISHES

Premium polyester paint ★★★★☆





Custom colours available through Porta CONTRACT, details regarding bespoke orders, see page 226.

STEEL EI 30 AND EI 60 - INDICATIONS FOR USE:

- · public buildings
- hotels, guesthouses
- boiler rooms
- garages



hinge adjustment +/-3 mm



mortise cylinder lock, set includes a handle

TECHNICAL INFORMATION

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICEE

- 2PCs of three-part hinges. One is load-bearing, another, thanks to a spring in it, enables door to self-closing.
- A mortise cylinder lock
- Dog bolt (1 PCs for El 30, 2 PCs for El 60)
- A set of handles with escutcheons (order separately)
- Transparent, fireproof glass panel

DOOR FRAMES

- Corner profile steel frame. 84 mm profile (El 30) and 110 mm profile (El 60)
- · Made out of both sides hot-dip galvanized steel, 1,5 mm thick. Welded joint of frame corners. Equipped with stainless steel threshold (type 1), astragal and an intumescent seal.
- · A door frame can be ordered in two options:
- to install on a finished floor level '0', threshold at an additional charge (EI 30 and EI 60)
- to install below a floor level '-30', threshold at an additional charge (El 30 and El 60)

NOTES

- Steel doors El 30, El 60 Technical Assessment AT-15-7236/2016, ITB Warsaw.
- In case of using different hardware to offered by PORTA, guarantee cards guidelines must be followed
- In order to meet the requirements of external use, glazed models have to be equipped with a glass panel with special parameters - price and production time to be agreed with Porta 'CONTRACT' (see page 226).

- size '100' (El 30)
- size '100' (El 60) • colours - GROUP II
- · fireproof door viewer
- a stainless steel threshold (EI 30)
- · a reinforcement for an additional door closer

10 DOOR FRAMES

There is no complete door set without a door frame. For each of offered door leaf we recommend door frame which is suitable for the door you choose, both technically and aesthetically.





MINIMAX

FIXED DOOR FRAME. REBATED

Door frames recommended for interiors where adjustments to a wall is not required.

Door frames of 100 mm profile are compatible.

Door frames of 100 mm profile are compatible with any door leaf.

Door frames of 60 mm profile are compatible with door leaves finished with Portadecor and Portasynchro 3D veneers.

Portadecor Portasynchro 3D Portadur Premium veneer Natural Select Natural Oak, Walnut, Ash Natural Oak Satin UV acrylic paint Portaperfect 3D Portalamino CPL HQ 0,2 mm Gladstone/Halifax



■ DOOR FRAME - CROSS SECTION

Finishes charts see page 217 - 224.



60 mm, basic option without architraves



60 mm, synthetic veneer (with architraves)



100 mm synthetic veneer (architraves joined at 90° angle) or natural veneers (architraves joined at 45° angle)



100 mm, synthetic or natural veneer (with rounded architraves)





door frame MINIMAX = door frame + architraves

Door frames, architraves and quaterrounds are also available in a synthetic veneer for self-painting.

TECHNICAL INFORMATION

DOOR FRAME CONSTRUCTION

A door frame consists of:

- Door frame head and two jambs, made of MDF, with hardware and accessories
- · Architraves (at additional charge)
- Quater round (at additional charge)
- Door frame is produced and delivered as a set of elements to assemble on site.
 MINIMAX door frame for Porta GRANDE door leaf is finished with primer foil and paint hardened under UV lamp.

ACCESSORIES- IN THE PRICE OF MINIMAX 60 MM

(available only in Portadecor and Portasynchro 3D finishes)

- Two or three standard barrel hinges or PRIME hinges (optionally at extra charge)
- Door stops
- Dowel pins, hole plugs
- · Humidity protecting plugs for bottom part of a door frame

ACCESSORIES- IN THE PRICE OF MINIMAX 100 MM

Synthetics veneers:

- Two or three standard barrel hinges or PRIME hinges (optionally at extra charge)
 Natural veneers:
- Three standard barrel hinges or PRIME hinges
- A rubber seal set circumferentially
- Humidity protecting plugs for bottom part of a door frame

DOOR FRAME SIZE, SEE PAGE 207 TABLE 1

Profile width 60 mm and 100 mm

Available sizes '60,' '70,' '80,' '90' and '100', and any combination of these sizes for double leaf doors.

NOTES

- Technical Assessment ITB-KOT-2018/0358, issue 1
- Door frames should be installed on finished walls (e.g. wall papers) and on a finished floor (e.g. floor panels)
- 100 mm door frame is also available in a ,tunnel' option (without a rebate, a seal, hinges or a strike plate)
- Door frames and architraves are available in unpainted option (for self-fi nishing).
- · Size,100' requires third hinge

- door frame: CPL 0,2 mm finish GROUP II
- · door frame: Natural veneer: Walnut
- door frame: Natural veneer, White Oak, Satin
- architraves: Natural veneer, White Oak, Satin
 quaterround: Natural veneer, White Oak, Satin
- PRIME hinges

Porta SYSTEM, **Porta SYSTEM GK**

PORTA SYSTEM

Adjustable door frame with architraves - 60 or 80 mm. Porta System is easy to install and it is compatible with all of internal door leaves. Thanks to the availability of the Retro Module you can achieve completely new and very different door styling.


PORTA SYSTEM GK

Adjustable door frame for glass door leaves, produced in Polish Norm. Only such a set guarantees high performance and satisfaction with your purchase.

AVAILABLE FINISHES

Finishes charts see page 217 - 224.















ADJUSTMENT RANGES

Α	75 ÷ 95
B	95 ÷ 115
C	120 ÷ 140
D	140 ÷ 160
E	160 ÷ 180
F	180 ÷ 200
G	200 ÷ 220
H	220 ÷ 240
J K	240 ÷ 260 260 ÷ 280 280 ÷ 300



TECHNICAL INFORMATION

DOOR FRAME CONSTRUCTION

A door frame consists of:

- A door frame head and two jambs, made of wood-based material. It comes with hardware and accessories
- Architraves (60, 80 mm).

The door frame is produced and delivered as a set of elements to be assembled on site. PORTA SYSTEM door frame for Porta GRANDE door leaf is finished with primer foil and paint hardened under UV lamp.

ACCESSORIES INCLUDED IN THE DOOR FRAME PRIC

Porta SYSTEM

Synthetic veneers:

- Two or three standard barrel hinges or PRIME hinges (optionally at extra charge)
- A rubber seal set circumferentially

- · Two or three standard barrel hinges or PRIME hinges
- · A rubber seal set circumferentially

Porta SYSTEM GK

- A strike plate (small)
- A rubber seal set circumferentially
 Hinge receivers, 2 PCs for size '60'-'90', 3 PCs for size '100'

NOTE! Hinges are not included in a door frame set.

DOOR FRAME SIZE, SEE PAGE 207, TABLE 1

Porta SYSTEM

• Wall thicknesses (A-K) '60', '70', '80', '90', '100', '110', and '120'-'200' and single leaf '60'-'90' with a side panel '40' *.

Porta SYSTEM GK

Wall thicknesses (A-K) '60', '70', '80', '90', '100'

NOTES

- Technical Assessment ITB-KOT-2018/0358, issue 1
- Door frames should be installed on finished walls (e.g. wall papers) and on a finished floor (e.g. floor panels)
- · The door frame is also available in a ,tunnel' option (without a rebate, a seal, hinges or a strike plate)
- · Module RETRO is not available in following finishes: CPL HQ, Premium veneer and Gladstone/Halifax.
- Size,100' requires third hinge
- PORTA SYSTEM TRANSOMS- information available on porta.com.pl/do-pobrania.
- · Height, 220': finishes Premium veneer, UV acrylic paint, natural veneer, three hinges as a standard

- · door frame: CPL 0,2 mm finish GROUP II
- · door frame: Natural veneer: Walnut
- · door frame: Natural veneer, White Oak, Satin
- · adjusting panel: Natural veneer, White Oak, Satin
- · crown: Natural veneer, White Oak, Satin
- decorative pilasters: Natural veneer, White Oak, Satin
- PRIME hinges
- reinforcement for a door closer
- · electric strike: fail safe or fail secure



Porta SYSTEM ELEGANCE, **Porta SYSTEM ELEGANCE 90 degrees**

ADJUSTABLE DOOR FRAME WITH 80 MM ARCHITRAVES. NON-REBATED.

Internal door frame which is compatible with non-rebated door leaves. Easy to install. Possibility of joining architraves at 45 degrees (Porta SYSTEM ELEGANCE) and 90 degrees (Porta SYSTEM ELEGANCE 90 degrees).

AVAILABLE FINISHES Portaperfect 3D CPL HQ 0,2 mm

DOOR FRAME - CROSS SECTION

Finishes charts see page 217 - 224.



ARCHITRAVES JOINING Porta SYSTEM ELEGANCE 90 degrees



frame finished with Door frame finished with UV acrylic paint.



Flush surface. Door frame finished with Natural

















ADJUSTMENT RANGES

B	95 ÷ 115
C	120 ÷ 140
D	140 ÷ 160
E	160 ÷ 180
F	180 ÷ 200
G	200 ÷ 220
H	220 ÷ 240
K I	240 ÷ 260 260 ÷ 280 280 ÷ 300



3D hinge (closed door)



3D hinge (opened door)

KEY FEATURES OF THE NEW SIMONSWERK 3D HINGE: -

- CONVENIENT 3DADJUSTMENT
- 200.000 TEST CYCLES IN CONTINUOUS OPERATION
- LOAD CAPACITY 60 KG (2 HINGES),
- ALL VISIBLE ELEMENTS ARE FINISHED WITH POLYESTER COATING

WE RECOMMEND!

SKIRTINGS BOARDS FINISHED WITH UV ACRYLIC PAINT see page 217

TECHNICAL INFORMATION

DOOR FRAME CONSTRUCTION

A door frame consists of:

- . A door frame head and two jambs, made of wood-based material. It comes with hardware and accessories
- Architraves 80 mm
- Architrave edge radius, arris', for natural veneers Standard, Select, Satin.
- Architrave edge radius 1,5 mm for synthetic finishes: Portadecor, Portasynchro 3D, Portadur and Portaperfect 3D. 3mm radius for CPL HQ 0,2 mm.
- PS ELEGANCE is produced and delivered as a set of elements to assemble on site.
 PS ELEGANCE door frame for Porta GRANDE door leaf is finished with primer foil a
- PS ELEGANCE door frame for Porta GRANDE door leaf is finished with primer foil and paint hardened under UV lamp.

ACCESSORIES INCLUDED IN THE DOOR FRAME PRICE

- Two sets of adjustable 3D hinges
- · A rubber seal set circumferentially

DOOR FRAME SIZE, SEE PAGE 207, TABLE 1

• Ten adjustment ranges from 95 mm to 300 mm; '60', '70', '80', '90', '100', and '120'-'200'

NOTES

- Technical Assessment ITB-KOT-2018/0358, issue 1
- Porta SYSTEM ELEGANCE 90 degrees is available in following finishes: Premium veneer, UV acrylic paint, Natural veneer
- Door frames should be installed on finished walls (e.g. wall papers) and on a finished floor (e.g. floor panels)
- The door frame is also available in a tunnel option (without a rebate, a seal, hinges or a strike plate)
- Height 220 cm is available in following finishes: Premium veneer, UV acrylic paint, Natural veneer. Three hinges as a standard.

- door frame: CPL 0,2 mm finish GROUP II
- door frame: Natural veneer: Walnut
- · door frame: Natural veneer, White Oak, Satin
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- reinforcement for a door closer
- height 220 cm
 architraves 100
- architraves 100 mm (apply to height 220 cm)

PORTA SYSTEM with reversed rebate


NON-REBATED ADJUSTABLE DOOR FRAME WITH 80 MM ARCHITRAVES AND REVERSED REBATE

Complement to non-rebated collections.
Closed door with Porta SYSTEM ELEGANCE frame and Porta SYSTEM frame with reversed rebate look the same and allow you to open the door in different directions: Porta SYSTEM ELEGANCE outwards, and Porta SYSTEM with reversed rebate inwards.

AVAILABLE FINISHES

Premium veneer
Natural Select
Natural Oak, Walnut, Asl
Natural Satin Oak
LIV accylic paint

Finishes charts see page 217 - 224.



■ DOOR FRAME - CROSS SECTION







door frame profile - wide architrave 80 mm

door frame profile - wide architrave 80 mm









ADJUSTMENT RANGES

B	95 ÷ 115
C	120 ÷ 140
D	140 ÷ 160
E	160 ÷ 180
F	180 ÷ 200
G	200 ÷ 220
H	220 ÷ 240
I	240 ÷ 260
J	260 ÷ 280
K	280 ÷ 300



Door frame corner from hinges side



Door frame corner from hinges side

KEY FEATURES OF THE NEW SIMONSWERK 3D HINGE: -

- CONVENIENT 3DADJUSTMENT
- 200.000 TEST CYCLES IN CONTINUOUS OPERATION
- LOAD CAPACITY 60 KG (2 HINGES),
- ALL VISIBLE ELEMENTS ARE FINISHED WITH POLYESTER COATING

· WE RECOMMEND! -

SKIRTINGS BOARDS FINISHED WITH UV ACRYLIC PAINT see page 217

TECHNICAL INFORMATION

DOOR FRAME CONSTRUCTION

The door frame consists of:

- A door frame head and two jambs, made of wood-based material. It comes with hardware, accessories and architraves 80 mm on both sides
- Architrave edge radius, arris', for natural veneers Standard, Select, Satin.
- Architrave edge radius 1,5 mm for Premium veneer and UV acrylic paint
- The door frame is produced and delivered as a set of elements to assemble on site.

APPLICATION

Door leaves dedicated for Porta SYSTEM door frames with reversed rebate:

- painted collections: Porta VECTOR Premium, Porta DESIRE, Porta FOCUS Premium, Porta GRANDE,
- collections finished with natural veneers: Nature CLASSIC, Nature GRANDE, Nature LINE.

ACCESSORIES INCLUDED IN THE DOOR FRAME PRICE

- Two sets of adjustable 3D hinges
- A rubber seal set circumferentially

DOOR FRAME SIZE

• Ten adjustment ranges from 95 mm to 300 mm; '60', '70', '80', '90', '100'

NOTES

- Technical Assessment ITB KOT-2018/0358, issue 1
- Door frames should be installed on finished walls (e.g. wall papers) and on a finished floor (e.g. floor panels)
- Height,220' 3 hinges in standard

- · door frame,220': Premium veneer
- door frame,220': UV acrylic paint
- · door frame,220": Natural veneer
- door frame: Natural veneer Walnut
- door frame: Natural veneer Satin white
 execution of a chosen door leaf in the reversed rebate system (extra charge is added to door leaf price)

LEVEL

UNIQUE AND INNOVATIVE ADJUSTABLE DOOR FRAME

Adjustable foor frame with 80 mm architraves. Non-rebated with an upper panel - 20 or 100 cm high.











ADJUSTMENT RANGES

B	95 ÷ 115
C	120 ÷ 140
D	140 ÷ 160
E	160 ÷ 180
F	180 ÷ 200
G	200 ÷ 220
H	220 ÷ 240
I	240 ÷ 260
J	260 ÷ 280
K	280 ÷ 300

UPPER PANELS

200 mm (2x)

1000 mm (2x)

200 and 1000 mm (1/1)

door frame LEVEL (set)

door frame

upper panels

+





Installation of LEVEL door frame, see video: www.porta.com.pl/dm/montazosclevel.wmv



Door frame for a double-leaf door and/or finished with CPL HQ - order through Porta CONTRACT, see page 226.

KEY FEATURES OF THE NEW SIMONSWERK 3D HINGE: -

- CONVENIENT 3DADJUSTMENT 200.000 TEST CYCLES IN CONTINUOUS OPERATION LOAD CAPACITY 60 KG (2 HINGES),
- ALL VISIBLE ELEMENTS ARE FINISHED WITH POLYESTER **COATING**

WE RECOMMEND! -

SKIRTINGS BOARDS FINISHED WITH UV ACRYLIC PAINT see page 217

TECHNICAL INFORMATION

DOOR FRAME CONSTRUCTION

A door frame consists of:

- A door frame head and two jambs, made of wood-based material. It comes with hardware and accessories
- · Architraves 80 mm
- Two vertical panels (order separately)
- Vertical grain direction for a LEVEL panel. For chosen finishes horizontal grain direction available (see p. 78)
- Architrave edge radius 1,5 mm. LEVEL door frame is produced and delivered as a set of elements to be assembled on site. LEVEL door frame for UV painted door leaves is finished with primer foil and paint hardened under UV lamp

ACCESSORIES INCLUDED IN THE DOOR FRAME PRICE

- Two sets of adjustable 3D hinges
- · A rubber seal set circumferentially

DOOR FRAME SIZE, SEE PAGE 207, TABLE 1

Ten adjustment ranges from 95 mm to 300 mm; '60', '70', '80', '90', '100'

NOTES

- Technical Assessment ITB-KOT-2018/0358, issue 1
- Door frames should be installed on finished walls (e.g. wall papers) and on a finished floor (e.g. floor panels)
- · Door frame is also available in a ,tunnel' option (without a rebate, a seal, hinges or a strike plate)


- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver (an extra charge added to a door frame price)
- third 3D hinge gold (an extra charge added to a door frame price)


Porta RENOVA

STEEL DOOR FRAME **CASING SYSTEM**

Give your apartment unique character. This solution gives you the possibility to change doors without dismantling the old door frame.

AVAILABLE FINISHES







DOOR FRAME - CROSS SECTION





ADJUSTMENT RANGE



minimum







ADJUSTMENT RANGES

5	55 ÷ 75
A	75 ÷ 95
B	95 ÷ 115
C	120 ÷ 140
D	140 ÷ 160
E	160 ÷ 180
F	180 ÷ 200
G	200 ÷ 220
H	220 ÷ 240
l	240 ÷ 260
J	260 ÷ 280

PORTA RENOVA' OFFER INCLUDES:

- Porta RENOVA door frame, adjustment range from'A' to 'J' + size '5' 55-75 mm
- 'tunnel' option, adjustment range from 'A' to 'J'
- head and jambs with a tongue (broadening PORTA RENOVA adjustment) from 'A' to 'J'

■ TECHNICAL INFORMATION

DOOR FRAME CONSTRUCTION

A door frame consists of:

- A door frame head and two jambs, made of wood-based materials
- Architraves
- Architrave edge radius 'arris', for natural veneers Standard, Select, Satin.
- Porta RENOVA is produced and delivered as a set of elements to assemble on site.

ACCESSORIES INCLUDED IN DOOR FRAME PRICE

• Two or three standard barrel hinges

DOOR FRAME SIZE, SEE PAGE 207, TABLE 1

• For adjustment ranges ('5' + A-J) '60', '70', '80', '90', '100', '110'.

NOTES

- RENOVA door frame is available with Individual Approval Documentation
- Door frames should be installed on finished walls (e.g. wall papers) and on a finished floor (e.g. floor panels)
- Door frame is also available in a,tunnel' option (without a rebate, a seal, hinges or a strike plate)
- Additional broadening (head and jambs)
- The door frame is compatible with standard door leaves. If client chooses a handle with an escutcheon wider than 44 mm, they have to order a door leaf with a 60 mm lock.
 All crooks and unevenness of a wall and old door frame have to be taken into consi-
- All crooks and unevenness of a wall and old door frame have to be taken into cons deration during wall opening measurement.

Villadora RETRO, MODERN

ADJUSTABLE DOOR FRAME, RETRO'

Internal adjustable door frame dedicated for the Villadora RETRO door leaves.

ADJUSTABLE NON-REBATED DOOR FRAME MODERN

Internal adjustable door frame dedicated for the Villadiora MODERN door leaves.

Natural Oak Satin **** Finishes charts see page 217 – 224. Natural Select Natural Oak, Ash, Walnut Natural Oak Satin

Finishes charts see page 217 - 224.



DOOR FRAME - CROSS SECTIONVILLADORA RETRO



■ VILLADORA MODERN NON-REBATED DOOR FRAME

- CROSS-SECTION



'PLUS' upper panel upper architrave 200 mm (note: in STANDARD option elements joint under 45°, read description see p. 183)

door frame profile

- architrave 80 mm for door height 200
- architrave 100 mm for door height 220

ADJUSTMENT RANGE



minimum



maximum















ADJUSTMENT RANGES

Α	75 ÷ 95 mm
В	95 ÷ 115 mm
c	120 ÷ 140 mm
D	140 ÷ 160 mm
E	160 ÷ 180 mm
F	180 ÷ 200 mm
G	200 ÷ 220 mm
Н	220 ÷ 240 mm
I	240 ÷ 260 mm
J	260 ÷ 280 mm
K	280 ÷ 300 mm



crov

+

vertical decorative pilasters (set)



VILLADORA RETRO REBATED

DOOR FRAME CONSTRUCTION

A door frame consists of:

- A door frame head and two jambs, made of wood-based material. It comes with hardware and accessories
- Architraves

Villadora RETRO is produced and delivered as a set of elements to be assembled on site.

ACCESSORIES INCLUDED IN THE DOOR FRAME PRICE

- Three sets fo adjustable barrel hinges (3D)
- A rubber seal set circumferentially

DOOR FRAME SIZE, SEE PAGE 207, TABLE 1

Adjustment ranges (A-K): '60', '70', '80', '90', '100' and '120' ÷ '200'.

NOTES

- Technical Assessment ITB-KOT-2018/0358, issue 1
- Door frames should be installed on finished walls (e.g. wall papers) and on a finished floor (e.g. floor panels)
- Module RETRO is available dor Villadora RETRO door frames.

VILLADORA MODERN NON-REBATED

DOOR FRAME CONSTRUCTION

A door frame consists of:

- · A door frame head and two jambs, made of wood-based material. It comes with
- hardware and accessories
- Architraves
- 2 vertical architraves (panels). 'PLUS' version.

We offer four construction types:

- 80 mm architraves (height 200 STANDARD), or 100 mm architraves (height 220 STANDARD), head, jambs and architraves ripped at 45°
- 80 mm architraves (height 200 PLUS), or 100 mm architraves (height 220 PLUS), head, jambs and architraves ripped at 90 $^\circ$

Edge profile of architraves, panels, head and jambs- sharp arris.

Villadora MODERN is produced and delivered as a set of elements to assemble on site.

ACCESSORIES INCLUDED IN DOOR FRAME PRICE

- Three sets of adjustable 3D hinges for height 200 and 220 (STD. width)
- A rubber seal set circumferentially

DOOR FRAME SIZE, SEE PAGE 207, TABLE 1

Wall thicknesses (B-K): '60', '70', '80', '90', '100' and '120' ÷ '200'.

NOTES

- Technical Assessment ITB-KOT-2018/0358, issue 1
- Door frames should be installed on finished walls (e.g. wall papers) and on a finished floor (e.g. floor panels)
- Please consider hinge receivers during wall opening measurement, see Manual

EXTRA CHARGES

- MODERN door frame:White Oak, Satin
- MODERN door frame: Natural veneer: Walnut
- MODERN door frame in PLUS option

Steel Porta SYSTEM ELEGANCE Steel Porta SYSTEM

INTERNAL STEEL DOOR FRAME

Adjustable steel door frame. It has the same advantages as wooden Porta SYSTEM and Porta SYSTEM ELEGANCE door frame when it comes to installation, design and adjustment. At the same time steel construction and galvanic varnished surface protection makes this product perfect for use in demanding areas with increased humidity or temperature changes. Ideal as an internal door frame for use in residential buildings.

AVAILABLE FINISHES Premium polyester paint ★★★★☆ White MAT Grey MAT Structured anthracite

Brown

Anthracite HPL/CPL

Structured Black

Beige MAT

Finishes charts see page 217 - 224.



184



















WALL THICKNESSES

Α	95 ÷ 120 mm
В	121 ÷ 145 mm
С	146 ÷ 170 mm
D	171 ÷ 195 mm


STEEL PORTA SYSTEM - ADJUSTMENT RANGES




STEEL PORTA SYSTEM ELEGANCEADJUSTMENT RANGES




■ HOW TO ADJUST PORTA SYSTEM STEEL DOOR FRAME



HOW TO ADJUST PORTA SYSTEM ELEGANCE STEEL DOOR FRAME





TECHNICAL INFORMATION

DOOR FRAME CONSTRUCTION

This adjustable door frame is made out of the best quality galvanized steel, 1,2 mm thick.

- A door frame consists of:
- Two or three standard barrel hingesThree hinges (size '100')
- An allen key
- · A rubber seal available in following colours: white, grey, brown, beige and anthracite
- An anchoring plate
- Reinforcement for the lock strike

ACCESSORIES INCLUDED IN THE DOOR FRAME PRICE

- · Two or three standard barrel hinges
- Three hinges (size '100')An allen key
- A rubber seal available in following colours: white, grey, brown, beige and anthracite
- An anchoring plate
- Reinforcement for the lock strike

DOOR FRAME SIZE, SEE PAGE 207, TABLE 2

- '60', '70', '80', '90', '100' and '120' ÷ '200'
- To be installed on a finished floor level '0'.

NOTES

- Technical Assessment ITB-KOT-2017/0245 issue 1.
- Certificate of conformity no. ITB-2617/W, ITB Warsaw.
- Door frames should be installed on finished walls (e.g. wall papers) and on a finished floor (e.g. floor panels).
- Polyester Premium paint Anthracite HPL/CPL id dedicated for door leaves finished with HPL/CPL Anthracite.
- Size '80' and '90' in the 'Investment Norm' (clear opening width 800, 900 mm) available as a standard - without extra charge.

EXTRA CHARGES

- door frame: black
- reinforcement for a door closer
- stainless steel threshold

(see p. 202)

Adjustable non-rebated steel, Adjustable, Adjustable PS with, sharp edges'


INTERNAL STEEL DOOR FRAME

Main benefits of these products are: precise design of all elements and easy installation as well as value for money.

Adjustment feature allows for installation to almost any wall width. The door frame can be used in virtually all types of buildings: apartments, offices, hotels, factories, industrial buildings and any other place where high durability is required.

AVAILABLE FINISHES

Premium polyester paint ★★★★☆



DI Black MAT

Finishes charts see page 217 – 224.





271 ÷ 295 mm














Adjust	able	Adjust 'sharp	able PS with edges'
WALL	THICKNESSES		THICKNESSES
Α	95 ÷ 120 mm	Α	95 ÷ 120 mm
В	121 ÷ 145 mm	В	121 ÷ 145 mm
С	146 ÷ 170 mm	С	146 ÷ 170 mm
D	171 ÷ 195 mm	D	171 ÷ 195 mm
E	196 ÷ 220 mm	E	196 ÷ 220 mm
F	221 ÷ 245 mm	F	221 ÷ 245 mm
G	246 ÷ 270 mm	G	246 ÷ 270 mm




You will find more information in the catalogue of STEEL DOOR FRAMES porta.com.pl/do-pobrania

ZADJUSTABLE FRAME - ADJUSTMENT RANGES




271 ÷ 295 mm


HOW TO ADJUST ADJUSTABLE DOOR FRAME




ADJUSTABLE NON-REBATED FRAME - ADJUSTMENT RANGES



HOW TO ADJUST ADJUSTABLE NON-REBATED **DOOR FRAME**





TECHNICAL INFORMATION

DOOR FRAME CONSTRUCTION

The adjustable door frame is made out of the best quality galvanized steel, 1,5 mm thick (the Adjustable, Adjustable non-rebated) or 1,2 mm thick (the Adjustable with 'sharp edges').

A door frame consists of:

- fixed part mounted on a wall (with hinges and lock strike)
- adjustable part, wrapping the wall a rubber seal set circumferentially
- barrel hinges (rebated door frames)
- adjustable 3D hinges (adjustable non-rebated door frame)

ACCESSORIES INCLUDED IN THE DOOR FRAME PRICE

- Two or three standard barrel hinges (ADJUSTABLE frame)
- Three hinges (size '100' and '110') (ADJUSTABLE frame)
- Two adjustable 3D hinges (ADJUSTABLE NON-REBATED frame)
- A rubber seal available in following colours: white, grey, brown, beige, anthracite or black
- Rawlplugs for a door frame anchored to a concrete wall
- Self-tapping screws for a door frame anchored to a plasterboard wall

DOOR FRAME SIZE, SEE PAGE 207, TABLE 2

- '60', '70', '80', '90', '100', '110' and '120' ÷ '200'
- · To be installed on a finished floor level '0'.

NOTES

- Technical Assessment ITB-KOT-2017/0245 issue 1.
- Certificate of conformity no. ITB-2617/W, ITB Warsaw
- Door frames should be installed on finished walls (e.g. wall papers) and on a finished floor (e.g. floor panels)
- · Polyester Premium paint Anthracite HPL/CPL id dedicated for door leaves finished with HPL/CPL Anthracite
- Size '80' and '90' in the 'Investment Norm' (clear opening width 800, 900 mm) available as a standard - without an extra charge.

EXTRA CHARGES

- colours: group II
- colours: group III
- · adjustable lock strike*
- · reinforcement for a door closer
- · stainless steel threshold
- · electric strike: fail-safe or fail secure

(see p. 202) (see p. 202)



^{*} does not apply to non-rebated frame

Corner profile Non-rebated, Steel - LARGE Corner profile - SMALL PLUS, LARGE

INTERNAL STEEL DOOR FRAMES


Thanks to the highest world standards, the latest technologies and excellent materials we produce galvanized steel or stainless steel door frames.

These are the highest quality products which are often used when robust doors are required.

Thanks to the powder coating process used during production, the surface of the steel sheet is perfectly smooth and protected against corrosion.

AVAILABLE FINISHES

Premium polyester paint ★★★★☆



Finishes charts see page 217 – 224.


















DOOR FRAME CROSS SECTION CORNER PROFILE STEEL- SMALL PLUS



DOOR FRAME CROSS SECTION **CORNER PROFILE - LARGE**



DOOR FRAME CROSS SECTION **CORNER PROFILE**



TECHNICAL INFORMATION

DOOR FRAME CONSTRUCTION

Corner profile door frames (LARGE, SMALL PLUS and Non-rebated - LARGE) are made out of galvanized steel, 1,2 mm thick. They are available as reversible* door frames or as right/left door frames. Profile width: 64 mm (SMALL PLUS) and 105 mm (LARGE, Non-rebated LARGE).

ACCESSORIES INCLUDED IN THE DOOR FRAME PRICE

'LARGE', 'SMALL PLUS':

- · Two or three standard barrel hinges
- Three hinges (size '100' and '110')
- · An allen key
- A rubber seal set circumferentially. Colours: white, grey, brown, beige, anthracite and black
 Special anchors to ease an installation (SMALL PLUS)

'LARGE' for plasterboard walls:

- · Two or three standard barrel hinges
- Three hinges (size '100' and '110')
- An allen key
- · A rubber seal available in following colours: white, grey, brown, beige, anthracite and black
- Special anchors to ease an installation (max. for a wall width 150 mm)

Non-rebated,LARGE'

- Two adjustable 3D hinges
- · A rubber seal available in following colours: white, grey, brown, beige, anthracite and black

DOOR FRAME SIZE, SEE PAGE 207, TABLE 2

'60', '70', '80', '90', '100', '110' and '120' ÷ '200'

Two options:

- To be installed on a finished floor level '0'
- To be installed under floor level '-30'

NOTES

- Technical Assessment ITB-KOT-2017/0245 issue 1.
- Certificate of conformity no. ITB-2617/W, ITB Warsaw
- Polyester Premium paint Anthracite HPL/CPL id dedicated for door leaves finished with HPI /CPI Anthracite

EXTRA CHARGES

- · colours: GROUP II
- · colours: GROUP III
- · adjustable lock strike (LARGE)*
- dowel pins (LARGE)
- door frame profile extension from 110 to 150 mm
- door frame profile extension from 155 mm to 270 mm
- door frame profile extension from 275 to 390 mm
- · reinforcement for a door closer
- · stainless steel threshold
- · electric strike: fail secure or fail-safe

(see p. 202) (see p. 202)

^{*} does not apply to Non-rebated door frame - 'LARGE'

PROJECT BIS, PROJECT Premium®

[®] Porta proprietary solution, all rights reserved

DOOR FRAME COVER FOR APARTMENT ENTRANCE DOORS.

Considering aesthetically pleasing design of various rooms, we have complemented our offer with PROJECT BIS and PROJECT Premium steel door frame covers.

Thanks to a specially designed profile of a steel door frame, the cover can be easily installed. Covers match the door leaf and facades.



AVAILABLE FINISHES

Portasynchro 3D ***

Portaperfect 3D ****

CPL HQ 0,2 mm

Gladstone/Halifax


Finishes charts see page 217 - 224.



■ DOOR FRAME - CROSS SECTION ■ DRAWINGS (ILLUSTRATIVE)




PROJECT BIS door frame



* for A range, adjustment +15 mm



PROJECT Premium door frame



PROJECT Premium cross section

MODELS	PROJE	CT BIS	PROJECT	PREMIUM
MODELS	Α	В	А	В
Rw=27 dB	138 ÷ 363 mm	89 mm	133 ÷ 333 mm	95 mm
Rw=32 dB	138 ÷ 363 mm	89 mm	-	-
AGATE, OPAL	138 ÷ 363 mm	89 mm	133 ÷ 333 mm	95 mm
QUARTZ	138 ÷ 363 mm	89 mm	-	-
Granite kl. C	143 ÷ 368 mm	94 mm	138 ÷ 338 mm	100 mm
EI 30	143 ÷ 368 mm	94 mm	-	-
Granite RC 3, Extreme RC 2, RC 3	147 ÷ 372 mm	98 mm	-	-
Silence 37 dB, rebated	147 ÷ 372 mm	98 mm	-	-
Silence 37 dB, non-rebated	164 ÷ 389 mm	115 mm	-	-
Rw=42 dB	162 ÷ 387 mm	113 mm	157 ÷ 357 mm	119 mm
El 60	155 ÷ 380 mm	106 mm	_	-



















PROJECT BIS DOOR FRAME COVER

Adjustment range	AGATE, OPAL, QUARTZ, 27 dB, 32 dB	GRANITE, EI 30	Silence 37 dB rebated, Extreme RC2 and RC3	Silence 37 dB non-rebated	Rw = 42 dB	EI 60
A	138 ÷ 153 mm	143 ÷ 158 mm	147 ÷ 162 mm	164 ÷ 179 mm	162 ÷ 177 mm	155 ÷ 170 mm
В	158 ÷ 178 mm	163 ÷ 183 mm	167 ÷ 187 mm	184 ÷ 204 mm	182 ÷ 202 mm	175 ÷ 195 mm
С	183 ÷ 203 mm	188 ÷ 208 mm	192 ÷ 212 mm	209 ÷ 229 mm	207 ÷ 227 mm	200 ÷ 220 mm
D	203 ÷ 223 mm	208 ÷ 228 mm	212 ÷ 232 mm	229 ÷ 249 mm	227 ÷ 247 mm	220 ÷ 240 mm
E	223 ÷ 243 mm	228 ÷ 248 mm	232 ÷ 252 mm	249 ÷ 269 mm	247 ÷ 267 mm	240 ÷ 260 mm
F	243 ÷ 263 mm	248 ÷ 268 mm	252 ÷ 272 mm	269 ÷ 289 mm	267 ÷ 287 mm	260 ÷ 280 mm
G	263 ÷ 283 mm	268 ÷ 288 mm	272 ÷ 292 mm	289 ÷ 309 mm	287 ÷ 307 mm	280 ÷ 300 mm
Н	283 ÷ 303 mm	288 ÷ 308 mm	292 ÷ 312 mm	309 ÷ 329 mm	307 ÷ 327 mm	300 ÷ 320 mm
I	303 ÷ 323 mm	308 ÷ 328 mm	312 ÷ 332 mm	329 ÷ 349 mm	327 ÷ 347 mm	320 ÷ 340 mm
J	323 ÷ 343 mm	328 ÷ 348 mm	332 ÷ 352 mm	349 ÷ 369 mm	347 ÷ 367 mm	340 ÷ 360 mm
K	343 ÷ 363 mm	348 ÷ 368 mm	352 ÷ 372 mm	369 ÷ 386 mm	367 ÷ 387 mm	360 ÷ 380 mm

PROJECT PREMIUM DOOR FRAME COVER

Adjustment range	AGATE, OPAL, 27dB, 32dB	GRANITE kl. C	Rw = 42 dB
В	133 ÷ 153 mm	138 ÷ 158 mm	157 ÷ 177 mm
С	153 ÷ 173 mm	158 ÷ 178 mm	177 ÷ 197 mm
D	173 ÷ 193 mm	178 ÷ 198 mm	197 ÷ 217 mm
E	193 ÷ 213 mm	198 ÷ 218 mm	217 ÷ 237 mm
F	213 ÷ 233 mm	218 ÷ 238 mm	237 ÷ 257 mm
G	233 ÷ 253 mm	238 ÷ 258 mm	257 ÷ 277 mm
н	253 ÷ 273 mm	258 ÷ 278 mm	277 ÷ 297 mm
ı	273 ÷ 293 mm	278 ÷ 298 mm	297 ÷ 317 mm
J	293 ÷ 313 mm	298 ÷ 318 mm	317 ÷ 337 mm
K	313 ÷ 333 mm	318 ÷ 338 mm	337 ÷ 357 mm



Covers in natural veneer available through Porta CONTRACT

■ TECHNICAL INFORMATION

DOOR FRAME CONSTRUCTION

Complete PROJECT BIS and PROJECT BIS PREMIUM door frames consist of:

- corner profile steel door frame, made out of galvanized steel 1,2 thick (AGATE) or 1,5 mm thick (OPAL, QUARTZ, EXTREME RC2, RC3, GRANITE class C, Rw=27 dB, Rw=32 dB, Silence Rw=37 dB, Rw=42 dB, El 30, El 60), with a special profile for PROJECT covers
- specially milled elements, consisting of a head beam and two jambs and architraves made of wood-based materials
- PROJECT covers are produced and delivered as a set of elements to be assembled on site.

ACCESSORIES INCLUDED IN THE DOOR FRAME PRICE

- Standard accessories, depending on type of door frame and type of door leaf.

DOOR FRAME SIZE, SEE PAGE 207, TABLE 2

• '80', '90', '100'

Two options:

- To be installed on a finished floor level '0'
- To be installed under floor level '-30'

NOTES

- Technical Assessment ITB-KOT-2017/0245 issue 1.
- Certificate of conformity no. ITB-2617/W, ITB Warsaw
- Minimum wall thickness -, A' range
- A project door frame requires wall opening to be enlarged S $_{_{0}}$ +24 mm (± 10) and $H_0 + 12$ (±5) in comparison to STD sizes of steel door frames, see page 209, Table 3.

EXTRA CHARGES

• Door frame cover - CPL 0,2 mm finish - GROUP II

ACCESSORIES, DIMENSIONS & ADDITIONAL INFORMATION

At PORTA, we also offer a wide selection of door handles and accessories.

These have been designed by our experts to complement your Porta Door.





ACCENT



Handle



Lock escutcheon



Euro cylinder escutcheon



WC escutcheon



silver



matt silver



matt gold

MODERN



Handle



Lock escutcheon



Euro cylinder escutcheon



WC escutcheon



silver



matt silver



matt gold

NEXT



Handle



Lock escutcheon



Euro cylinder escutcheon



WC escutcheon



silver



matt silver



matt gold

OFFICE



Handle



Lock escutcheon



Euro cylinder escutcheon



WC escutcheon



silve



matt silver



gold



matt gold



anthracite





Handle



Lock escutcheon



Euro cylinder escutcheon



WC escutcheon



silver



matt silver



matt gold







Lock escutcheon

Euro cylinder escutcheon

WC escutcheon



brushed silver



antique gold

ELEGANT



Handle

WE RECOMMEND! A modern thin escutcheon is a class of its own.



Lock escutcheon



Euro cylinder escutcheon



WC escutcheon



silver



white

SIMPLE



Handle

WE RECOMMEND!

A modern thin escutcheon is a class of its own.



Lock escutcheon



Euro cylinder escutcheon



WC escutcheon



silver



white

UNICO





Handle



Lock escutcheon



Euro cylinder escutcheon



WC escutcheon



structured black



structured anthracite

ORGANIC



Handle



Lock escutcheon



Euro cylinder escutcheon



structured black




structured anthracite

WC escutcheon

HANDLES

Due to printing technology, the colour of presented products in the catalogue may slightly differ from the actual product.



chrome

WC escutcheon

Handle

Lock escutcheon

Euro cylinder escutcheon

Due to printing technology, the colour of presented products in the catalogue may slightly differ from the actual product.



NEW











black



chrome



brushed chrome



gold

Handle

Lock escutcheon

Euro cylinder escutcheon

WC escutcheon



NEW











black



brushed nickel mat



brushed chrome mat

Handle

Lock escutcheon

Euro cylinder escutcheon

WC escutcheon

■ BELLA SLIM

NEW



A modern thin escutcheon is a class of its own.











black



chrome



gold

Handle

Lock escutcheon

Euro cylinder escutcheon

WC escutcheon

■ MAXIMA

NEW











black



chrome



brushed chrome

Handle

Lock escutcheon

Euro cylinder escutcheon

WC escutcheon

PRISMA













black



chrome

Handle


Lock escutcheon

Euro cylinder escutcheon

WC escutcheon

HANDLES

Due to printing technology, the colour of presented products in the catalogue may slightly differ from the actual product.



















Lock escutcheon

Lock escutcheon



Euro cylinder escutcheon



WC escutcheon

WC escutcheon





Handle



Handle

WE RECOMMEND! A modern thin escutcheon is a class of its own.









WC escutcheon







Handle








WC escutcheon



■ DIVO FIT Q

Due to printing technology, the colour of presented products in the catalogue may slightly differ from the actual product.










Due to printing technology, the colour of presented products in the catalogue may slightly differ from the actual product.





Additional accessories

BLUESMART ELECTRONIC HANDLE

Communication is effected by means of identification cards, blueSmart keys or authorised key rings. Electronic handle is available for internal, acoustic and fire-rated doors - internal use. Escutcheons are available in two colours - white (RAL 9003) and black (RAL 9005).

Other options and detailed information - check DOWNLOADS tab at www.portadoors.com



NEW

Electronic handle blueSmart system

Two or one side cylinder electronic control

User's passive key

white (RAL 9003)

black (RAL 9005)

ENTRANCE DOOR HARDWARE



Wide-angle door viewer

silver, black



Two euro cylinders, class,B'

silver, golden



Stainless steel threshold, compatible

- with Porta door frames:standard (90 mm)
- · widened (120 mm)

ELECTRIC STRIKES



Electric strike for Porta SYSTEM door frame:

- · fail-secure
- · fail-safe



Electric strike for a Corner profile steel door frame-LARGE and for an Adjustable steel door frame:

- · fail-secure
- · fail-safe

ADDITIONAL HARDWARE



Hook lock, key or WC with side and front pulls. For sliding doors.

 Available in following colours: golden, matt gold, silver, matt silver



Round pull handle for sliding doors- for the price of

a door leaf. · colours: silver and gold



Oblong pull handles for

sliding doors.Available in following colours: golden, matt golden, silver, matt silver, black

DOOR CLOSER



DOOR CLOSER

· available finishes: silver and brown

■ STAINLESS STEEL PORTHOLE



- · Porthole is available only with door leaves with hollow chipboard core for following solid models: MINIMAX, Porta DECOR, Porta CPL, ENDURO, Porta NOVA, Porta CLASSIC, Porta RESIST
- Diameter: 250 mm for door leaf size: '60', '70' and 300 mm for other sizes
- Available glass panels: transparent or laminated satin glass panel class 2, 6 mm thick

Additional accessories

LOCKS



Magnetic lock with stainless steel face plate

• for rebated and non-rebated doors

Adjustable strike plate for non-rebated doors. We suggest choosing matt silver hinges.



PRIME lock with gold or silver face plate.

• models finished with synthetic veneer lock latch - matt galvanized

HINGES









3D hinges. Door part, frame part.

golden, silver, white, black



PRIME barrel hinges.
Door part, frame part.
golden, matt gold, silver, matt silver



Standard barrel hinges. Door part, frame part.

golden, silver



Hinges.

· Door part, frame part.

HINGES CAPS



Standard hinges caps for internal doors (a set for one hinge)

 golden, matt silver, gloss chrome, white



Villadora hinges caps (a set for one hinge) • golden gloss, old gold,

 golden gloss, old gold silver gloss

PREPARATION FOR SHORTENING



Preparation for shortening


• maximum 60 mm

Additional accessories

ARCHITRAVES



SKIRTING BOARDS



■ VENTILATION SLEEVES







Steel ventilation sleeves

· Available colours: golden, matt gold, silver, matt silver



Ventilation sleeves

• I row (various colours)



Ventilation sleeves


• Il rows (various colours)



Ventilation undercut




Ventilation slit



• This ventilation grille meets the building law regulations regarding bathroom ventilation.

Technical drawings

OPTIONS OF INSTALLATION - MINIMAX DOOR FRAMES




installation on a concrete wall with mounting foam and anchors



installation on a concrete wall with expanding foam



installation on a plasterboard wall with expanding foam



installation on a plasterboard wall with screws

■ OPTIONS OF INSTALLATION - CORNER PROFILE DOOR FRAMES



Corner profile door frame - SMALL PLUS



installation without anchoring



Corner profile door frame - LAR-GE, installation with dowel pins




Corner profile door frame - LARGE, installation on a plasterboard wall


OPTIONS OF INSTALLATION - ADJUSTABLE DOOR FRAME, ADJUSTABLE PS WITH, SHARP EDGES'

adiustment

range




≪——> wall thickness




wall thickness

adjustment range

EXAMPLES OF INSTALLATION - HIDE DOORS




reversed rebate (inward opening)




non-rebated (outward opening)

RETRO MODULE (WITH PORTA SYSTEM DOOR FRAME)


■ REBATED DOOR EDGE




Door dimensions




■ STEEL DOOR FRAME






NON-REBATED STEEL DOOR FRAME





PORTA HIDE




o = = =

PORTA SLIDING SYSTEM






■ METAL SLIDING SYSTEM



■ COMPACT SLIDING SYSTEM







POLISH NORM (PN)

DIMENSIONS KEY

- total door leaf width (including rebates)
- total door leaf height (including rebate)
- door leaf thickness D,
- width of a wall opening prepared for installation
- height of a wall opening prepared for installation, measured from finished floor level
- opening width (for Alfa and Beta this dimension is decreased by the door leaf O_s thickness)
- opening height (measured from finished floor level) $O_{\rm w}$
- door frame width without architraves

Refer to architrave 60/80 mm in dimension tables (S_z).

- H_R door frame height, without architraves
- S_z total door frame width with architraves
- total height of door frame, including architraves
- width of sliding door masking system
- thickness of a rail cover (sliding systems)
- \mathbf{B}_{G} thickness of a door stop (jamb) (sliding systems)
- acceptable width and height tolerance (wall opening)
- wall opening width for a metal cassette (pocket door system)
- wall opening height for a metal cassette (pocket door system), (measured from finished floor level)

■ INTERNAL DOORS WITH WOODEN DOOR FRAMES

TABLE 1

DOOR FRAME TYPE	SIZE	\mathbf{S}_{s}	$H_{\rm s}$	D_s	S_0	H _o	O _s	o_w	$S_{_{\rm B}}$	$H_{\scriptscriptstyle B}$	S _z (6)	S _z (8)	H_z	$T_{\rm s w}$
	60	644			710		602		690		800	-		
Minimax 60 mm,	70	744	1		810	1	702	1	790]	900	-	1	
Minimax 100 mm,	80	844	2030	40	910	2075	802	2016	890	2060	1000	-	2115	+20/+10
MDF in natural veneer	90	944	1		1010	1	902	1	990	1	1100	-	1	
	100	1044	1		1110	1	1002	1	1090	1	1200	-	1	
	60	644			680		602		646		746	786		ĺ
	70	744	1		780		702		746	1	846	886		+20/+10
D. H. CVCTEM	80	844	2030	40	880	2060	802	2016	846	2038	946	986	architrave	
Porta SYSTEM	90	944	2030	40	980	2000	902	2016	946	2038	1046	1086	(6) / (8) 2088 / 2108	+207+10
	100	1044	1		1080	1	1002	1	1046	1	1146	1186	20007 2100	
	110	1144	1		1180	1	1102	1	1146	1	1246	1286	1	
	60	618			690		602		646		-	786		
	70	718	1		790	1	702	1	746	1	-	886	2108/	
Porta SYSTEM ELEGANCE LEVEL	80	818	2017	40	890	2060 / 2070	802	2016	846	2038 / 2046	-	986	top panel (20) / (100)	+10/+10
LEVEL	90	918	1		990	1 20/0	902	1	946	1	-	1086	2228/3028	
	100	1018	1		1090		1002	1 1	1046	1	-	1186	1	
	60	618			690		602		646		-	786		
	70	718	1	40	790	1	702	1	746	2038	-	886	2108	+10/+10
Porta SYSYTEM ELEGANCE 90 degrees	80	818	2017		890	2060	802	2016	846		-	986		
	90	918	1		980		902		946		-	1086		
	100	1018	1		1090	1	1002	1	1046	1	-	1186	1	
	60	639		40	720	2080	626	2028	691		-	831	2130	±10/±5
	70	739	1		820		726		791	1	-	931		
Porta SYSTEM with reversed rebate*	80	839	2027		920		826		891	2061	-	1031		
with reversed repate"	90	939	1		1020		926		991	1	-	1131		
	100	1039	1		1120	1	1026	1	1091	1	-	1231	1	
	60	644			596		558		584		746	-		\vdash
	70	744	1		696	1	658	1	684	1	846	-	1	
	80	844	1		796	1	758	1	784	1	946	-	1	
RENOVA***	90	944	2030	40	896	2016	858	1994	884	2007	1046	-	2088	+15/-6
	100	1044	1		996	1	958	1	984	1	1146	-	1	
	110	1144	1		1096		1058	1	1084	1	1246	-	1	
	60	618			690		600		646		-	787		
Villadora MODERN	70	718	1		790	1	700	1	746	1	-	887	1	
standard option 2.0	80	818	2017	40	890	2060	800	2016	846	2039	-	987	2110/2230**	+10/+10
(architrave 80)	90	918	1		990	1	900	1	946	1	-	1087		
	100	1018	1		1090	1	1000	1	1046	1	-	1187	1	
	60	644			680		602		646		-	789		
	70	744	1		780	1	702	1	746	1	-	889	1	
Villadora RETRO	80	844	2030	40	880	2060	802	2016	846	2038	-	989		+20/+10
	90	944	1		980	1	902	1	946	1	-	1089		
	100	1044	1		1080	1	1002	1	1046	1	-	1189	1	

NOTE: S_z and H_z dimensions of door frame in natural veneers are given with tolerance -1 mm/ + 3 mm. *Dimension S_z and H_z measured on the wider side of the door leaf. They are the same as dimensions of doors with PSE *** S_y/H_0 width/height of clear opening of old steel frame. Ts/w - tolerance +15 mm depends on a construction of the old door frame

POLISH NORM (PN)

INTERNAL DOORS WITH STEEL DOOR FRAMES

TABLE 2

DOOR FRAME TYPE	SIZE	\mathbf{S}_{s}	H_s	D_s	S_0	H _o	O_s	O_{w}	$S_{_{\rm B}}$	H _B	S _z	H_z	T _{s/w}
	60	644			649		596		629		706		
	70	744			749		696		729		806		
Corner profile door frame - SMALL PLUS	80*	844	2030	40	849	2043	796	2016	829	2033	906	2071	±10/±5
5.1.1.1.2.1.2.03	90*	944]		949]	896]	929]	1006		
	100	1044			1049		996		1029		1106		
	60	644			675		596		656		706		
Communication to the LARGE	70	744	ļ		775	1	696	ļ	756	ļ	806		
Corner profile door frame - LARGE for concrete walls and stainless	80*	844	2030	40	875	2055	796	2016	856	2046	906	2071	±10/±5
steel LARGE folding	90*	944			975		896		956		1006		,
	100	1044			1075	-	996		1056		1106		
	110	1144			1175		1096		1156		1206		
	60 70	644 744	-		675 775	-	596 696	-	656 756		706		
	80*	844	{		875	-	796	{		{	806 906		
Corner profile door frame - LARGE, PVC finish	90*	944	2030	40	975	2055	896	2016	856 956	2046	1006	2071	±10/±5
2.41.027. ************************************	100	1044			1075	1	996	1	1056	-	1106		
	110	1144			1175	-	1096	1	1156		1206		
	60	644			685		596		680		706		
	70	744			785	1	696	1	780		806		
Corner profile door frame	80*	844			885	1	796	1	880		906		
- LARGE for plaster board walls	90*	944	2030	40	985	2055	896	2016	980	2046	1006	2071	+10/+5
	100	1044			1085		996	1	1080		1106		
	110	1144			1185		1096	1	1180	1	1206		
	60	644			690		596		670		716		
	70	744			790]	696]	770]	816		
Adjustable steel door frame	80*	844	2030	40	890	2063	796	2016	870	2053	916	2076	-10/-5
Adjustable steer door frame	90*	944	2030	40	990	2003	896	2010	970	2033	1016	2070	-107-3
-	100	1044			1090		996		1070		1116		
	110	1144			1190]	1096		1170		1216		
	60	644			700		596	ļ	679		736		
	70	744			800		696		779		836		
Adjustable PS with, sharp edges'	80*	844	2030	40	900	2070	796	2016	879	2058	936	2086	-10/-5
	90*	944 1044			1000	-	896 996		979		1036		
	100 60	644			1100 675		596		1079 646		1136 736		
	70	744			775	1	696	1	746		836		
Steel Porta SYSTEM	80*	844	2030	40	875	2055	796	2016	846	2041	936	2086	±10/±5
Steer Star Store	90*	944	2030		975	1 2000	896	2010	946	2011	1036	2000	210/23
	100	1044			1075	1	996	1	1046		1136		
	60	618			676		596		646		736		
l	70	718	1		776	1	696	1	746	1	836		
Steel Porta SYSTEM ELEGANCE**	80	818	2017	40	876	2056	796	2016	846	2041	936	2086	±10/±5
FOR STSTEM LEEGANCE	90	918			976		896		946		1036		
	100	1018			1076		996		1046		1136		
	60	618			676		596	ļ	656		736		
	70	718			776		696	ļ	756		836		
Corner profile non-rebated	80	818	2017	40	876	2056	796	2016	856	2046	936	2086	±10/±5
- LARGE for concrete walls**	90	918			976	-	896	-	956		1036		
	100 110	1018 1118			1076 1176		996 1096		1056 1156		1136 1236		
	60	618			681		596		656		736		
	70	718			781	1	696	1	756		836		
Corner profile non-rebated	80	818			881	1	796	1	856		936		
- LARGE for plasterboard walls**	90	918	2017	40	981	2056	896	2016	956	2046	1036	2086	+10/+5
'	100	1018			1081	1	996	1	1056	1	1136		
	110	1118	1		1181	1	1096	1	1156	1	1236		
	60	618		İ	690		596		670		736		
	70	718	1		790	1	696	1	770	1	836		
Adjustable, non-rebated	80	818	2017	40	890	2063	796	2016	870	2052	936	2006	10/5
steel door frame	90	918	2017	40	990	2063	896	2016	970	2053	1036	2086	-10/-5
	100	1018			1090]	996]	1070		1136		
	110	1118			1190		1096		1170		1236		

^{*}NOTE! Investment norm (clear opening width 800,900 mm) is available as a standard without an extra charge - add 8 mm to 50 dimension. Please, remember to order suitable size of door leaves which are dedicated for the set.
**If the back of the hinge does not fit in a wall opening, a little wall chasing has to be made.

POLISH NORM (PN)

■ TECHNICAL DOORS

TABLE 3

DOOR FRAME TYPE	SIZE	S _s	\mathbf{H}_{s}	D _s	S _o	H _o	O _s	O _w	S _B	$H_{\scriptscriptstyle B}$	S _z (6)	S _z (8)	H _z	$T_{\rm S/W}$
Rw=27 dB	60 70	644 744			680 780		602 702		646 746		746 846	786 886	architrave	
with Porta SYSTEM door frame	80	844	2030	40	880	2060	802	2016	846	2038	946	986	(6) / (8) 2088 / 2108	+20/+10
	90 100	944 1044			980 1080	-	902 1002		946 1046		1046 1146	1086 1186	2000/2100	
	60	644			680		602		650		746	786		
Rw=32 dB	70	744			780]	702		750		846	886	architrave	
with Porta SYSTEM door frame	80	844	2030	44	880	2060	802	2016	850	2040	946	986	(6) / (8) 2088 / 2108	+20/+10
	90 100	952 1044			988 1080	-	910 1002		958 1050		1054 1146	1094 1186	2000/2100	
	80	844			880		802		850		946	986		
Porta SILENCE Rw=37 dB adjustable rebated	90	968	2030	49 / 50	1004	2060	926	2016	974	2040	1070	1110	2088/2108	+20/+10
	100 80	1044 818			1080 880		1002 801		1050 849		1146	1186 985		
Porta SILENCE Rw=37 dB	90	968	2017	49 / 50	1030	2060	951	2016	999	2040		1135	-/2108	+20/+10
adjustable non-rebated	100	1018			1080		1001		1049		-	1185		
Porta SILENCE Rw=37 dB	80	844			950		802		922		1024	1064		
fixed rebated	90 100	968 1044	2030	49 / 50	1074 1150	2090	926 1002	2017	1046 1122	2077	1148 1224	1188 1264	2128/2148	±10/±5
Don't CHENCE Don 27 ID	80	818			950		801		921		-	1063		
Porta SILENCE Rw=37 dB fixed non-rebated	90	968	2017	49 / 50	1100	2090	951	2017	1071	2077	-	1213	-/2148	±10/±5
incu iioii rebuteu	100	1018			1150		1001		1121		- 000	1263		
Porta SILENCE Rw=37dB	90	844 968	2030	49 / 50	876 1000	2055	796 920	2013	856 980	2043	906	-	2068	±10/±5
rebated with a steel door frame	100	1044			1076		996		1056		1106	-		
Porta SILENCE Rw=37dB	80	818			875		795		855		905	-		
non-rebated with a steel door frame	90 100	968	2017	49/50	1026	2055	945 995	2013	1005	2043	1055	-	2068	+10/+5
Rw=42 dB	80	1018 868			1075 915		802		1055 872		1105 968	1008	architrave	
with reinforced Porta SYSTEM	90	968	2047	68 / 69	1015	2080	902	2020	972	2056	1068	1108	(6) / (8)	+20/+10
door frame	100	1068			1115		1002		1072		1168	1208	2104/2124	
Rw=42 dB	90	868 968	2047	68 / 69	975 1075	2105	802 902	2021	946 1046	2093	1048 1148	1088 1188	architrave (6) / (8)	±10/±5
with MDF door frame	100	1068	2047	00709	1175	2103	1002	2021	1146	2093	1248	1288	2144/2164	1107 13
Rw=42 dB	80	888			890		810		870		950	-		
with steel door frame*	90	988	2047	68/69	990	2055	910	2015	970	2045	1050	-	2085	±10/±5
	100 60	1088 644			1090 750		1010 602		1070 722		1150 824	864		
	70	744			850	1	702		822		924	964	architrave	
EI 30 with MDF door frame	80	844	2030	44 / 45	950	2090	802	2014	922	2077	1024	1064	(6) / (8)	±10/±5
	90	952			1060	-	910		1030		1132	1172	2128 / 2148	
	100 60	1044 644			1150 675		1002 596		1122 656		1224 706	1264		
El 30,	70	744		44 / 45	775	j	696		756		806	-]	
Rw=27 dB, Rw=32 dB	80	844	2030	40 / 41	875	2055	796	2013	856	2043	906	-	2068	±10/±5
with a steel door frame*	90 100	952 1044		44 / 45	985 1075	-	904 996		964 1056		1014 1106	-		
_	60	644			685		596		680		706	-		
Rw = 27 dB, Rw = 32 dB	70	744		40 / 41	785]	696		780		806	-]	
with a steel door frame for plaster-	80	844	2030	44 / 45	885	2058	796	2013	880	2058	906		2068	+10/+5
board walls	90 100	952 1044			993 1085	1	904 996	-	988 1080		1014 1106	-	-	
	60	668			775		626		747		858	-		
El 60	70	768	2030	60 / 61	875	2090	726	2017	847	2077	958	-	2133	±10/±5
with a wooden door frame	90 90	868 968			975 1075	1	826 926		947 1047		1058 1158	-		
	60	668			700		618		678		732	-		
El 60	70	768	2030	60/61	800	2055	718	2011	778	2041	832	-	2068	±10/±5
with a steel door frame*	80	868	2030	007 01	900	- 2033	818 918	2011	978	2011	932	-	. 2000	2107 23
	90 60	968 700			1000 695		640		673		1032 760	-		
	70	800			795]	740		773		860	-]	
Steel EI 30	80	900	2052	53	895	2065	840	2037**	873	2053	960	-	2097	±10/±5
	90 100	1000			995 1075	1	940 1020		973 1053		1060 1140	-	-	
	80	916			930		840		911		977	-		
Steel El 60	90	1016	2054	67	1030	2075	940	2029**	1011	2064	1077	-	2097	±10/±5
	100 60	1116 644			1130 675		1040 596		1111 656		1177 706	-		
	70	744			775	1	696		756		806	-	1	
ENDURO	80	844	2030	40	875	2055	796	2016	856	2046	906	-	2071	±10/±5
	90	952			985	1	904		964		1014	-		
	100 60	1044 618			1075 750		996 638		1056 728		1106 728	-		
ENDURO	70	718	2017	40	850	2005	738	2020	828	2075	828	-	2075	.10 / .5
with a swinging door frame	80	818	2017	40	950	2085	838	2030	928	2075	928	-	2075	±10/±5
	90 60	918 618			1050 675	-	938 596		1028 656		1028 706	-		
	70	718			775	†	696		756		806	-		
AQUA	80	818	2017	40	875	2055	796	2016	856	2046	906	-	2071	±10/±5
	90	926			983	-	904		964		1014	-		
	100 70	1018 715			1075 760	-	996 700		1056 739		1106 796	-		
Multipurpose doors for utility	80	815	2017	40***	860	2050	800	2018	839	2038	896	-	2066	±10/±5
rooms	90	915			960	1	900		939		996	-	1	
					857		804	i	837		914	-	1 2071 D	
Steel BASIC and Steel BASIC PLUS	80	852	20	4.5		2043 - Basic				20			2071 - Basic	
	80 90 100	952 952 1052	2030	40	957 1057	2043 - Basic 2047 - Basic PLUS	904	2016	937	2033	1014 1114	-	2071 - Basic 2075 - Basic PLUS	±10/±5

Project (BIS and Premium) requires enlarging the wall opening S₀ by 30 mm and H₀ by 15 mm (dimension tolerance +-10 mm/ +-5 mm)
 Other Project door frame sizes, see drawing on page 190.
 ** Steel threshold decreases given dimension by 16 mm.

^{***} Door leaf thickness is measured on vertical edges (door leaf without infill, opened from closing side).

POLISH NORM (PN)

■ TECHNICAL DOORS TABLE 4

DOOR FRAME TYPE	SIZE	\mathbf{S}_{s}	H_s	D_s	S_0	H _o	O_s	$\mathbf{O}_{\mathbf{w}}$	\mathbf{S}_{B}	H _B	S _z (6)	S _z (8)	H _z (8)	$T_{\rm s w}$
	60	644			680		602		650		746	786		
INDIANO 27 JD	70	744			780		702		750		846	886	architrave	
INNOVO 37 dB with Porta SYSTEM door frame	80	844	2030	44	880	2060	802	2016	850	2040	946	986	(6) / (8)	+20/+10
with Forta 3131EW door frame	90	968			1005		926		974		1070	1090	2088 / 2108	
	100	1044			1080		1002		1050		1146	1186		
	60	644			675		596		656		706	-		
	70	744			775		696		756		806	-		
INNOVO 37 dB with steel door frame	80	844	2030	44	875	2055	796	2013	856	2043	906	-	2068	+10/ +5
with steel door frame	90	968			1000		920		980		1030	-		
	100	1044			1075		996		1056		1106	-		
INNOVO 42 dB with MDF door frame	80	888			990		822		966		1068	1008	architrave	
	90	988	2047	62	1090	2105	922	2021	1066	2093	1168	1108	(6) / (8)	±10/±5
With Mid Good Harife	100	1088			1190		1022		1166		1268	1208	2144 / 2164	
INDOVO 42 dB	80	888			925		822		894		990	1030	architrave	
INNOVO 42 dB with Porta SYSTEM door frame	90	988	2047	62	1025	2075	922	2020	994	2056	1090	1130	(6) / (8)	+20/+10
With Grad STSTEM GOOT Haine	100	1088			1125		1022		1094		1190	1230	2104/2124	
nui e de de	80	888			890		810		870		950	-		
INNOVO 42 dB with steel dppr frame	90	988	2047	62	990	2055	910	2015	970	2045	1050	-	2085	±10/±5
with steer apprilation	100	1088			1090		1010		1070		1150	-		
DUDE	80	868			915		802		872		968	1008	architrave	
PURE with Porta SYSTEM door frame	90	968	2047	68	1015	2080	902	2020	972	2056	1068	1108	(6) / (8)	+20/+10
with Porta SYSTEM door frame	100	1068			1115		1002		1072		1168	1208	2104 / 2124	
PURE	80	868			975		802		946		1048	1088	architrave	
with MDF door frame	90	968	2047	68	1075	2105	902	2021	1046	2093	1148	1188	(6) / (8)	±10/±5
	100	1068			1175		1002		1146		1248	1288	2144/2164	

APARTMENT ENTRANCE DOORS

TABLE 5

DOOR FRAME TYPE	SIZE	\mathbf{S}_{s}	\mathbf{H}_{s}	D_s	S_0	H _o	O_s	$\mathbf{O}_{\mathbf{w}}$	$S_{_{\rm B}}$	$H_{\scriptscriptstyle B}$	S _z (6)	S _z (8)	H_z	$T_{_{\rm S/W}}$
AGATE, OPAL,	80	844		40 / 41	876		796		856		906	-		
QUARTZ, GRANITE kl. C	90	952	2030*	44 / 45	986	2056	904	2016**	964	2046	1014	-	2071	±10/±5
with a steel door frame**	100	1044		48 / 49	1076		996		1056		1106	-		
EXTREME RC2,	80	844			876		796		856		906	-		
EXTREME RC 3	90	968	2032	50	1000	2056	920	2016	980	2046	1030	-	2071	+10/+5
with a steel door frame**	100	1044			1076		996		1056		1106	-		
EXTREME RC 3	80	844			880		802		850		-	986		
with PS frame	90	968	2032	50	1005	2060	926	2018	974	2042	-	1110	2110	+20/+10
with ranne	100	1044			1080		1002		1050		-	1186		
	80	868			900		820		880		930	-		
Steel SAFE	90	968	2037	54	1000	2065	920	2023***	980	2053	1030	-	2078	±10/±5
	100	1068			1100]	1020]	1080		1130	-		

EXTERNAL DOORS TABLE 6

	SIZE	\mathbf{S}_{s}	H_s	D_s	S ₀	H _o	O _s	O _w	S _B	H _B	Sz	H_z	T _{s/w}
	80	868			900		820		880		930		
Steel SAFE	90	968	2037	54	1000	2065	920	2023*	980	2053	1030	2078	
	100	1068			1100		1020		1080		1130]	
	80	868			900		822		882		932		
Steel SAFE with Thermo door frame	90	968	2037	54	1000	2065	922	2023*	982	2053	1032	2078	±10/±5
	100	1068]		1100		1022		1082		1132		
	80	868			900		822		882		932		
Steel ENERGY PROTECT	90	968	2037	66	1000	2065	922	2023*	982	2053	1032	2078	
	100	1068			1100		1022		1082		1132		
Eco POLAR PASSIVE / Eco POLAR	90	952			1090				1060				
Eco POLAR PASSIVE / Eco POLAR + a transom	90+30	1052			1390				1360				
Eco POLAR PASSIVE / Eco POLAR + two transoms	30+90+30	967			1690				1660				
Eco POLAR PASSIVE / Eco POLAR + naświetle	90+40	967	2067	79/68	1490	2135	920	2010	1460	2116	-	-	±10/±5
Eco POLAR PASSIVE / Eco POLAR + two transoms	40+90+40	967			1890				1860				
Eco POLAR PASSIVE / Eco POLAR + a transom	90+50	967			1590				1560				
Eco POLAR PASSIVE / Eco POLAR + two transoms	50+90+50	967			2090				2060				
Eco POLAR PASSIVE / Eco POLAR	100	1067			1190				1160				
Eco POLAR PASSIVE / Eco POLAR + a transom	100+30	1067			1490				1460				
Eco POLAR PASSIVE / Eco POLAR + two transoms	30+100+30	1067			1790				1760				
Eco POLAR PASSIVE / Eco POLAR + a transom	100+40	1067	2067	79/68	1590	2135	1020	2010	1560	2116	-	-	±10/±5
Eco POLAR PASSIVE / Eco POLAR + two transoms	40+100+40	1067]		1990				1960				
Eco POLAR PASSIVE / Eco POLAR + a transom	100+50	1067]		1690				1660				
Eco POLAR PASSIVE / Eco POLAR + two transoms	50+100+50	1067]		2190				2160				

^{*} Steel threshold decreases given dimension by 16 mm.

^{**} for Granite class C Hs=2032

** Project (BIS and Premium) requires enlarging the wall opening So by 30 mm and Ho by 15 mm (dimension tolerance +-10 mm/ +-5 mm)

Other Project door frame sizes, see drawing on page 190.

*** Steel threshold decreases given dimension by 16 mm.

POLISH NORM (PN)

■ SLIDING SYSTEMS, FOLDING DOORS

TABLE 7

		- 5	5	- 5	- 0	0	- 5	W	В	В	- Z	Z	5	G	G	SĮW
	60	644			670		600		660		680		1310			
	70	744]		770] [700		760	1	780		1510			
,METAL' sliding system for concrete walls	80	844	2030	40	870	2055	800	2018	860	2048	880	2114	1710	82	58	+10/+5
concrete wans	90	944			970] [900		960		980		1910			
	100	1044			1070		1000		1060		1080		2110			
	60	644			685		600		660		680		1310			
	70	744			785] [700		760		780		1510			
,METAL' sliding system for plasterboard walls	80	844	2030	40	885	2055	800	2018	860	2048	880	2114	1710	82	58	+10/+5
piusterbourd wans	90	944			985] [900		960		980		1910			
	100	1044			1085		1000		1060		1080		2110			
	SIZE	\mathbf{S}_{s}		H _s	\mathbf{D}_{s}	S_{o}	H _o	(O _s	O_w	H_z	M _s (6)/(8	3) M	i	\mathbf{B}_{G}	$T_{\rm s w}$
	60	644	1			680		6	02			1413				
	70	744	ļ			780		7	02			1613				

	SIZE	3 _s	п _s	D _s	5 ₀	H ₀	O _s	o _w	n _z	W _S (0)/(8)	IVI _G	B _G	s w
	60	644			680		602			1413			
	70	744			780		702			1613			
Porta sliding system	80	844	2030	40	880	2060	802	2016	2119	1813	103	60	+20/+10
	90	944			980		902			2013			
	100	1044			1080		1002			2213			
Porta sliding system	80 90	844 944	2030	40	880 980	2060	802 902	2016	2119	1813 2013	103	60	+20/

	SIZE	\mathbf{S}_{s}	\mathbf{H}_{s}	D_s	S ₀ (6)/(8)	H _o	O _s (6)	O _s (8)	$O_{\rm w}$	H_z	M _s (6)/(8)	${\bf M}_{\bf G}$	$\mathbf{T}_{\mathrm{s w}}$
	60	744			680/640		602	560			1448		
	70	844			780/740		702	660			1648		
	80	944			880/840		802	760			1848		
ALU sliding system	90	1044	2030	40	980/940	2060	902	860	2016	2114	2048	68	+20/+10
	130	2 x 744			1420/1380		1345	1304			2852		
	150	2 x 844			1620/1580		1545	1504			3252		
	170	2 x 944			1820/1780		1745	1704			3652		

	SIZE	\mathbf{S}_{s}	\mathbf{H}_{s}	D_s	S ₀ (6)/(8)	H _o	\mathbf{O}_{s}	\mathbf{O}_{w}	\mathbf{S}_{B}	$H_{\rm B}$	S _z (6)	S _z (8)	H _z (6)/(8)	$T_{\rm sjw}$
	60	644			680		460		646		746	786		
	70	744			780		560		746]	846	886		
ALFA system	80	844	2000	40	880	2060	660	2016	846	2043	946	986	2088/2108	+20/+10
	90	944			980		760		946		1046	1086		
	100	1044]		1080		860		1046]	1146	1186		
	60	588			680		450		646		746	786		
A1 FA	70	688	1990	40	780	2070	550	2016	746	2050	846	886	2088/2108	+20/+10
ALFA system	80	788	1990	40	880	2070	650	2016	846	2050	946	986	2000/2100	+207+10
	90	888			980		750		946		1046	1086		

	SIZE	S _s	H _s	D_s	S _o *	H°.	O _s	O _w	S_B	H _B	S _z (6)	S _z (8)	H _z (6)/(8)	S_c	H _c	$T_{s w}$
	60	644			660		600		654		744	784		1355		
	70	744			760		700		754		844	884] [1555		
COMPACT pocket door system - single	80	844	2030	40	860	2065	800	2018	854	2040	944	984	2090 /2110	1755	2130	+5/+10
System single	90	944			960		900		954		1044	1084] /2///	1955		
	100	1044			1060		1000		1054		1144	1184		2155		
	2 x 60	644			1265		1214		1258		1358	1398		2610		
	2 x 70	744			1465		1414		1458		1558	1598] [3010		
COMPACT pocket door system - double	2 x 80	844	2030	40	1665	2065	1614	2018	1658	2040	1758	1798	2090 /2110	3410	2130	+5/+10
system double	2 x 90	944			1865		1814		1858		1958	1998] /2//0	3810		
	2 x 100	1044			2065		2014		2058		2158	2198		4210		

^{*} For COMPACT pocket door system, H_0 and S_0 sizes refer to opening dimension of steel cassette to be installed with wood-based door frame.

	SIZE	\mathbf{S}_{s}	H_s	D_s	So	H_{o}	M_s	$T_{s/w}$
	70	744			680			
BLACK sliding system*	80	844	2090	40	780	2060	2000	±10/±5
BLACK sliding system	90	944	2090	40	880	2000	2000	±10/±3
	100	1044			980			
SLIDE sliding system	70	744			680			
	80	844	2200	40	780	2060	2010	±10/±5
SLIDE SIIGING SYSTEM	90	944	2200	40	880	2000	2010	±10/±3
	100	1044			980			
	90	944			680		1665	
EFEKT sliding system	100	1044	2230	40	780	2060	1865	-10/±50
	110	1144			880		2065	

^{*} In case of installing different door leaf than Porta BLACK, wall opening should be decreased by 60 mm

PORTA HIDE DOORS

TABLE 8

DOOR FRAME TYPE	SIZE	\mathbf{S}_{s}	${\bf H_s}$	\mathbf{S}_{o}	$H_{\rm o}$	\mathbf{O}_{s}	\mathbf{O}_{w}	S_{B}	$H_{\scriptscriptstyle B}$
	70	718		800		703		787	
Porta HIDE non-rebated (opening outward)	80	818	2017	900	2070	803	2017	887	2059
(opening outward)	90	918		1000		903]	987]
	70	718		800		703		787	
Porta HIDE with reversed rebate (inward opening)	80	818	2027	900	2080	803	2027	887	2069
resuce (inward opening)	90	918		1000		903]	987	

Door dimensions tables - height '220'

POLISH NORM (PN)

■ INTERNAL DOORS WITH WOODEN DOOR FRAMES

TABLE 9

DOOR FRAME TYPE	SIZE	\mathbf{S}_{s}	$H_{\rm s}$	D_s	S_0	H _o	O_s	\mathbf{o}_{w}	\mathbf{S}_{B}	\mathbf{H}_{B}	S _z (6)	S _z (8)	H_z	$T_{\rm s w}$
	60	644			680		602		646		746	786		
	70	744			780		702		746]	846	886		
Porta SYSTEM	80	844	2230	40	880	2260	802	2216	846	2238	946	986	architrave	+20/+10
PORTASTSTEW	90	944	2230	40	980	2200	902	2210	946	2236	1046	1086	(6) / (8) 2288 / 2308	+207+10
	100	1044			1080		1002		1046		1146	1186]	
	110	1144			1180		1102		1146		1246	1286		
	60	618			690		602		646		-	786		
	70	718			790		702		746		-	886		
Porta SYSTEM ELEGANCE	80	818	2217	40	890	2260	802	2216	846	2238	-	986	2308	+10/+10
	90	918			990		902		946		-	1086		
	100	1018			1090		1002		1046		-	1186		
	60	618			690		602		646		-	786		
D. A. CYCTEM FLECANCE	70	718			790		702		746		-	886		
Porta SYSTEM ELEGANCE 90 degrees	80	818	2217	40	890	2260	802	2216	846	2238	-	986	2308	+10/+10
Jo degrees	90	918			990		902		946]	-	1086		
	100	1018			1090		1002		1046		-	1186		
	60	639			720		626		691		-	831		
D. A. CYCTEM	70	739			820		726		791		-	931		
Porta SYSTEM with reversed rebate	80	839	2227	40	920	2280	826	2228	891	2261	-	1031	2330	±10/±5
Will Teverseu Tebate	90	939			1020		926		991		-	1131		
	100	1039			1120		1026		1091		-	1231		
	60	618			690		600		646		-	827		
	70	718			790		700		746]	-	927		
filladora MODERN architrave 100)	80	818	2217	40	890	2260	800	2216	846	2239 / 2247**	-	1027	2330 / 2430**	+10/+10
(dicinatave 100)	90	918			990		900		946		-	1127		
	100	1018			1090		1000		1046		-	1227		

NOTE: SZ and HZ dimensions of dooor frame in natural veneers ae given with tolerance -1 mm/ + 3 mm.

INTERNAL DOORS WITH STEEL DOOR FRAMES

TABLE 10

DOOR FRAME TYPE	SIZE	\mathbf{S}_{s}	H_s	D_s	S _o	H _o	\mathbf{O}_{s}	O_w	S_B	H _B	S _z	H _z	$T_{s w}$
	60	644			675		596		646		736		
	70	744			775		696		746		836		
steel Porta SYSTEM	80	844	2230	40	875	2255	796	2216	846	2241	936	2286	±10/±5
	90	944			975		896		946		1036		
	100	1044			1075		996		1046		1136		
	60	618			675		596		646		736		
	70	718			775		696		746		836		
steel Porta SYSTEM ELEGANCE*	80	818	2217	40	875	2255	796	2216	846	2241	936	2286	±10/±5
	90	918			975		896		946		1036		
	100	1018			1075		996		1046		1136		

^{*}If the back of the hinge does not fit in a wall opening, a little wall chasing has to be made.

HEIGHT, 220' IS AVAILABLE IN CHOSEN COLLECTIONS:

- · Porta VECTOR
- · Porta DESIRE
- Nature CLASSIC
- Nature LINE
- Nature VECTOR
- Villadora MODERN

- Dimensions tolerance according to PN: to 1 m +=1mm, above 1 m +-2mm.
- Side door panels for rebated door sets are available in natural veneer in size '40', 'S_s=444, H_s=2030.

 Door frames are designed to be installed on finished floor level. For steel door frames there is a possibility to order them in lengthen option + 30 mm (to be mounted under floor level). In this case sizes H_B and Hz are enlarged by 30 mm (level -30).

- Given dimension refers to internal door leaves, both rebated and sliding
 Porta SYSTEM integrated with an upper transom. Dimensions H_o, H_p, H₂ +302 mm.
 Project (BIS and Premium) requires enlarging the wall opening \$0 by 30 mm and \$10 by 15 mm (dimension tolerance +-10 mm/ +-5 mm)

Dimension Sz and Hz measured on the wider side of the door leaf. They are the same as dimensions of doors with PSE'

^{**}Door frame option with a ,PLUS' panel

CZECH NORM/GERMAN NORM (CN/DIN)

■ INTERNAL DOORS	TABLE 11
------------------	----------

CN/DIN	SIZE	S _s	H_s	D_s	S _o	H _o	O_s	O _w	S _B	H _B	S _z (6)	S _z (8)	H _z (6) / (8)	ADLE I
	60	648/610			715/680		606/569		694/657		804/767	-		<u> </u>
Minimax 60 mm	70	748/735]		815/805]	706/694]	794/782		904/892	-]	
Minimax 100 mm	80	848/860	1985	40	915/930	2030	806/819	1971	894/907	2015	1004/1017	-	2070	+20/+10
MDF in natural veneer	90	948/985			1015/1055		906/944		994/1032		1104/1142	-		
	100	1048/-			1115/-		1006/-		1094/-		1204/-	-		
	60	648/610			685/650		606/569		650/613		750/713	790/753	architrave	
Porta SYSTEM	70 80	748/735 848/860	1985/2117	40	785/775 885/900	2015/2150	706/694 806/819	1971/2103	750/738 850/863	1993/2125	850/838 950/963	890/878 990/1003	(6) / (8)	+20/+1
door frame	90	948/985	1965/211/	40	985/1025	2015/ 2150	906/944	19/1/2103	950/988	1993/ 2123	1050/1088	1090/1128	2043/2063	+207+1
	100	1048/-	1		1085 / -	ł	1006/-	1	1050/ -		1150/-	1190/-	2175/2195	
	60	622/584			685/650		606/568		650/612		-	790/752		
Porta SYSTEM	70	722/709	1		785/775	1	706/693	1	750/737		-	890/877	1	
ELEGANCE / LEVEL	80	822/834	1972/2104	40	885/900	2015/2150	806/818	1971/2103	850/862	1993/2125	-	990/1002	2063/2195	+20/+1
door frames	90	922/959	1		985/1025	1	906/943	1	950/987		-	1090/1127	1	
	110*	1122/-			1185/-		1106 –		1150/-		-	1290/ -]	
	60	622/584			685/650		606/568		650/612		-	790/752		
Porta SYSTEM ELEGANCE 90°	70	722/709			785/775		706/693		750/737		-	890/877	1	
door frames	80	822/834	1972/2104	40	885/900	2015/2150	806/818	1971/2103	850/862	1993/2125	-	990/1002	-/2065/2197	+10/+10
	90	922/959			985/1025	ļ	906/943		950/987		-	1090/1127		
	100	1122/-			1185/-		1106/-		1150/-		-	1290/-		
	60 70	643 743	-		725 825	-	630 730	-	695 795			835 935	1	
se zárubní Porta SYSTEM with a reversed	80	843	1982/2104	40	925	2035/2170	830	1983/2115	895	2015/2147		1035	-/2085/ 2217	±10/±5
rebate*	90	943	1902/ 2104	40	1025	2033/21/0	930	1903/2113	995	2013/214/		1135	72003/221/	±10/±3
	100	1043			1125	1	1030	1	1095		<u> </u>	1235	1	
	60	648/-			600/561		562/ -		588/-		750/-	- 1233		
	70	748/-	1		700/686	1	662/ -		688/-		850/-	-	1	l
RENOVA** door frame	80	848/-	1985	40	800/811	1971	762/ –	1949	788/ –	1962	950/-	-	2043	+15*
	90	948/-]		900/936]	862/-]	888/-		1050/-	-]	-6
	100	1048/-			1000/-		962/-		988/-		1150/-	-		
	60	648/610			655/615		600/561		633/594		710/671	-		
Corner profile door frame	70	748/735			755/740		700/686		733/719		810/796	-		
- SMALL PLUS	80	848/860	1985	40	855/865	1995	800/811	1968	833/844	1985	910/921	-	2023	±10/±5
	90	948/985			955/990	-	900/936		933/969		1010/1046	-	1	
	100	1048/ -			1055/-		1000/-		1033/-		1110/ – 710/671	-	-	-
Corner profile door frame -	70	648/610 748/735	-		680/640 780/765		700/686	-	660/621 760/746		810/796	-	-	
LARGE	80	848/860	1985	40	880/890	2010	800/811	1968	860/871	1998	910/921	-	2023	±10/±5
for concrete walls and stainless	90	948/985	1905	40	980/1015	2010	900/936	1900	960/996	1990	1010/1046	_	2023	110713
steel LARGE folding	100	1048/-	1		1080/ -	ł	1000/-	1	1060/-		1110/-	_	1	
	60	648/610			680/640		600/561		660/621		710/671	-		
	70	748/735	1		780/765	1	700/686	1	760/746		810/796	-	1	
Corner profile door frame	80	848/860	1985	40	880/890	2010	800/811	1968	860/871	1998	910/921	-	2023	±10/±9
- LARGE, PVC finish	90	948/985	1		980/1015	1	900/936	1	960/996		1010/1046	-	1	
	100	1048/-			1080/ -		1000/-		1060/-		1110/-	-]	
	60	648/610]		685/645		600/561		684/645		710/671	-	1	
Corner profile door frame	70	748/735			785/770	ļ	700/686	ļ	784/770		810/796	-		
- LARGE, for plasterboard walls	80	848/860	1985	40	885/895	2010	800/811	1968	884/895	1998	910/921	-	2023	+10/+5
-	90	948/985			985/1020	ļ	900/936		984/1020		1010/1046	-	4	
	100	1048/-			1085/ -		1000/-		1084/-		1110/-	-	-	
	70	648/610 748/735	-		705/665		600/561 700/686	-	684/645 784/770		720/681 820/806	-	1	
ADJUSTABLE	80	848/860	1985	40	805/790 905/915	2015	800/811	1968	884/895	2010	920/931	-	2028	-10/-5
door frame	90	948/985	1905	40	1005/1040	2013	900/936	1900	984/1020	2010	1020/1056	-	2020	-107-3
	100	1048/ -	1		1105/-	1	1000/-		1084/-		1120/-	-	1	
	60	622/584			695/655		600/561		675/635		740/701	-		
ADJUSTABLE PS	70	722/709	1		795/780	1	700/686		775/760		840/826	-	1	
'with sharp edges'	80	822/834	1972	40	895/905	2017	800/811	1970/1968	875/885	1995/1993	940/951	-	2040/2038	-10/-5
door frame	90	922/959			995/1030		900/936		975/1010		1040/1076	-]	
	100	1022/-			1095/-		1000/-		1075/-		1140/-	-		
	60	622/584	. 7		680/640	_	600/561	_	650/611		740/701	-	_	I
Porta SYSTEM ELEGANCE**	70	722/709			780/765		700/686		750/736	405	840/826	-		
door frame	80	822/834	1972	40	880/890	2010	800/811	1970/1968	850/861	1995/1993	940/951	-	2040/2038	±10/±5
	90 100	922/959	1		980/1015 1080/ -	1	900/936	-	950/986 1050/ -		1040/1076	-	1	
	60	622/584			680/640		600/561		660/620		740/701		 	
	70	722/709	1		780/765	1	700/686		760/745		840/826	_	†	
Corner profile non-rebated	80	822/834	1		880/890	1	800/811		860/870		940/951	-	1	
- LARGE for concrete walls**	90	922/959	1972	40	980/1015	2010	900/936	1970/1968	960/995	2000	1040/1076	-	2040/2038	±10/±5
	100	1022/1084]		1080/-]	1000/-]	1060/-		1140/-	-]	
	110	1122/-			1180/-		1100/-		1160/-		1240/-	-		
	60	622/584			685/645		600/561		660/620		740/701	-		
	70	722/709			785/770		700/686		760/745		840/826	-	1	
Corner profile non-rebated	80	822/834	1972	40	885/895	2010	800/811	1970/1968	860/870	2000	940/951	-	2040/2038	+10/+5
LARGE for plasterboard walls**	90	922/959			985/1020		900/936	1, , , , , , , , , ,	960/995		1040/1076	-	1	
	100	1022/1084			1085/-	1	1000/-		1060/-		1140/-	-	4	
	110	1122/-			1185/ -		1100/-		1160/-		1240/ -	-	 	<u> </u>
	60 70	648/610 748/735	1		705/665 805/790	1	600/561 700/686	1	683/644 783/769		740/701 840/826	-	1	
Adjustable PS with, sharp edges'	80	848/860	1985	40	905/915	2023	800/811	1968	883/894	2010	940/951	-	2038	-10/-5
rajasable r s with sharp eages	90	948/985	1200	-10	1005/1040	2023	900/936	1 200	983/1019	2010	1040/1076	_	2030	-10/-5
	100	1048/-	1		1105/1040	1	1000/-	1	1083/-		1140/-	-	1	
	60	648/610			680/640		600/561		650/611		740/701	-		
	70	748/735	1		780/765	1	700/686	1	750/736		840/826	-	1	
e. In . evere	80	848/860	1		880/890	1	800/811	1	850/861	4005	940/951	-	1	
Steel Porta SYSTEM	90	948/985	1985	40	980/1015	2010	900/936	1970/1968	950/986	1995/1993	1040/1076	-	2040/2038	±10/±5
	100	1048/1110	1		1080/1140	1	1000/1061	1	1050/1111		1140/1201	-	1	l
	110	1148/-	1	<u></u>	1180/-		1100/-	<u></u>	1150/-		1240/-	-	<u></u>	L
	60	648/610			670/635		600/561		660/621		720/681	-		
	70	748/735]		770/760]	700/686]	760/746		820/806	-]	
Adjustable, non-rebated	80	848/860	"1985/	40	870/885	"2005/	800/811	"1970/	860/871	"2000/	920/931	-	"2030/	±10/±5
steel door frame	90	948/985	2115***"	40	970/1010	2135***"	900/936	2100***"	960/996	2130"	1020/1056	-	2160***"	±10/±5
	100	1048/1110	1		1070/1135	l	1000/1061	1	1060/1121		1120/1181	-		I
	100	1040/1110												



^{*} only Porta SYSTEM ELEGANCE

** S_o/H_o width/height of clear opening of old steel frame. Ts/w - tolerance +15 mm depends on a construction of the old door frame

*** - dimensions for CN-W

CZECH NORM/GERMAN NORM (CN/DIN)

CN	IAL DO	ORS	c	н,	n	c	Н	0	0	c	H _R	S ₇ (6)	S _z (8)		ABLE 1
CN		80	S _s	n _s	D _s	S ₀		O _s	O _w	S _B	п _в	910	3 _z (8)	H _z	T _{s/w}
Steel SAFE		90	948	1985	53	980	2010	900	1969**	960 1060	1999	1010 1110	-	2024	±10/±5
FOLDIN	IG DOO		1048			1080		1000		1000		11110			ABLE 1
CN/DI		SIZE	. S _s	H _s	D_s	S _o	н	O _s	O _w	$S_{_{\rm B}}$	Нв	S _z (6)	S _z (8)	H ₇ (6), (8)	T _{s/w}
		60	648/6			685/650		465/425		650/613		750/713		J	T
System ALFA	70 748/735 80 848/860			2 40	785/775 885/900		565/550 665/675		750/738 850/863		850/838 950/963		architrave (6) / (8)	+20/+1	
System ALIA		90	948/98	85	-	985/102	985/1025 765/800 950/988 1050/		1050/108	8 1090/1128		12071			
		100	1048/ 592/5			1085/ - 685/650		865/ – 455/415		1050/ - 650/613	3	1150/ – 750/713	1190/ – 790/753		-
System BETA		70 80	692/68 792/80	80 1945	5 40	785/775 885/900	2015	555/540 655/665	1971	750/738 850/863	2004	850/838 950/963	890/878	architrave (6) / (8)	+20/+
		90	892/9			985/102		755/790		950/988		1050/108		2043/2063	
SLIDING	G SYSTI	EMS												T	ABLE
CN/DIN		SIZE	\mathbf{S}_{s}	H _s	D _s	S _o	H _o	•	O _s	O _w	H _z	M _s (6), (8)	$M_{_{\rm G}}$	B _G	$T_{s/w}$
		60 70	644 744	-		684 784			06 06			1413 1613			
Porta sliding syster	m	80	844	1985	40	884	201	5 8	06	1971	2074	1813	103	60	+20/+1
		90 100	944 1044	\dashv		984			06			2013 2213			
CN		SIZE	S _s	H _s	D _s S	, н,	O _s	O _w	S _B	H _B	S _z (6)	S _z (8) H _z ((6),(8) S _c	H _c	T _{s/w}
		60	644		66		600		654		744	784	1355		
COMPACT pocket d	door	70 80	744 844	1985		760 860 2020 960 1060	700	1973	754 854	1995	944 944		045 / 1755		+10/+5
system - single		90	644	1505	96		900		954		1044	1084	1955	55	1.07
		100 2x60	1044 644		10		1000 1249		1054 1293		1144 1393	1184 1433	2155 +10/+		
COMPACT pocket door		2x70	744	1005	150		1449	1973	1493	1995	1593	1633 "20	3045 045 / 3445		+10/-
system - double		2x80 2x90	844 644	1985	40 17		1649 1849	19/3	1693 1893	1995	1793 1993	1833 2033	065" 3845 3845		+10/1
For COMPACT	C no cleat a	2x100	1044	cians rofe	210		2049	raccatta ta	2093	ad with w		2233	4245	5	
For COMPACT TECHNIC			n, H _o and S	sizes reie	er to openir	ig aimensi	on or steer	cassette to	be install	ea with w	ood-based	door fram	ie.	Τ/	ABLE 1
CN	SIZE	S _s	H _s	D_s	S _o	H _o	O _s	O _w	S _B	H _B	S _z (6)	S _z (8)	H _z (6)	H _z (8)	T _{sw}
		040		1	885		806		854		951	991			
orta SILENCE	80	848	1005	40.50		2015		1071		1005			2044	2004	. 207.1
w=37 dB djustable rebated	90 100	948 1048	1985	49÷50	985 1085	2015	906 1006	1971	954 1054	1995	1051 1151	1091	2044	2064	+20/+1
Rw=37 dB djustable rebated Porta SILENCE Rw=37 dB	90 100 80	948 1048 822			985 1085 885		906 1006 806		954 1054 854		1051 1151 951	1091 1191 991			
Rw=37 dB djustable rebated Porta SILENCE Rw=37 dB djustable non-re-	90 100 80 90 100	948 1048 822 922 1022	1985	49÷50 49÷50	985 1085 885 985 1085	2015	906 1006 806 906 1006	1971 1971	954 1054 854 954 1054	1995 1995	1051 1151 951 1051 1151	1091 1191 991 1091 1191	2044	2064	
tw=37 dB djustable rebated Porta SILENCE tw=37 dB djustable non-re- pated	90 100 80 90	948 1048 822 922			985 1085 885 985		906 1006 806 906		954 1054 854 954		1051 1151 951 1051	1091 1191 991 1091			+20/+10
tw=37 dB djustable rebated Porta SILENCE tw=37 dB djustable non-re- parted Porta SILENCE tw=37 dB ixed rebated	90 100 80 90 100 80 90 100	948 1048 822 922 1022 848 948 1048	1972	49÷50	985 1085 885 985 1085 955 1055 1155	2015	906 1006 806 906 1006 806 906 1006	1971	954 1054 854 954 1054 926 1026 1126	1995	1051 1151 951 1051 1151 1031 1131 1231	1091 1191 991 1091 1191 1071 1171 1271	2044	2064	+20/+1
Porta SILENCE tw=37 dB dijustable rebated Porta SILENCE tw=37 dB dijustable non-re- porta SILENCE tw=37 dB twed rebated	90 100 80 90 100 80 90 100 80 90	948 1048 822 922 1022 848 948 1048 822 922	1972	49÷50	985 1085 885 985 1085 955 1055 1155 955 1055	2015	906 1006 806 906 1006 806 906 1006 806 906	1971	954 1054 854 954 1054 926 1026 1126 926 1026	1995	1051 1151 951 1051 1151 1031 1131 1231 1031 1131	1091 1191 991 1091 1191 1071 1171 1271 1071 1171	2044	2064	+20/+10 ±10/±5
kw=37 dB didjustable rebated Porta SILENCE kw=37 dB didjustable non-re- parta SILENCE kw=37 dB divised rebated Porta SILENCE kw=37 dB divised rebated Porta SILENCE kw=37 dB divised non-rebated	90 100 80 90 100 80 90 100 80 90 100	948 1048 822 922 1022 848 948 1048 822 922 1022	1972	49÷50 49÷50	985 1085 885 985 1085 955 1055 1155 955 1055 1155	2015	906 1006 806 906 1006 806 906 1006 806 906 1006	1971 1971	954 1054 854 954 1054 926 1026 1126 926 1126	1995	1051 1151 951 1051 1151 1031 1131 1231 1031 1131 1231	1091 1191 991 1091 1191 1071 1171 1271 1071	2044	2064	+20/+10 +20/+10 ±10/±5 ±10/±5
iw=37 dB djustable rebated orta SILENCE w=37 dB djustable non-re- ated orta SILENCE w=37 dB xxed rebated orta SILENCE b=37 dB	90 100 80 90 100 80 90 100 80 90 100 80 90	948 1048 822 922 1022 848 948 1048 822 922 1022 848 948	1972	49÷50 49÷50	985 1085 885 985 1085 955 1055 1155 955 1055 1155 880 980	2015	906 1006 806 906 1006 806 906 1006 806 906 1006 800 900	1971 1971	954 1054 854 954 1054 926 1026 1126 926 1026 1126 926 1026 1126 960	1995	1051 1151 951 1051 1051 1031 1131 1231 1031 1131 1231 910	1091 1191 991 1091 1091 1171 1271 1071 1171 1271 1271 -	2044	2064	+20/+10 ±10/±5 ±10/±5
w=37 dB djustable rebated orta SILENCE w=37 dB djustable non-re- ated orta SILENCE w=37 dB xed rebated orta SILENCE w=37 dB xed rebated orta SILENCE w=37 dB xed non-rebated orta SILENCE w=37 dB xed non-rebated orta SILENCE restriction or the silence for	90 100 80 90 100 80 90 100 80 90 100 80 90	948 1048 822 922 1022 848 948 1048 822 922 1022 848	1972 1985	49÷50 49÷50 49÷50	985 1085 885 985 1085 955 1055 1155 955 1055 1155 880	2015 2045 2045	906 1006 806 906 1006 806 906 1006 806 906 1006 800	1971 1971 1971	954 1054 854 954 1054 926 1026 1126 926 1026 1126 860	1995 2031 2031	1051 1151 951 1051 1151 1031 1131 1231 1031 1131 1231 910	1091 1191 991 1091 1191 1071 1171 1271 1071 1171 1271	2044	2064	+20/+10 ±10/±5 ±10/±5
w=37 dB djustable rebated orta SILENCE w=37 dB djustable ron-re- ated djustable non-re- ated orta SILENCE w=37 dB swed rebated orta SILENCE w=37 dB swed non-rebated orta SILENCE w=37 dB swed non-rebated orta SILENCE w=37 dB steel door frame orta SILENCE w=37 dB orta SILENCE w=37 dB orta SILENCE orta SILENCE orta SILENCE orta SILENCE on-rebated with	90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90	948 1048 822 922 1022 848 948 1048 822 922 1022 848 948 1048 948 1048 948	1972 1985	49÷50 49÷50 49÷50	985 1085 885 985 1085 955 1055 1155 955 1055 1055 1055 1055	2015 2045 2045	906 1006 806 906 1006 806 906 11006 806 906 11006 800 900 11000 800 900	1971 1971 1971	954 1054 854 954 1054 926 1026 1126 926 1026 1126 860 960 1060 860 960	1995 2031 2031	1051 1151 951 1051 1151 1031 1131 1231 1031 1131 1231 910 1010 1110	1091 1191 991 1091 1191 1071 1171 1271 1071 1171 1271 -	2044	2064	+20/+10 ±10/±5 ±10/±5
tw=37 dB djustable rebated forta SILENCE tw=37 dB djustable non-re- lated forta SILENCE tw=37 dB sixed rebated forta SILENCE tw=37 dB sixed rebated forta SILENCE tw=37 dB sixed non-rebated with a teel door frame forta SILENCE tw=37 dB sixed non-rebated with	90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 60	948 1048 822 922 1022 848 1048 822 1022 848 948 1048 822 922 1022 848 948 1048 822 922 1022 848	1972 1985 1972 1985	49÷50 49÷50 49÷50 49÷50	985 1085 885 985 1085 955 1055 1155 955 1055 1155 880 980 1080 880 980 755	2015 2045 2045 2045 2010	906 1006 806 906 1006 806 906 1006 806 906 1006 800 900 1000 800 900 1000 606	1971 1971 1971 1968	954 1054 854 954 1054 926 1026 1126 926 1126 860 960 1060 860 960 1060 726	1995 2031 2031 1998	1051 1151 951 1051 1151 1031 1131 1231 1031 1131 1231 910 1010 910 1010 910 1010 831	1091 1191 991 1091 1191 1091 1191 1071 1171 1271 1071 1271 871	2044 2080 2080 2023	2064	+20/+1 ¹ ±10/±5 ±10/±5 ±10/±5
w=37 dB djustable rebated orta SILENCE w=37 dB djustable non-re- ated orta SILENCE w=37 dB sxed rebated orta SILENCE w=37 dB sxed rebated orta SILENCE w=37 dB sxed non-rebated sxed non-rebated orta SILENCE	90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90	948 1048 822 922 1022 848 948 1048 822 922 1022 848 948 1048 822 922 1022 1022	1972 1985 1972 1985	49÷50 49÷50 49÷50 49÷50	985 1085 885 985 1085 955 1055 1155 955 1155 880 980 1080	2015 2045 2045 2045 2010	906 1006 806 906 1006 806 906 1006 800 906 1006 800 900 1000 800 900	1971 1971 1971 1968	954 1054 854 954 1054 926 1026 1126 926 1026 1126 860 960 1060 860 960 1060	1995 2031 2031 1998	1051 1151 951 1051 1051 1151 1031 1131 1231 1031 1131 1231 910 1010 1110 1110	1091 1191 1991 1091 1091 1191 1071 1171 1271 1071 1171	2044 2080 2080 2023	2064	+20/+1 ¹ ±10/±5 ±10/±5 ±10/±5
tw=37 dB diputable rebated forta SILENCE tw=37 dB diputable non-re- pated forta SILENCE tw=37 dB diputable forta SILENCE tw	90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 90 90 90 90 90 90 90 90 90 90 90 90	948 1048 822 922 1022 848 1048 822 1022 848 1048 822 1022 648 748 948	1972 1985 1972 1985 1972	49÷50 49÷50 49÷50 49÷50 49÷50	985 1085 885 985 1085 1085 1155 955 1155 880 980 1080 880 980 1080 755 855 955 1055	2015 2045 2045 2010	906 1006 806 906 1006 806 906 1006 800 906 1006 800 900 1000 800 900 1000 606 706 806 900	1971 1971 1971 1968	954 1054 854 954 1054 926 1126 926 1126 860 1060 860 1060 726 826 960 1060 726 826 1026	1995 2031 2031 1998	1051 1151 951 1051 1151 1031 1131 1231 1031 1131 1231 910 1010 1110 910 11110 831 931 1131	1091 1191 1991 1091 1191 1091 1171 1171	2044 2080 2080 2023	2064 2100 2100 -	+20/+1 ¹ ±10/±5 ±10/±5 ±10/±5
tw=37 dB diputable rebated forta SILENCE tw=37 dB diputable non-re- pated forta SILENCE tw=37 dB diputable forta SILENCE tw	90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 80 90 100 80 80 90 100 80 80 80 80 80 80 80 80 80 80 80 80 8	948 1048 822 922 1002 848 1048 822 1022 848 1048 822 1022 648 748 1048 822 922 1022	1972 1985 1972 1985 1972	49÷50 49÷50 49÷50 49÷50 49÷50	985 1085 885 985 1085 955 1055 1155 955 1055 1155 880 980 1080 880 980 1080 755 985	2015 2045 2045 2010	906 1006 806 906 1006 806 906 1006 806 906 1006 800 900 1000 800 900 1000 606 706 806	1971 1971 1971 1968	954 1054 854 954 1054 926 1126 1126 1126 860 1060 860 1060 860 1060 726 826 926	1995 2031 2031 1998	1051 1151 951 1051 1151 1031 1131 1231 1031 1131 1231 910 1110 910 1110 910 1110 1110	1091 1191 991 1091 1191 1071 1171 1171 1	2044 2080 2080 2023	2064 2100 2100 -	+20/+10/±5 ±10/±5 ±10/±5 +10/±5
tw=37 dB dydigutable rebated forta SILENCE tw=37 dB dydigutable non-re- parted forta SILENCE tw=37 dB dydigutable non-re- parted forta SILENCE tw=37 dB dydigutable forta SILENCE tw=37 dB dydi	90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 60 70	948 1048 822 922 1022 848 1048 822 1022 848 1048 822 1022 1022 648 1048 822 922 1022 648 748 848 948	1972 1985 1972 1985 1972	49÷50 49÷50 49÷50 49÷50 49÷50	985 1085 885 985 1085 1085 1155 955 1155 880 1080 880 1080 755 855 1155 866 680 780	2015 2045 2045 2010 2010	906 1006 806 906 1006 806 906 1006 800 900 1000 800 900 1000 606 706 800 900 1000 606 706	1971 1971 1971 1968 1968	954 1054 854 954 1054 926 1126 926 1126 860 1060 860 1060 726 826 1126 860 1060 726 826 1026 1126 860 960 1060 726 860 760	2031 2031 2031 1998 1998	1051 1151 951 1051 1151 1031 1131 1231 1031 1131 1231 910 1010 1110 910 1010 1110 831 931 1031 1131 1131 1131 1131 1131 113	1091 1191 1991 1091 1191 1091 1171 1171	2044 2080 2080 2023 2023 2023	2064 2100 2100 -	+20/+10 ±10/±5 ±10/±5 ±10/±5 +10/+5
iw=37 dB dijustable rebated Porta SILENCE iw=37 dB dijustable non-re- lated Porta SILENCE iw=37 dB discord rebated d	90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 60 70 80 90 100 80 90 100 80 90 90 90 90 90 90 90 90 90 90 90 90 90	948 1048 822 922 1022 848 948 1048 822 1022 848 1048 822 1022 848 1048 822 1022 648 748 848 948 1048 848	1972 1985 1972 1985 1972	49÷50 49÷50 49÷50 49÷50 49÷50	985 1085 8885 985 1085 985 1085 1155 1155 955 1055 1155 880 1080 880 1080 755 1055 1080 755 680 780 880 980	2015 2045 2045 2010	906 1006 806 906 1006 806 906 1006 800 900 1000 800 900 1000 800 900 1000 606 906 1000 606 906 1000 606 906 1000 606 906 900 900 900 900 900 900 900	1971 1971 1971 1968	954 1054 854 954 1054 955 1026 1126 926 1026 1126 860 960 1060 860 726 826 1026 1126 860 960 1060 760 826 926 1026 1026 1060 860 960 960 960 960 960	1995 2031 2031 1998	1051 1151 951 1051 1151 1031 1131 1231 1031 1131 1231 910 1010 1110 831 1031 1131 1131 1101 1010 1110 831 1031 1131 1031 1131 1031 10	1091 1191 1991 1091 1191 1091 1191 1071 1171 1271 1271 871 1071 1171 1271 871 1071 1171 871 1071 1171	2044 2080 2080 2023	2064 2100 2100 -	+20/+10/±5 ±10/±5 ±10/±5 +10/+5 +10/+5
INW=37 dB digustable rebated Porta SILENCE INW=37 dB digustable non-re- lated Porta SILENCE INW=37 dB digustable non-re- lated Porta SILENCE INW=37 dB digustable non-rebated Porta SILENCE INW=37 dB digustable non-rebated digus	90 100 80 90 100 80 90 100 80 90 100 80 90 100 60 70 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 90 90 90 90 90 90 90 90 90 90 90 90	948 1048 822 922 1022 848 1048 822 1022 848 1048 822 1022 848 1048 848 948 1048 842 922 1022 648 748 848 948 1048 848	1972 1985 1972 1985 1972	49÷50 49÷50 49÷50 49÷50 49÷50	985 1085 885 985 1085 955 1155 955 1155 880 980 1080 880 980 1080 755 855 955 1155 885 985 980 886 887 8888	2015 2045 2045 2010 2010	906 1006 806 906 1006 806 906 1006 800 900 1000 800 900 1000 800 900 1000 606 706 806 906 1000 800	1971 1971 1971 1968 1968	954 1054 854 954 1054 926 1026 1126 926 1126 860 960 1060 860 726 826 1026 1126 860 960 1060 1060 826 1026 826 826 826 826 826 826 826 826 826 8	2031 2031 2031 1998 1998	1051 1151 951 1051 1151 1031 1131 1231 1031 1131 1231 910 1010 910 1110 831 931 1031 1131 1131 1131 1131 1131 113	1091 1191 1991 1091 1191 1071 1171 1271 1071 1771 871 971 1071 1171 1271 871	2044 2080 2080 2023 2023 2023	2064 2100 2100 -	+20/+10 ±10/±5 ±10/±5 ±10/±5 +10/+5
w=37 dB djustable rebated orta SILENCE w=37 dB djustable non-re- ated orta SILENCE w=37 dB xed rebated orta SILENCE w=37 dB xed non-rebated orta SILENCE xed no	90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 60 70 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 90 90 90 90 90 90 90 90 90 90 90 90	948 1048 822 922 1022 848 948 1048 822 1022 848 1048 822 1022 648 1048 848 948 148 948 948 948 948 948 948 948 948 948 9	1972 1985 1972 1985 1972	49÷50 49÷50 49÷50 49÷50 49÷50 44÷45 44÷45	985 1085 1085 985 1085 985 1085 1155 955 1055 1155 880 980 1080 755 1055 1055 1155 880 980 1080 755 885 985 980 1080 780 880 980 1080 780 880 980 980 980 980 980 980 980 980 9	2015 2045 2045 2010 2010	906 1006 806 906 1006 806 906 1006 800 900 1000 800 900 1000 606 900 1000 606 900 1000 606 906 1000 800 900 1000 800 900 1000 800 900 800 900 800 900 800 900 800 900 800 900 800 8	1971 1971 1971 1968 1968	954 1054 854 954 1054 955 1026 1126 926 1026 1126 860 1060 860 1060 726 826 1026 1126 860 960 1060 776 826 1026 1026 1060 860 960 1060 860 960 1060 860 960 1060	2031 2031 2031 1998 1998	1051 1151 951 1051 1151 1031 1131 1231 1031 1131 1231 910 1010 1110 910 1110 831 1031 1131 1131 1131 1101 1010 1110 1110 1110 1010	1091 1191 1991 1091 1191 1091 1191 1071 1171 1271 1271	2044 2080 2080 2023 2023 2023	2064 2100 2100 -	+20/+10 ±10/±5 ±10/±5 ±10/±5 ±10/±5 ±10/±5
iw=37 dB djustable rebated orta SILENCE w=37 dB djustable non-re- ated orta SILENCE w=37 dB djustable non-re- tweat rebated orta SILENCE w=37 dB swed rebated orta SILENCE w=37 dB swed non-rebated with a teel door frame I 30 with MDF oor frame I 30 wooden door with a door frame ARGE IGATE, OPAL, BUARTZ, BRANITE*	90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 80	948 1048 822 922 1022 848 1048 822 1022 848 1048 822 1022 848 1048 1048 822 922 1022 648 748 848 948 1048 948 1048 848 948 1048 848 948 1048 848 948 1048 848 948 1048 848 948 1048 848 948 1048 848 848 948 1048 848 848 948	1972 1985 1972 1985 1972 1985 1985	49÷50 49÷50 49÷50 49÷50 49÷50 44÷45 44÷45	985 1085 885 985 1085 1085 1085 1155 955 1155 880 980 1080 980 1080 755 855 1155 680 780 880 980 1080 980 1080 880 980 1080 880 980 1080 880	2015 2045 2045 2010 2010 2010	906 1006 806 906 1006 806 906 1006 800 906 1006 800 900 1000 800 900 1000 606 706 806 906 1006 806 900 1000 800 900 1000 800 900 1000 800 900 1000 800 900 1000 800 900 1000 800 900 1000 800 900 1000 800 900 1000 800 900 1000	1971 1971 1971 1968 1968 1968 1968	954 1054 854 954 1054 926 1026 1126 926 1126 860 1060 860 960 1060 726 826 1126 860 960 1060 726 826 1026 1126 860 960 1060 860 976 1026 1026 1026 1026 1026 1026 1026 102	1995 2031 2031 1998 1998 2031	1051 1151 951 1051 1151 1031 1131 1231 1031 1131 1231 910 1010 910 1110 831 931 1331 1331 1331 1331 1331 1331 1	1091 1191 1991 1091 1191 1071 1171 1271 1271 871 971 1171 1271	2044 2080 2080 2023 2023 2023 2023	2064 2100 2100 2100	+20/+10 ±10/±5 ±10/±5 ±10/±5 ±10/±5 ±10/±5
Itw=37 dB digustable rebated forta SILENCE tw=37 dB digustable non-re- lated forta SILENCE tw=37 dB digustable non-re- lated forta SILENCE tw=37 dB digustable non-rebated forta SILENCE tw=37 dB digustable forta SILEN	90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100	948 1048 822 922 1002 848 1048 824 1048 822 1022 848 1048 822 1022 648 1048 848 948 1048 848 948 1048 848 1048 848 1048 848 1048 848 1048 848 1048 848 1048 850 1048/960	1972 1985 1972 1985 1972 1985	49÷50 49÷50 49÷50 49÷50 49÷50 44÷45 44÷45	985 1085 885 985 1085 1085 955 1055 1155 880 1080 880 980 1080 755 855 1055 1155 880 980 1080 880 980 1080 755 855 1055 1055 1055 1055 1050 880 980 1080 980 1080 880 980 1080	2015 2045 2045 2010 2010 2045	906 1006 806 906 1006 806 906 1006 800 900 1000 800 900 1000 606 706 800 900 1000 606 906 1000 800 900 1000 800 900 1000 800 906 1000 800 900 1000 800 900 1000 800 900 1000 800 900 800 800 900 800 800 800 800	1971 1971 1971 1968 1968 1971	954 1054 854 954 1054 926 1126 926 1126 860 1060 860 1060 726 826 1126 860 1060 726 826 1026 1126 860 960 1060 860 960 1060 860 960 976 860 976 976 976 976 976 976 976 976 976 976	1995 2031 2031 1998 1998 2031	1051 1151 951 1051 1151 1031 1131 1231 1031 1131 1231 910 1010 1110 910 1110 831 1331 1331 1331 1331 1331 133	1091 1191 1991 1091 1191 1071 1171 1271 1171 1271 871 1071 1171 1271	2044 2080 2080 2023 2023 2023	2064 2100 2100 -	+20/+10 ±10/±5 ±10/±5 ±10/±5 ±10/±5 ±10/±5
Itw=37 dB dijustable rebated Porta SILENCE Itw=37 dB dijustable non-re- lated Porta SILENCE Itw=37 dB dijustable non-re- lated Porta SILENCE Itw=37 dB disced rebated Porta SILENCE Itw=37 dB disced non-rebated with a teel door frame Porta SILENCE Itw=37 dB disced non-rebated with intelled non-rebated with steel door frame Its 30 with MDF door frame Its 30 wooden door with a door frame ARGE Its 30 wooden door with a door frame ARGE Its 30 wooden	90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 80 90 80 90 80 90 80 90 80 90 80 90 80 90 80 90 80 90 80 90 80 90 80 90 80 90 80 90 80 90 80 90 80	948 1048 822 922 1022 848 1048 824 1048 822 1022 848 1048 822 1022 648 1048 848 1048 848 948 1048 848 948 1048 848 948 1048 848 948 848 948 848 848 948 848 948 848 948 848 948 848 948 848 948 848 948 848	1972 1985 1972 1985 1972 1985 1985	49÷50 49÷50 49÷50 49÷50 44÷45 44÷45 40/44 44/48 45/47 44÷45 48÷49	985 1085 885 985 1085 1085 1085 1155 955 1155 880 1080 1080 755 855 1055 1155 880 980 1080 755 855 1085 1186 880 980 1080 880 980 1080 880 980 1080 880 880 980 1080 880 980 1080 880 980 980 1080 880 980	2015 2045 2045 2010 2010 2010 2010 2010	906 1006 806 906 1006 806 906 1006 806 906 1006 800 900 1000 800 900 1000 606 706 806 906 1006 800 900 1000 800 900 1000 800 900 1000 800 900 1000 800 900 1000 800 900 1000 800 900 1000 800 900 1000 800 800 900 1000 800 800 900 1000 800 800 900 1000 800 800 900 1000 800 800	1971 1971 1971 1968 1968 1968 1968** 1968	954 1054 854 954 1054 926 1126 926 1126 860 1060 860 1060 726 860 960 1060 726 1126 860 960 1060 726 860 960 1060 860 960 1060 860 860 860 860 860 860 860 860 860	1995 2031 2031 1998 1998 2031 1998	1051 1151 1051 1151 1051 1151 1031 1131 1231 1031 1131 1231 910 1110 910 1110 910 1110 831 1331 1231 1331 1331 1331 1331 1331	1091 1191 1991 1091 1191 1071 1171 1271 1071 1171 1271	2044 2080 2080 2023 2023 2023 2023 2023	2064 2100 2100 2100	+20/+10 ±10/±5 ±10/±5 ±10/±5 ±10/±5 ±10/±5 ±10/±5
Iw=37 dB dijustable rebated Porta SILENCE Iw=37 dB dijustable non-re- lated Porta SILENCE Iw=37 dB dijustable non-re- lated Porta SILENCE Iw=37 dB disced rebated Porta SILENCE Iw=37 dB disced non-rebated with a teel door frame Is 30 with MDF door frame Is 30 wooden door with a door frame ARGE Is 30 wooden door with a door frame ARGE IS 30 Wooden door With a door frame ARGE IS 30 Wooden door With a door frame ARGE IS 30 Wooden door With a GOOR SIRNITE SIRNITE SIRNITE SIRNITE SIRNITE SIRNITE SIRNITE SIRNITE CISTANITE RC3, XTREME	90 100 80 90 100 80 90 100 80 90 100 80 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100	948 1048 822 922 1002 848 1048 824 1048 822 1022 848 1048 822 1022 848 1048 824 1048 825 1048 848 948 1048 848 948 1048 848 848 948 1048 848 848 848 848 848 848 848 848 848	1972 1985 1972 1985 1972 1985 1985	49÷50 49÷50 49÷50 49÷50 49÷50 44÷45 44÷45 40/44 40/44 44/48 45/47 44÷45	985 1085 1085 985 1085 985 1085 985 1055 1155 955 1055 1155 880 980 1080 880 980 1080 755 855 955 1055 1155 680 780 880 980 1080 880 980 1080 880 980 1080 880 980 1080	2015 2045 2045 2010 2010 2010	906 1006 806 906 1006 806 906 1006 806 906 1006 800 900 1000 800 900 1000 800 900 1000 800 900 1000 800 900 1000 800 900 1000 800 900 1000 800 900 1000 800 900 1000	1971 1971 1971 1968 1968 1968 1968	954 1054 854 954 1054 926 1126 1126 926 1126 860 1060 860 1060 726 825 926 1026 1126 960 1060 776 826 1026 1126 960 1060 860 776 80 80 80 80 80 960 1060 860 860 860 860 860 860 860 860 860	1995 2031 2031 1998 1998 2031	1051 1151 1051 1151 1051 1151 1031 1131 1231 1031 1131 1231 1010 1110 11	1091 1191 1991 1091 1191 1091 1191 1071 1171 1271 1171 1271	2044 2080 2080 2023 2023 2023 2023	2064 2100 2100 2100	+20/+1 ¹ ±10/±5 ±10/±5 ±10/±5 ±10/±5 ±10/±5 ±10/±5
Itw=37 dB dijustable rebated Forta SILENCE Itw=37 dB dijustable non-re- leaded Forta SILENCE Itw=37 dB dixed rebated Forta SILENCE Itw=37 dB dixed rebated Forta SILENCE Itw=37 dB dixed rebated Forta SILENCE Itw=37 dB dixed non-rebated forta SILENCE forta	90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 80 90 100 80 90 80 90 80 90 80 90 80 90 80 90 80 90 80 90 80 90 80 80 90 80 90 80 90 80 90 80 90 80 90 80 90 80 90 80 90 80 90 80 80 90 80 90 80 90 80 90 80 90 80 90 80	948 1048 822 922 1022 848 1048 824 1048 825 1022 848 1048 826 1022 848 1048 827 1022 848 1048 828 1048 848 1048 848 948 1048 848 948 1048 848 948 1048 848 948 948 948 948 948 948 948 948 9	1972 1985 1972 1985 1972 1985 1985 1985	49÷50 49÷50 49÷50 49÷50 49÷50 44÷45 44÷45 40/44 44/48 45/47 44÷45 50	985 1085 885 985 1085 1085 955 1055 1155 955 1155 880 980 1080 880 980 1080 880 980 1080 880 980 1080 880 980 1080 880 980 980 1080 880 980 980 980 980 980 980 980 980	2015 2045 2045 2010 2010 2010 2010 2010 2010	906 1006 806 906 1006 806 906 1006 806 906 1006 800 900 1000 800 900 1000 800 900 1000 800 900 1000 800 900 1000 800 900 1000 800 900 1000 800/811 900/936 1000 800 900 1000 800/811 900 900 1000 800/811	1971 1971 1971 1968 1968 1968 1968 1968 1968	954 1054 854 954 1054 926 1126 926 1126 860 1060 860 1060 726 860 960 1060 726 1126 860 960 1060 726 860 960 1060 860 960 1060 860 960 1060 860 960 1060 860 960 1060 860 960 860 960 860 960 860 860 960 860 860	1995 2031 2031 1998 1998 2031 1998 1998	1051 1151 1951 1051 1151 1051 1151 1031 1131 1231 1031 1131 1231 910 1110 910 1110 910 1110 831 1331 1331 1331 1331 1331 133	1091 1191 1991 1091 1191 1071 1171 1271 1071 1171 1271	2044 2080 2080 2023 2023 2023 2023 2023 2023	2064 2100 2100 2100	+20/+1· ±10/±5 ±10/±5 ±10/±5 ±10/±5 ±10/±5 ±10/±5 ±10/±5
IW-37 dB djustable rebated orta SILENCE W-37 dB djustable ron-re- ated orta SILENCE W-37 dB igustable non-re- ated orta SILENCE W-37 dB igustable non-re- iw-37 dB igustable igustabl	90 100 80 90 100 80 90 100 80 90 100 80 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100	948 1048 822 922 1022 848 1048 822 1022 848 1048 822 1022 848 1048 824 1048 848 948 1048 848 948 1048 848 848 848 948 1048 848 848 848 948 1048 848 848 948 1048 848 948 1048 848 948 1048 848	1972 1985 1972 1985 1972 1985 1985	49÷50 49÷50 49÷50 49÷50 44÷45 44÷45 40/44 44/48 45/47 44÷45 48÷49	985 1085 1085 985 1085 985 1085 985 1055 1155 955 1055 1155 880 980 1080 880 980 1080 755 855 955 1055 1155 680 780 880 980 1080 880/890 980 1080/- 880 980 1080 880/890 980 1080 880/890 980/1015	2015 2045 2045 2010 2010 2010 2010 2010	906 1006 806 906 1006 806 906 1006 806 906 1000 800 1000 800 1000 800 900 1000 800 1000 800 1000 800 900 1000 800 1000 800 1000 800 1000 800 1000 800 1000 800 1000 800 1000 800 1000 800 1000 800 1000 800 1000 800 8	1971 1971 1971 1968 1968 1968 1968** 1968	954 1054 854 954 1054 926 1126 1126 1126 1126 1126 860 1060 860 1060 726 826 1026 1126 860 960 1060 726 826 1026 1126 1026 1026 1060 860 860 1060 860 860 1060 860 1060 860 860 860 860 860 860 860 860 860	1995 2031 2031 1998 1998 2031 1998	1051 1151 1051 1151 1051 1151 1031 1131 1231 1031 1131 1231 1010 1110 11	1091 1191 1191 1991 1191 1191 1171 1271 1171 1271	2044 2080 2080 2023 2023 2023 2023 2023	2064 2100 2100 2100	+20/+1· ±10/±5 ±10/±5 ±10/±5 ±10/±5 ±10/±5 ±10/±5 ±10/±5
iw=37 dB djustable rebated orta SILENCE w=37 dB djustable rota SILENCE w=37 dB djustable rota SILENCE w=37 dB swed rebated orta SILENCE w=37 dB swed robated orta SILENCE w=37 dB swed non-rebated orta SILENCE sw=37 dB swed non-rebated with a teel door frame l30 with MDF oor frame l30 with MDF oor frame l30 wooden door rith a door frame ARGE GATE, OPAL, JUARTZ, GRANITE C GRANITE RC3, XTREME steel door frame GRANITE RC3, XTREME - PS teel BASIC and	90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80	948 1048 822 922 1022 848 1048 824 1048 822 1022 848 1048 822 1022 848 1048 824 1048 824 1048 848 948 1048 848 948 1048 848 948 1048 848 948 948 1048 848 948 948 1048 848 948 948 1048 848 948 948 948 1048 848 948 948 948 948 948 948 948 948 9	1972 1985 1972 1985 1972 1985 1985 1985	49÷50 49÷50 49÷50 49÷50 49÷50 44÷45 44÷45 40/44 44/48 45/47 44÷45 50	985 1085 1085 885 985 1085 1085 1155 1055 1155 880 1080 880 1080 880 980 1080 755 1155 855 1055 1155 855 1080 780 880 980 1080 880 980 1080 880 980 1080 880 980 1080 880 980 1080 880 980 1080 880 980 1080 880 980 1080 880 980 1080 880 980 1080 880 980 1080 880 980 1080 880 980 1080 880 980 1080 880 980 1080 880 980 1080 880 980 1080 880 980 1080 880 980 1080 880	2015 2045 2045 2010 2010 2010 2010 2010 2010 2010 201	906 1006 806 906 1006 806 906 1006 806 906 1006 800 900 1000 800 900 1000 800 900 1000 800 900 1000 800 900 1000 800 900 1000 800 900 1000 800 900 1000 800 900 1000 800 900 1000 800/811	1971 1971 1971 1968 1968 1968 1968 1968 1968	954 1054 854 954 1054 926 1126 926 1126 860 1060 860 1060 726 826 1126 860 1060 726 826 1026 1126 860 960 1060 726 880 960 1060 860 960 1060 860 960 1060 860 960 1060 860 960 1060 860 960 1060 860 960 1060 860 960 1060 860 960 1060 860 960 1060 860 960 960 960 960 960 960 960 960 860 960 960 960 960 960 960 960 960 960 9	1995 2031 2031 1998 1998 2031 1998 1998	1051 1151 1051 1151 1051 1151 1031 1131 1231 1031 1131 1231 1010 1010	1091 1191 1991 1091 1191 1091 1191 1171 1271 1271 1271	2044 2080 2080 2023 2023 2023 2023 2023 2023	2064 2100 2100 2100	+20/+1· ±10/±5 ±10/±5 ±10/±5 ±10/±5 ±10/±5 ±10/±5 ±10/±5
INW=37 dB didjustable rebated Porta SILENCE INW=37 dB didjustable non-re- porta SILENCE INW=37 dB didjustable non-re- porta SILENCE INW=37 dB disced rebated Porta SILENCE INW=37 dB disced non-rebated Porta SILENCE INW=37 dB disced non-rebated Porta SILENCE INW=37 dB disced non-rebated INW=37 dB disced non-rebated disced non-rebated with a steel door frame Is 30 with MDF door frame	90 100 80 90 100 80 90 100 80 90 100 80 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100 80 90 100	948 1048 822 922 1022 848 1048 822 1022 848 1048 822 1022 848 1048 824 1048 848 948 1048 848 948 1048 848 848 848 948 1048 848 848 848 948 1048 848 848 948 1048 848 948 1048 848 948 1048 848	1972 1985 1972 1985 1972 1985 1985 1985	49÷50 49÷50 49÷50 49÷50 49÷50 44÷45 44÷45 40/44 44/48 45/47 44÷45 50	985 1085 1085 985 1085 985 1085 985 1055 1155 955 1055 1155 880 980 1080 880 980 1080 755 855 955 1055 1155 680 780 880 980 1080 880/890 980 1080/- 880 980 1080 880/890 980 1080 880/890 980/1015	2015 2045 2045 2010 2010 2010 2010 2010 2010 2010 201	906 1006 806 906 1006 806 906 1006 806 906 1000 800 1000 800 1000 800 900 1000 800 1000 800 1000 800 900 1000 800 1000 800 1000 800 1000 800 1000 800 1000 800 1000 800 1000 800 1000 800 1000 800 1000 800 1000 800 8	1971 1971 1971 1968 1968 1968 1968 1968 1968	954 1054 854 954 1054 926 1126 1126 1126 1126 1126 860 1060 860 1060 726 826 1026 1126 860 960 1060 726 826 1026 1126 1026 1026 1060 860 860 1060 860 860 1060 860 1060 860 860 860 860 860 860 860 860 860	1995 2031 2031 1998 1998 2031 1998 1998	1051 1151 1051 1151 1051 1151 1031 1131 1231 1031 1131 1231 1010 1110 11	1091 1191 1991 1091 1191 1091 1191 1071 1171 1271	2044 2080 2080 2023 2023 2023 2023 2023 2023	2064 2100 2100 2100	+20/+10 ±10/±5 ±10/±5 ±10/±5 ±10/±5 ±10/±5

^{*} Project (BIS and Premium) requires enlarging the wall opening S_0 by S_0 by 24 mm and H_0 o 12 mm (dimension tolerance ± 10 mm / ± 5 mm).

DOOR FRAME TYPE

Porta HIDE with reversed rebate (inward opening)

SIZE

70

 \mathbf{S}_{s}

722

 ${\rm H_s}$

O_s

807

O_w

 $\mathbf{S}_{_{\!B}}$

791

 $H_{\scriptscriptstyle B}$

2024

 H_o

804

 $H_{\scriptscriptstyle B}$

891

804

DOOR FRAME TYPE

Porta HIDE non-rebated (opening outward) SIZE

70

 \mathbf{S}_{s}

722

 \mathbf{O}_{w}

O_s

Other Project door frame sizes, see drawing on page 190.
** Steel threshold decreases given dimension by 16 mm.

Door dimensions tables - height '220'

CZECH NORM (CN210)

INTERNAL DOORS WITH WOODEN DOOR FRAMES

TABLE 17

DOOR FRAME TYPE	SIZE	\mathbf{S}_{s}	$H_{\rm s}$	D_s	S_0	H _o	O_s	$o_{\rm w}$	$S_{_{\rm B}}$	$H_{\scriptscriptstyle B}$	S _z (6)	S _z (8)	H_z	$\mathbf{T}_{\mathrm{s} \mathbf{W}}$
	60	648			685	-	606		650		750	790	architrave	
	70	748			785		706		750] '	850	890		
Porta SYSTEM	80	848	2117	40	885	2150	806	2103	850	2105	950	990	(6) / (8)	+10/+20
	90	948]		985]	906]	950	J	1050	1090	2175 / 2195	
	100	1048			1185		1106		1150		1150	1190		
	60	622]		685]	606		650]	-	790]	
	70	722		40	785		706		750		-	890	-/2195	+10/+10
Porta SYSTEM ELEGANCE	80	822	2104		885	2150	806	2103	850	2125	-	990		
	90	922			985		906		950		-	1090		
	100	1022			1185		1106		1150		=	1190		
	60	622			685		606		650		-	790	2197	+10/+10
	70	722	2104		785	2150	706		750		-	890		
Porta SYSYTEM ELEGANCE 90°	80	822		40	885		806	2103	850	2125	-	990		
	90	922			985		906		950		-	1090		
	100	1122			1185		1106		1150		-	1190		
	60	643	2114	40	725	2170	630	2115	695	2147	-	835	2217	±10/±5
Porta SYSTEM	70	743			825		730		795		-	935		
with reversed rebate**	80	843			925		830		895		-	1035		
Will reversed results	90	943			1025		930		995		-	1135		
	100	1043			1125		1030		1095		-	1235		
	60	618			690		600		646	2239 / 2247**	-	827	2330/2430**	
Villa da MODERNI	70	718		40	790	2260	700	2216	746		-	927		
Villadora MODERN (architrave 100)	80	818	2217		890		800		846		-	1027		+10/+10
(architate 100)	90	918			990		900		946		1	1127		
	100	1018			1090		1000		1046		-	1227		

■ INTERNAL DOORS WITH STEEL DOOR FRAMES

TABLE 18

DOOR FRAME TYPE	SIZE	S _s	H _s	D_s	S_0	H _o	O _s	O _w	S_B	H _B	S_z	H_z	$T_{s w}$
	60	644			675		596		646		736		
	70	744			775		696		746		836		
steel Porta System	80	844	2230	40	875	2255	796	2216	846	2241	936	2286	±10/±5
	90	944			975		896		946		1036		
	100	1044			1075		996		1046		1136		
	60	618			675		596		646		736		
	70	718			775		696		746		836		
steel Porta SYSTEM ELEGANCE*	80	818	2217	40	875	2255	796	2216	846	2241	936	2286	±10/±5
	90	918			975		896		946		1036		
	100	1018			1075		996		1046		1136		

^{*}If the back of the hinge does not fit in a wall opening, a little wall chasing has to be made.

HEIGHT,220' IS AVAILABLE IN CHOSEN COLLECTIONS:

- Porta VECTOR
- Porta DESIRE
- Natura CLASSIC
- Natura LINE
- Natura VECTOR
- Villadora MODERN

NOTE: S_z and H_z dimensions of dooor frame in natural veneers ae given with tolerance -1 mm/ +3 mm. *Dimension S_z and H_z measured on the wider side of the door leaf. They are the same as dimensions of doors with PSE **Door frame option with a, PLUS' panel

Durability levels of Porta finishes

CHECK THE NUMBER OF STARS NEXT TO EVERY FINISH

You can find six groups in below classification of Porta finishes. Finishes were grouped considering quality, durability and resistance to external conditions. We hope that this classification will help you to make the best possible choice. You can find the information about durability level next to each product.

The most advantageous combination of cost, and quality.

STANDARD

Basic durability level which provides the possibility of long-term use in household.

$\bigstar \bigstar \bigstar \Delta \Delta \Delta \Delta$

STANDARD PLUS

Improved STANDARD class with enhanced parame-

★★★☆☆☆

PREMIUM

ECONOMIC

A perfect combination of design and guaranteed high quality. Indications for use: residential buildings and offices.


PROFESSIONAL

Durability level that combines great practicality and elegance in any place where doors are directly exposed to long-term external factors. Suggested indications for use: hotels, public buildings and offices.



High durability level which guarantees door protection from intensive usage Indications for use - places with heavy foot traffic, where hundreds of people pass daily.





places with high foot traffic

hotels, offices, public buildings

living compartments, buildings with a wide range of uses



Detailed veneer data, see webpage: www.porta.com.pl/kartyoklein

Especially for you, basing on European standards, we have developed a classification of finishes (durability levels). We took into account various external factors which directly affects the durability of the door surface. Durability levels depends on the resistance to the following factors which make an impact on doors and finishes in everyday use.

ABRASION




Unavoidable during any door usage. Every day doors are exposed to lots of abrasions, caused by people walking through and opening doors inappropriately because of their hands occupied with documents or belongings

DAYLIGHT



The factor which changes the colour shade in long term use. We have checked all types of veneer for you. Especially their reaction to daylight during long year use. We are proud to emphasize that the finishes we chose, achieve very good results throughout the entire time of use.

DETERGENTS



HUMIDITY



Direct exposure to highly humid air influences veneer. Its resistance to this factor guarantees constancy of shape and solid surface throughout the whole time




RAL colours




WHITE COLOUR IS COMPARABLE WITH RAL 9003

UV acrylic paint ★★★★☆



Due to technology and use of various materials for door frames and door leaves, there might appear slight difference between them.

SUPER MATT veneer ★★★☆☆☆



Portasynchro 3D veneer ★★★☆☆☆



Portadecor veneer ★★★☆☆☆



Portadur veneer ★★★☆☆





^{*} until stocks last

Portalamino veneer ★★★★☆☆



Portaperfect 3D veneer ★★★★☆☆






Oak 6 (white) - ZD6

Anthracite - ZNT

Gladstone/Halifax board ★★★★★




CPL HQ 0,2 veneer ★★★★☆

HPL, CPL 0,7 veneer ★★★★★



WHITE COLOUR IS COMPARABLE WITH RAL 9003

^{*} until stocks last



 $Characteristic\ of\ HPL\ and\ CPL\ veneers: www.porta.com.pl/dm/charakterystykaHPLCPL.pdf$

^{*} HPL/CPL marking is introduces because of dedicated powder paint Anthracite HPL/CPL



Natural veneer - Oak ★★★☆☆



Natural veneer - Ash ★★★☆☆



Natural veneer - Walnut ★★★☆☆



Natural veneer - Oak Satin ★★★☆☆



WHITE COLOUR IS COMPARABLE WITH RAL

Due to the characteristc of natural veneers, differences in colour and graining, might appear on a door leaf.
These differences cannot be grounds for complaints.

Natural veneer 'Select' - is a specially prepared and selected natural veneer characterized by high repeatability of the wood grain and colour. Products finished with this type of veneer meet the high quality standards.

Natural veneers: Oak Ash, Walnut and Satin Oak - are characterized by a variety of colorus, graining, etc. Their properties are the result of natural environment of trees, climate, habitat conditions.

These morphological properties of wood, which are characteristic for a natural material, distinguish it from synthetic finishes and aren't defective in any way.

Laminated steel sheet (PVC) ★★★★☆



^{*} until stocks last

Coated steel sheet ★★★☆☆



Due to type of used material, products colour are comparable to RAL colours.

White colour is comparable with RAL 9010 / Grey is comparable with RAL 7035 Anthracite is comparable with RAL 7024 / Brown is comparable with RAL 8017


Galvanized steel sheet ★★★☆☆



Stainless steel



Premium polyester paint ★★★★☆



^{*} HPL/CPL marking was introduced considering dedicated veneer Anthracite HPL/CPL

White colour (LBM) is comparable with RAL 9003 / White (LBI) is comparable with RAL 9016 Grey (LPM, LPO) is comparable with RAL 7047/ Brown (LRM, LBR) is comparable with RAL 8028 Beige (LKM) is comparable with RAL 1019/ Black (LCM) is comparable with RAL 9017 Structured anthracite (LNT) is comparable with RAL 7024

Prime paint ★★★☆☆



Prime paint - Grey (LBP) is comparable with RAL 7035

GLASS PANELS

■ GLASS PANEL TYPES



Frosted glass panel



Frosted glass panel 'frame'

Glass panels dimensions are available at www.porta.com.pl/do-pobrania



'Chinchilla' glass panel



transparent glass panel





PORTA KMI Poland Closed Joint-Stock Company

Szkolna 54, 84-239 Bolszewo, Poland

S.C. PORTA KMI România S.R.L.

Zona Industrială Arad Nord – Vest, Strada III, Nr. 11, 310491 Arad www.portadoors.ro, e-mail: info_doors@porta.com.pl CUI: RO15624380, J02/910/2003, Capital social: 49.949.090 RON



- PORTA's factories
- PORTA dealers network