



VIKKING

LUXURY DOORS AND WINDOWS



WINDOWS CATALOGUE
ENERGY AND SAVING PVC WINDOWS

www.vikking.eu

Table of contents



5-7	VIKING Who we are ?
8-11	WINDOWS LINES 8 ARCTIC 4000 8 ARCTIC ULTRA 7000 9 COMTEC 85 9 ULTIMATE 8000 10-13 VISION NEO
15-19	TERRACE WINDOWS 15 V-LIGHT 16 V-SLIDE NEO 18-19 V-SPACE
20	ENTRANCE DOORS
23	PVC DOORS
25	WINDOWS FITTINGS
26	MOSQUITO NETS
28	MEET THE MUNTINS
30-31	COLOURS WINDOWS 30 WOOD-LIKE VENEERS 30 STANDARD VENEERS 31 PREMIUM COLOURS
32	HANDLES
34	GLASS PATTERNS
35	SWISSPACER
35	REVOLUTIONARY AIRING
36	ACCESSORIES and TECHNICAL SECTIONS

We fulfill dreams about beautiful and functional homes.



Tadeusz Konaszuk
CEO, Founder VIKKING

// I am pleased to invite you to discover the fascinating world of energy-efficient windows in our latest catalogue.

The **VIKKING** team is not only breaking new ground, but also creating a future where the design meets innovation. I encourage you to explore our offer, where quality goes hand in hand with beauty.

Discover with us how **VIKKING** redefines the standards of comfort and style in the homes of customers around the world! in comparison to traditional products.

//

Family-Owned Company

VIKKING is a family company with 45 years of tradition. We always adhere to the principle of **business reliability**.

Credibility and honesty as well as a dedication to manufacturing products of the highest standard have been our vectors during our history. This is confirmed by numerous certificates, awards and a constantly growing group of satisfied customers in over a **dozen countries around the world**.

We have created a proprietary technology of **energy-saving** windows PVC and composite doors and with superior technical parameters and aesthetic values in comparison to traditional products.

WHO WE ARE ?

VIKKING




Since its inception nearly three decades ago, VIKKING has honed its **manufacturing expertise**, delivering productized window and door solutions.



Continually expanding and refining its composite entrance door range, VIKKING stands as a vanguard in the industry, recognized for its **quality and innovative strides**.



Tailored to meet individual requirements, VIKKING extends the ability for special orders, ensuring a **personalized touch** in every product.



Through a blend of advanced technology and meticulous craftsmanship, VIKKING's offerings not only exhibit aesthetic allure but also **promise durability**, reflecting the firm's seasoned manufacturing acumen.

SEE HOW WE WORK!



WE MAKE DREAMS

OF BEAUTIFUL HOME



A HOME

STARTS WITH WINDOWS



WHY CHOOSE?

VIKKING WINDOWS



The best protection for your home
Anti-burglary



Best sound insulation













Best result in Europe



Applications, accessories, modern design

ARCTIC 4000

▶  Installation depth:	70 mm
▶  Uw value	Uw=1,1 W/m²K*
▶  Number of chambers:	5
▶  Number of seals	AD-2
▶  Maximum glazing depth:	40 mm
▶  Hardware	Winkhaus
▶  Available core colors:	white, brown, anthracite
▶  Available profile variants:	non-flush
▶  Application:	renovation, replacement of windows
▶  Colour palette	Standard Aluplast palette, Woodec and Aludec
▶  Warranty	10 years*

* Value according to European standards for a reference window of 1,23 m x 1,48 m. Ask your dealer for details.














Best sound insulation*



The best protection for your home
Anti-burglary



ARCTIC ULTRA 7000

▶  Installation depth:	85 mm
▶  Uw value	Uw=0,67 W/m²K*
▶  Number of chambers:	6
▶  Number of seals	3
▶  Maximum glazing depth:	51 mm
▶  Hardware	Winkhaus
▶  Available core colors:	white, brown, anthracite
▶  Available profile variants:	non-flush
▶  Application:	renovation, replacement of windows
▶  Colour palette	Standard Aluplast palette, Woodec and Aludec
▶  Warranty	10 years*

* Value according to European standards for a reference window of 1,23 m x 1,48 m. Ask your dealer for details.














Best sound insulation*



The best protection for your home
Anti-burglary



ULTIMATE 8000

▶  Installation depth:	85 mm
▶  Uw value	Uw=0,76 W/m²K*
▶  Number of chambers:	6
▶  Number of seals	3
▶  Maximum glazing depth:	51 mm
▶  Hardware	Winkhaus
▶  Available core colors:	white, brown, anthracite
▶  Available profile variants:	non-flush
▶  Application:	renovation, replacement of windows
▶  Colour palette	Standard Aluplast palette, Woodec and Aludec
▶  Warranty	10 years*

* Value according to European standards for a reference window of 1,23 m x 1,48 m. Ask your dealer for details.



Best sound insulation *



The best protection for your home
Anti-burglary

COMTEC 85

▶  Installation depth:	85 mm
▶  Uw value	Uw=0,76 W/m²K*
▶  Number of chambers:	7
▶  Number of seals	MD-3
▶  Maximum glazing depth:	51 mm
▶  Hardware	Winkhaus
▶  Available core colors:	white, brown, anthracite
▶  Available profile variants:	non-flush
▶  Application:	renovation, replacement of windows
▶  Colour palette	Standard Aluplast palette, Woodec and Aludec
▶  Warranty	10 years*

* Value according to European standards for a reference window of 1,23 m x 1,48 m. Ask your dealer for details.



Best sound insulation *



The best protection for your home
Anti-burglary

VISION NEO













Cube - line



Cube - line

VISION NEO AD

VISION NEO MD

	AD	MD
▶  Installation depth	76 mm	
▶  Uw value	Uw= 0,82 W/m²K*	Uw= 0,78 W/m²K*
▶  Number of seals	AD-2	MD-3
▶  Maximum glazing depth:	51 mm	
▶  Hardware	Winkhaus	
▶  Available core colors:	white, brown, anthracite	
▶  Available profile variants:	non-flush	
▶  Application:	replacement of windows	renovation, replacement
▶  Colour palette	Standard Aluplast palette, Woodec and Aludec	
▶  Warranty	10 years*	

* Value according to European standards for a reference window of 1,23 m x 1,48 m. Ask your dealer for details.



Best sound insulation *



The best protection for your home
Anti-burglary

VISION NEO ENERGETO













Powerdur Inside

Powerdur Inside - The fiberglass-reinforced thermoplastic replaces the steel used in conventional PVC window frames and provides significantly better thermal insulation properties with the same mechanical properties of the window.

Cube - line



▶  Installation depth	76 mm
▶  Uw value	Uw= 0,76 W/m²K*
▶  Number of seals	MD-3
▶  Maximum glazing depth:	51 mm
▶  Hardware	Winkhaus
▶  Available core colors:	white, brown, anthracite
▶  Available profile variants:	non-flush
▶  Application:	replacement of windows
▶  Colour palette	Standard Aluplast palette, Woodec and Aludec
▶  Warranty	10 years*

* Value according to European standards for a reference window of 1,23 m x 1,48 m. Ask your dealer for details.













Best sound insulation *



The best protection for your home
Anti-burglary

VISION NEO PLUS



▶  Installation depth	76 mm
▶  Uw value	Uw= 0,78 W/m ² K*
▶  Number of seals	MD-3
▶  Maximum glazing depth:	68 mm
▶  Hardware	Winkhaus
▶  Available core colors:	white, brown, anthracite
▶  Available profile variants:	flush
▶  Application:	replacement of windows
▶  Colour palette	Standard Aluplast palette, Woodec and Aludec
▶  Warranty	10 years*

* Value according to European standards for a reference window of 1,23 m x 1,48 m. Ask your dealer for details.



Best sound insulation *




The best protection for your home
Anti-burglary

BONDING INSIDE

Vision neo energeto is a platform dedicated to the technology of glass bonding, allowing to provide windows **with even better performance.**

The glue applied along the entire perimeter of the adjacent surfaces of the glass unit and the frame permanently joins them together and ensures that all glass units are properly supported at all times, which is not only beneficial to the compensation of stresses arising in the panes of the unit but also **stabilizes and maintains the profile's** susceptibility to deformation under the influence of forces arising from external atmospheric phenomena and operational loads within the acceptable limits.



- Reduced risk of glass breakage
- Greater stability of windows
- Possibility of creating larger structures
- Better protection against burglary
- Extended window life

SAFETEC INSIDE

The Vision neo energeto neo system is one of the few systems on the market with the **classic centre seal.**

Safetec inside, which is a special extruded middle rebate, to which the third, internal seal adheres strongly ensures better tightness of the entire construction, improves thermal and **acoustic properties** and makes it more difficult to force open the sash by blocking access to the hardware.





TECHNOLOGY OF THE FUTURE

TODAY IN YOUR HOME

V-LIGHT

Tilt and slide patio doors

- ▶ 70/76/85 mm frame installation depth
- ▶ $U_w = 0,76 \text{ W/m}^2\text{K}^*$
- ▶ Hidden hardware mechanisms: YES
- ▶ Maximum size of the movable sash: 1600x2100mm or 1400x2300mm
- ▶ Maximum glazing width: 51 mm
- ▶ Possible opening configurations A, C, G



Possible opening variants: A, C and G

* Value according to European standards for a reference window ULTIMATE 8000 of 1,23 m x 1,48 m. Ask your dealer for details.



Excellent quality and guarantee



Best european window hardware



V-SLIDE NEO

- ▶ 154 mm frame installation depth
- ▶ Sash installation depth: 78 mm
- ▶ $U_w = 0,72 \text{ W/m}^2\text{K}^*$
- ▶ Hidden hardware mechanisms: YES
- ▶ Maximum width of the structure: 5900 mm
- ▶ Maximum height of the structure: 2500 mm
- ▶ Maximum glazing width: 51 mm
- ▶ Possible opening configurations A, C

* Value according to European standards for a reference window of 3,10 m x 2,40 m. Ask your dealer for details.



CONVENIENCE

Innovative closing mechanism ensures easy and intuitive operation

OPTICAL LIGHTNESS

The design embodies a minimalist aesthetic, featuring clean, symmetrical shapes and narrow frames that maximize the entry of natural light into the space.

RELIABILITY

Stable support and smooth bogies guidance ensure trouble-free use for many years.



Even larger dimensions, the possibility of using wider glazing packages and a unique angular, cubist shape of the profiles. V-SLIDE NEO patio doors combine ease of use, reliability, and beauty in one.

NEW DIMENSION of comfort



Scheme A



Scheme C



Scheme A symmetric

They can be configured in Configuration A (symmetrical or asymmetrical division) or Configuration C, with two panels sliding to the sides.



Terrace windows

First impressions count

The front door is the showcase of your home. It should ideally match the architecture and design of the building and, at the same time, provide excellent thermal insulation. This is why it is so important to **choose the right system to suit your individual needs.**

VIKKING offers a number of window constructions, all of which are compatible with window systems and meet specific thermal insulation requirements. Wood veneers, lacquering in all colours of the world: **the aesthetics are always satisfactory.**


V-SPACE

Lift and slide patio doors

- ▶ 184 mm frame installation depth
- ▶ Sash installation depth: 85 mm
- ▶ $U_w = 0,75 \text{ W/m}^2\text{K}^*$
- ▶ Maximum width of the structure: 6000 mm
- ▶ Maximum height of the structure: 2700 mm
- ▶ Maximum glazing width: 51 mm

* Value according to European standards for a reference window of 3,10 m x 2,40 m.
Ask your dealer for details.

Several thresholds
to choose from





It doesn't get any better: the 85 mm lift-and-slide door with its high energy efficiency and user - friendliness: even at its maximum size of 6,00 m x 2,80 m*, the door can be opened and closed without effort and ensures a smooth and **barrier-free** transition to the outside.

*Ask your dealer for details

**MORE
LIGHT**

**SPACE
OPTIMALLY
USED**

It has been tested under extreme conditions: whether it is driving rain, storms or any other extreme weather conditions: the VIKKING **lift-and-slide door** keeps everything out.

**A BARRIER-FREE HOME?
LOW ALUMINIUM
THRESHOLD**



ENTRANCE DOORS

COMPOSITE DOORS

The VIKKING brand is synonymous with **customised windows and doors**. In times of a global trend towards product unification and standardisation, we are one of the few companies that offer products tailored to customers needs.

Composite doors, unlike traditional metal or aluminium doors are made only of materials which or **protect against the loss of valuable energy**.

5 LINES
8 COLLECTIONS

1000+
MODELS

- ▶ INNOVATIVE DOOR CONSTRUCTION
- ▶ DOOR LEAF THICKNESS 90 MM
- ▶ COMPOSITE DOOR FRAME
- ▶ FLUSH ON BOTH SIDES
- ▶ To Rc3

U_d from
0,49*

* According to the best European parameters

up **25**
years**
of warranty

** Ask the seller for details


Collection
ELITE



04 10 GCL



04 11 GCL



05 08 CL



05 11 GCL



05 10 CL



05 10 GCL



05 11 CL



05 11 GCL



10 01 GCL

Collection
VINTAGE



02 11 GL



02 11 L



03 02 L



03 04 L



03 05 L



04 10 CL



04 11 L



05 01 L



05 06 L

Collection
INSPIRO



04 05 i



06 12 GMi



06 12 Mi1



06 13 GMi




06 13 Mi1



07 05 GMi



07 05 Mi1



07 05 Mi2



08 17 GMi

Collection
FUTURE



08 01 GMi



08 02 GMi



08 03 GMi



04 08 G1



04 04GFM



08 05 GM1



08 06 GF1



08 06 GF1



06 01 GM1


PVC DOORS

The door is the showcase of the house because it emphasizes its character from the entrance.

Rich color profiles, **virtually unlimited construction possibilities** and the ability to choose a variety of fillings, from classic to ultra-modern.

■ PROFILES SYSTEMS:

- Vision Neo depth of the profile 76 mm
- Artic Ultra 7000 depth of the profile 85 mm
- Artic 4000 depth of the profile 70 mm
- filling with glass packet or PVC panel
- system of structural gluing glass packages
- low aluminum threshold
- horizontal or vertical bars



WINDOWS

FOR THE WHOLE FAMILY



SAFE

DURABLE AND FUNCTIONAL

WINDOWS FITTINGS

Smart technology



Window fittings are one of the most important elements of windows. They **determine which features will a window will have.**

SEE MORE!



Depending on the function of the room where the window is installed, various types of fittings can be used to provide increased **burglary protection, costaving ventilation or child lock.**




MOSQUITO NETS

Mosquito nets are functional and practical protection against unwanted insects. They guarantee **comfort at home** even with an opened window and the light on.




EFFECTIVE PROTECTION



There are several mosquito net systems for different applications: **framed mosquito net, openable mosquito net, sliding mosquito net, and roll-up mosquito net.**

A mosquito net mounted in the window increases its functionality and effectively protects the room from insects.

Mosquito nets are constructed using sturdy frames and various types of mesh suited for different purposes.




COLOR PALETTE

A broad spectrum of colors is available, catering to the diverse preferences of even the most **discerning customers**. Mosquito frames can be found in any color from the RAL palette.

MEET THE MUNTINS



Dreaming of an elegant interior?
A home with a unique and
exceptional character that matches
your style? Choose our muntins
for your windows! They look great
in **retro, loft, glamour interiors**,
as well as in villas and classic manors.




Viennese muntins




Between the glass muntins



26 mm



46 mm



66 mm

available in different sizes
and colors

There are many different styles and patterns of muntins to suit personal tastes and the character of the building. Whether you prefer **adhesive muntins**, **between the glass muntins**, or **Viennese muntins**, you can find them all in VIKKING's extensive selection!



SEE MORE!









They look great in **retro**, **loft**, **glamour interiors**, as well as in villas and classic manors.














WINDOWS COLOURS

WOOD-LIKE STANDARD VENEERS




SEE MORE

STANDARD COLOURS VENEERS



PREMIUM COLOURS

woodec/aludec



The new woodec surface offers the faithful look of real wood, among others due to its deep embossing and matt top layer. Scandinavian countries have had a great influence on the development and design of the woodec series.

The attractive surface of aludec decorative structures, distinguished by a unique fine-grained, matt surface with a structure of **powder-painted aluminum**, is certainly a proposal that will go well in modern, minimalist arrangements.



The new aludec structures follow this trend, as they are offered in **seven attractive shades**, ranging from whites and greys, through brown, anthracite, and metallic Alux to deep black.

HANDLES

accessories for your windows

You decide on the size, accessories, colours and decoration windows. We will take care of the rest with **the utmost care and commitment** of our employees, who are masters in their profession.

LUXEMBOURG



TOKYO



SWING



DUBLIN




VICTORY



TOULON



Selected handle colours



Design:

VIKKING handles not only serve a practical function, but also affect the aesthetics and **convenience of life in your home.**

Choose from dozens of types of exclusive window accessories. A variety of colors, **modern finish structure** and shapes to match the interior design.

Security:

Our handles are equipped with locking mechanisms that provide **greater security.**

They can have a lock against accidental opening from children, for example an additional button or key) or even protection against breaking the window - **ensure peace of mind and safety** for your loved ones!

Full control:

The basic function of handles is, of course, to **open and close** the window.

However, with handles and hardware dedicated to VIKKING windows, it is you who regulate the air flow and **control ventilation in the room.** Take care of your comfort and health!

V-SPACE



HS WHITE

HS 300 F1

HS 300 GOLD

GLASS

patterns

Decorative glass is both decorative and functional. It is the **perfect solution** for natural interior while maintaining the privacy of your room. Decorative glass is ideally suited for use in office walls, as balustrade elements and even in glass doors



FLOAT WHITE



ANTISOL BROWN



ANTISOL GREY



DECOR MAT WHITE



REFLEX BROWN



ANTISOL GREEN




ANTISOL BLUE

SWISSPACER

warm edge space bar

Additional benefits include the **SWISSPACER warm** edge spacer bar which seals the edges of glazing units for perfect thermal insulation.

The high functionality of „warm frames“ for the construction of glazing units is due to the fact that they allow to raise the **window temperature** from the side of the room at the point of contact of the frame and the pane.



Standard VIKKING




Available in different colors

REVOLUTIONARY




airing

Energy-saving airing without drafts




ACCESSORIES


Extensions




H-connector




Static connector




90 degree connector





135 degree connector



Pipe angle connector






ARCTIC 4000 ARCTIC ULTRA 7000



ULTIMATE 8000


COMTEC 85





VISION NEO

VISION NEO PLUS



VIKKING INNOVATIONS

Window coating technology in all RAL colours with completely **invisible welding** technology sealing gives your windows a real character. Entrust us with your wishes and our designers will do their best to realise the most imaginative solutions.



NANO-CORNER TECHNOLOGY



Surface decoration of PVC profiles in the RW technology eliminates the need for laminating the profiles and ensures long durability of the resulting structure.

The world's only PVC windows with a noble wood structure. The proprietary technology developed by the VIKKING engineering team is subject to international patent protection.

RealWood[®]



look

All information contained in this publication is provided for promotional purposes only and cannot be the subject of a binding commercial offer. The offer is valid from December 1, 2023. Due to printing conditions, the presented colors and patterns may differ slightly from the real ones and cannot be treated as binding. Before installation, read the installation, use and maintenance instructions as well as the warranty conditions, failure to comply with the rules contained therein may result in loss of warranty rights. We make every effort to ensure that our publications contain full, reliable information about the offer, but we are not responsible for any inaccuracies. This publication is fully protected by copyright. Reproducing it, even partial, always requires the consent of the manufacturer.



VIKKING

LUXURY DOORS AND WINDOWS



DISTRIBUTOR:



MANUFACTURER

VIKKING • +48 603 370 770 • +48 506 365 228 • centrum@vikking.eu

vikking.eu